
# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




LIBBARY

U. S. Department of Agriculture

# PRICE LIST


FALL, 1944 - SPRING, 1945



ROSES EVERGREENS
TREES SHRUBS
HERBACEOUS PERENNIALS

# HENRY KOHANKIE & SON

PAINESVILLE, OHIO
30 Miles East of Cleveland on Route 20
TELEPHONE 4380



#### PRICE LIST

WE OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

#### HENRY KOHANKIE & SON

Route 20, One Mile East of Painesville
PAINESVILLE, OHIO

## Please Read Carefully

#### CONDITIONS OF SALE

**Prices** do not include packing. A charge for the cost of the boxes and material used in baling will be made.

**Stock** specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as toquality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

#### CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines
Herbaceous Material (including Rock and Alpine Plants)165-203
Fruit Garden Material 204
Large Specimen Material
Plants for Special Purposes 214-215
Schedule of B&B Charges
PLANT CLASSIFICATIONS
Coniferous Evergreens 205-206
Broad-leaved Evergreens 206
Deciduous Shade Trees
Deciduous Small Trees 208-209
Deciduous Shrubs
Vines 213-214

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

### DECIDUOUS AND EVERGREEN TREES, SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

	1-4 Each	5-24 Each	25 & up Each
Abelia chinensis. Chinese Abelia. 5'			
15 to 18 in., 4 in. pots	1.50	1.25	1.00
grandiflora. $Glossy\ Abelia.$ 3'			
12 to 15 in., 4 in. pots	.75	.65	.60
15 to 18 in., 4 in. pots	1.00	.85	.75
18 to 24 in B&B	1.50	1.35	1.25
2 to 3 ft	1.75	1.65	1.50
schumanni. 5'			
12 to 18 in., 4 in. pots	1.50	1.25	
Abies balsamea. Balsam Fir. 50'			
2 ft B&B	3.50	3.00	2.50
3 ft B&B	5.00	4.00	3.75
4 ft B&B	6.50	5.50	5.00
5 ftB&B	8.50	6.50	6.00
6 ft B&B	12.00	8.50	7.50
7 ft. B&B	15.00	12.50	10.00
For larger sizes to 15 ft., add \$	5.00 p	er foot	t
concolor. White Fir. 70'			
2 ft B&B	4.50	3.50	3.00
3 ft B&B	6.00	5.00	4.50
4 ft	8.50	7.50	6.50
5 ft	12.50	10.00	9.00
6 ft. B&B	15.00	12.50	10.00
7 ft. B&B	18.00	15.00	
8 ft B&B	22.50	18.50	
9 ft. B&B	25.00	22.50	
10 ft. B&B		27.50	
For larger sizes to 25 ft., add \$1	0.00 p	er foo	t

		1-4	5-24	25 & up
Abies		Each	Each	Each
	or violacea. Purplecone Wh	ite Fig	r. 70'	
	•			
2	ftB&B	6.50	5.50	
3	ft. B&B	9.00	7.50	
4	ftB&B		10.00	
5 6	ft. B&B		12.50	
	ftB&B		15.00	
ror 1	arger sizes to 10 ft., add \$1	10.00 p	er 100t	•
firma	Momi Fir. 50'			
3	ft	6.00		
4	ft. B&B	7.50		
	. Fraser Fir. 50'			
3	ft		4.75	
4	ftB&B		6.00	
5	ftB&B	7.50	7.00	
6	ftB&B		8.50	-
7	ftB&B		10.00	
For 1	arger sizes to 12 ft., add \$	5.00 p	er foot	
homol	epis. Nikko Fir. 60'			
3	ft. B&B	6.50	5.50	5.00
4	ft. B&B		7.50	6.50
5	ft. B&B	11.00	9.50	8.50
6	ft	14.00	12.00	10.00
lasiasa	ii Could book		0.8	
2	rpa arizonica. Cork-bark F ft	7.50	6.00	
	glauca. Blueleaf Noble Fi			
	in	6.00		
2	ft	7.50		
	anniana. Nordmann Fir. 7			
3	ft			
4	ft	7.50		
5	ft	10.00		
_	ata. Silver Fir. 50'			
2	ftB&B	5.00	4,50	
3	ftB&B	6.00	5.00	
pectina	ata pyramidalis. Sentinel Fi	r. 10'		
18	in B&B	4.00		
2	ft	5.00		
3	ft,B&B	7.50		

	1-4 Each	5-24 Each	25 & up Each
Abies			
veitchi. Veitch Fir. 80'			
2 ftB&	B 6.00	5.00	
3 ftB&	B 7.50	6.00	
4 ftB&	B 10.00	7.50	
5 ftB&		10.00	
6 ftB&	B 15.00		
For larger sizes to 12 ft., ad	ld \$5.00 p	er foo	t.
Acanthopanax henryi. Henry Aca	nthopano	ıx. 10	,
2 to 3 ft		1.25	
peniaphyllum. Five-leaved Ar		,	
2 to 3 ft	55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft		.65	.60
5 to 6 ft	1.00	.85	.75
ricinifolium. Castor Aralia.	25'		
6 to 8 ft		6.00	
8 to 10 ft		7.50	
10 to 12 ft.		9.00	
12 to 14 ft		12.50	
14 to 16 ft.		15.00	
rincinifolium magnificum. 25'		20.00	
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
ricinifolium maximowiczi. 25'			
8 ft	. 15.00		
10 ft	. 20.00		
12 ft	. 25.00		
Acer buergerianum. Trident Maple	e. 40'		
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50	5.00	
campestre. Hedge Maple. 25'			
3 to 4 ft	. 1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.50	5.00	4.50
10 to 12 ft	10.00	8.50	
12 to 14 ft	15.00	12.50	
14 to 16 ft	20.00	15.00	

1½ to 1½ in.       2.00       1.75         1½ to 1¾ in.       2.50       2.00         1¾ to 2 in.       3.50       2.75         2 to 2½ in.       4.00       3.50	1.25 1.50 1.85 2.50 3.25
8       to 10       ft.       1.50       1.35       1         1½ to 1½ in.       2.00       1.75       1         1½ to 1¾ in.       2.50       2.00       1         1¾ to 2 in.       3.50       2.75       2         2 to 2½ in.       4.00       3.50       3         2½ to 3 in.       6.00       5.00       4	1.50 1.85 2.50 3.25
8       to 10       ft.       1.50       1.35       1         1½ to 1½ in.       2.00       1.75       1         1½ to 1¾ in.       2.50       2.00       1         1¾ to 2 in.       3.50       2.75       2         2 to 2½ in.       4.00       3.50       3         2½ to 3 in.       6.00       5.00       4	1.50 1.85 2.50 3.25
1½ to 1¾ in.       2.50       2.00       1         1¾ to 2 in.       3.50       2.75       2         2 to 2½ in.       4.00       3.50       3.50       3.50         2½ to 3 in.       6.00       5.00       4	1.85 2.50 3.25
134 to 2 in.       3.50 2.75 2         2 to 2½ in.       4.00 3.50 3         2½ to 3 in.       6.00 5.00 4	2.50 3.25
2 to 2½ in. 4.00 3.50 3 2½ to 3 in. 6.00 5.00	3.25
2½ to 3 in. 6.00 5.00 4	
2,2 00 0 000000000000000000000000000000	
2 to 216 in 10.00 7.50	1.50
5 (0 572 III 10.00 1.50	
3½ to 4 in	
dasycarpum pyramidale.	
Pyramidal Silver Maple. 75'	
6 to 8 ft	
8 to 10 ft	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.00 2.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 3.50 3.00	
dasycarpum wieri. Wier Maple. 75'	
8 to 10 ft	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.00 2.50	
1½ to 1¾ in	
13/4 to 2 in. 4.00 3.50	
2 to $2\frac{1}{2}$ in	
ginnala. Amur Maple. 12'	
3 to 4 ft 1.00 .75	.60
4 to 5 ft 1.25 1.00	.90
5 to 6 ft 1.75 1.50 1	.25
6 to 8 ft 2.75 2.25 2	00.9
8 to 10 ft 3.50 2.75 2	2.50
glabrum. Rocky Mountain Maple. 25'	
2 to 3 ft	
3 to 4 ft	
griseum. Paperbark Maple. 25'	
8 to 10 ft	
10 to 12 ft	
12 to 14 ft	
japonicum aureum.       Goldenmoon Maple.       15'         2 to 3 ft.       B&B 5.00         3 to 4 ft.       B&B 7.50         4 to 5 ft.       B&B 10.00         5 to 6 ft.       B&B 15.00	

	1-4 Each	5-24 Each	25 & up Each
cer		240,,	20011
mandshuricum. Manchurian Map	le. 30	<b>)</b> '	
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	4.00	3.50
10 to 12 ft	7.50	6.00	
negundo. Box Elder. 60'			
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.00	1.75	1.50
1½ to 1¾ in	2.75	2.25	2.00
13/4 to 2 in	3.50	3.00	
nigrum. Black Maple. 80'			
8 to 10 ft	4.50	4.00	
nikoense. Nikko Maple. 40'			
6 to 8 ft	7.50		
8 to 10 ft	10.00		
palmatum. Japanese Maple. 15'			
2 to 3 ft	2.25	1.75	
3 to 4 ftB&B	3.00	2.50	
4 to 5 ft	3.50	3.00	
5 to 6 ft	5.00	4.50	
6 to 8 ftB&B	7.50	6.00	
	10.00	7.50	
palmatum atropurpureum.			
Bloodleaf Japanese Maple. 1	10'		
2 to 3 ft	6.00	5.50	5.00
3 to 4 ftB&B	7.50	6.50	
4 to 5 ftB&B	10.00	8.50	
5 to 6 ft., heavy B&B	15.00	12.50	
6 to 8 ft., heavy B&B	20.00	15.00	
8 to 10 ft., heavy B&B	25.00		
palmatum dissectum atropurpureu			
Purple Threadleaf Japane	se Ma	ple. 6	,
18 to 24 in B&B	8.50	7.50	
2 to 3 ft		8.50	
3 to 4 ftB&B	15.00		
palmatum elegans. 10'			
18 to 24 in	8.50		

		1-4 Each	5-24 Each	25 & up Each
Acer		Lucii	Eden	Lucii
palmatum filicif	olium. Fernleaf	Maple.	10'	
	B&B		7.50	
		12.50		
	B&B			
	B&B			
		25 <b>'</b>		
-		2.25	2.75	
		3.00	2.75	
		3.50	3.25	
			0120	
platanoides. N 6 to 8	orway Maple. 75'	2.00	1.85	1.75
	ft			
8 to 10	ft	2.75	2.50	2.25
	in	3.50	3.00	2.75
1½ to 1¾	in	4.00	3.50	3.25
13/4 to 2	in	5.00	4.00	3.75
2 to $2\frac{1}{2}$	in	6.50	5.50	5.00
$2\frac{1}{2}$ to 3	in	8.00	7.00	6.50
3 to $3\frac{1}{2}$	in	12.50	10.00	9.00
$3\frac{1}{2}$ to 4	in	15.00	12.50	
4 to 5 i	n. spec.	35.00		
platanoides colu	mnare. Column M	laple.	75'	
8 to 10	ft	7.50		
11/4 to 11/2		10.00		
platanoides glob	osum. Globe Noru	ay Me	aple.	
		12.50		
platanoides sch	wedleri. Schwedle	r Map	ole. 60	) <b>'</b>
$1\frac{1}{4}$ to $1\frac{1}{2}$	in	5.00	4.00	
1½ to 1¾	in	6.00	5.00	
13/4 to 2	in	7.50	6.00	
2 to 2½	in	12.50	10.00	
$2\frac{1}{2}$ to 3	in	15.00	12.50	
3 to 3½	in	20.00	15.00	
$3\frac{1}{2}$ to 4	in	25.00		
pseudoplatanus.	Sycamore Maple.	60'		
8 to 10	ft	3.00	2.50	
1½ to 1½		3.75	3.00	
1½ to 1¾	in.	4.75	$\frac{3.00}{4.25}$	
13/4 to 2				
	in.	6.50	5.50	
	in	7.50	6.50	
2½ to 3		10,00	8.50	
.3 to 3½	in 1	15.00	12.50	

	. 22.	
1 Eac		25 & up Each
Acer		
rubrum. Red Maple. 75'		
6 to 8 ft		2.25
8 to 10 ft 3.5		2.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. 4.5		3.50
1½ to 1¾ in 5.5		4.00
134 to 2 in		5.50
2 to $2\frac{1}{2}$ in		7.50
$2\frac{1}{2}$ to 3 in		10.00
3 to $3\frac{1}{2}$ in	0 15.00	12.50
$3\frac{1}{2}$ to 4 in	0	
4 to 5 in 35.0	0	
saccharum. Sugar Maple. 75'		
6 to 8 ft 2.7		2.25
8 to 10 ft 3.5		2.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 4.5		3.50
1½ to 1¾ in 5.0		4.00
$1\frac{3}{4}$ to $2$ in		5.00
2 to 2½ in 8.5		6.50
$2\frac{1}{2}$ to $3$ in 12.5	0 10.00	9.00
3 to 3½ in 15.0	0 13.00	12.00
$3\frac{1}{2}$ to 4 in	0 15.00	
4 to 4½ in 30.0	0 25.00	
$4\frac{1}{2}$ to 5 in	0	
5 to $5\frac{1}{2}$ in 45.0	0	
spicatum. Mountain Maple. 20'		
	5 1.00	
0 00 0 101		
6 to 8 ft 2.5	2.00	
· ·		
tataricum. Tatarian Maple. 20'		
4 to 5 ft	0 1.25	1.00
5 to 6 ft	5 1.50	1.25
6 to 8 ft	0 2.25	2.00
8 to 10 ft	0 2.75	2.50
10 to 12 ft	0 4.50	
Actinidia arguta. Bower Actinidia. 20'		
	:O 50	.40
2 <b>year</b>	.50	.40

Aesculus carnea	P.	ed Horsechestnut.	1-4 Each . 40'	5-24 Each	25 & up Each
6 to 8		eu 110/3echesthut.	12.50		
8 to 10			15.00		
4 to 5			60.00		
5 to 6			75.00		
3 10 0	111.		15.00		
glabra. $\mathit{Oh}$	io B	uckeye. 25'			
6 to	8	ft	3.50	3.00	
8 to	10	ft	4.50	4.00	
11/4 to	$1\frac{1}{2}$	in	6.00		
1½ to	2	in	7.50		
2 to	$2\frac{1}{2}$	in	10.00		
$2\frac{1}{2}$ to	3	in	12.50		
3 to	$3\frac{1}{2}$	in	15.00		
3½ to	4	in	20.00		
hippocastan	um.	Horsechestnut.	70'		
6 to	8	ft.	3.00	2.75	2.50
8 to	10	ft.	4.50	4.00	3.75
1½ to	11/2	in.	5.50	5.00	4.50
1½ to	13/4	in.	6.00	5.50	5.00
13/4 to	2		7.50	6.50	6.00
		in		8.50	7.50
2 to	$2\frac{1}{2}$	in	10.00		
2½ to	3	in	12.50	11.00	10.00
3 to	$3\frac{1}{2}$	in	18.00	15.00	
3½ to	4	in	22.50		
4 to	5	in	30.00		
hippocastan	um 1	baumanni.			
D	ouble	White Horseche	stnut.	50 <b>'</b>	
5 to	6	ft	7.50		
6 to	8	ft	10.00		
8 to	10	ft	12.50		
2½ to	3	in	25.00		
3 to	$3\frac{1}{2}$	in	35.00		
3½ to	4	in	45.00		
octandra.	Yello	w Buckeye. 60'			
6 to	8	ft.	3.00	2.75	2.50
8 to	10	ft	4.50	4.00	3.75
11/4 to	11/2	in.	5.50	5.00	4.50
1½ to	13/4	in.	6.00	5.50	5.00
13/4 to	2	in	7.50	6.50	6.00
2 to		in	10.00	8.50	7.50
2½ to	3	in.	12.50	10.00	9.00
3 to	$3\frac{1}{2}$		15.00	12.50	11.00
3½ to	4	in	20.00	15.00	11.00
4 to	5	in.		20.00	

N 1	1-4 Each	5-24 Each	25 & up Each
Aesculus. parviflora. Dwf. Horsechestnut.	101		
-			
15 to 18 in. B&B 18 to 24 in. B&B	2.50		
	3.75		
2 to 3 ft. B&B turbinata. Japanese Horsechestnu	5.00	,	
•			
	$30.00 \\ 35.00$		
Ailanthus glandulosa. Tree of Heave	en. 50	) <b>'</b>	
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.00	2.75
13/4 to 2 in	4.50	3.75	3.50
2 to 2½ in	6.50	5.50	
sutchuenensis. Szechwan Ailanth	us. 50	)′	
2 to 2½ in.	7.50		
2½ to 3 in	10.00		
vilmoriniana. 50'			
10 to 12 ft	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
13/4 to 2 in	5.00	4.50	
2 to 2½ in	7.50	6.00	
2½ to 3 in	8.50	7.50	
3 to 3½ in	12.50		
Akebia lobata. Threeleaf Akebia. 1	<b>5'</b>		
2 year	.75	.60	.50
3 year from pots	1.00	.75	.60
quinata. Fiveleaf Akebia. 15'			
2 year	.55	.45	
3 year	.65	.50	.45
Albizzia julibrissin rosea. Silktree.	30 <b>'</b>		
3 to 4 ft	6.00		
4 to 5 ft	7.50		
Alnus cordata. Italian Alder. 40'			
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	2.75	
1½ to 1¾ in	5.50	5.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in	7.00	6.00	
2½ to 3 in	10.00	7.50	
3 to 3½ in	12.50	10.00	

	1-4 Each	5-24 Each	25 & up Each
Alnus			
glutinosa. European Alder. 60'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
11/4 to 11/2 in	4.50	4.06	3.75
1½ to 1¾ in	5.00	4.75	4.50
1¾ to 2 in	6.00	5.50	5.00
2 to 2½ in	7.50	6.50	
2½ to 3 in	10.00	7.50	
3 to 3½ in	12.50	10.00	
glutinosa laciniata. Cutleaf Alder	. 40'		
4 to 5 ft	5.00		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
hirsuta. Manchurian Alder. 60	,		
8 to 10 ft	4.00		
1¼ to 1½ in	5.00		
incana. Speckled Alder. 50'	-		
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	4.00	3.75
1½ to 1¾ in	5.00	4.75	4.50
1¾ to 2 in	6.00	5.50	5.00
2 to 2½ in	7.50	6.50	6.00
2½ to 3 in	10.00	7.50	
3 to 3½ in	12.50	10.00	
japonica. Japanese Alder. 50'			
6 to 8 ft	3.50	3.00	
pendula. 30'			
2 yr. 6 ft. stems	6.00		,
rugosa. Hazel Alder. 10'			•
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft.	3.00	2.50	
8 to 10 ft.	4.50	3.75	
		00	
viridis. European Green Alder.	6'		
3 to 4 ft	1.50		
4 to 5 ft	2.00		

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

				1-4 Each	5-24 Each	25 & up Each
Althea.	(S	ee i	Hibiscus)			
Amelanch	ier	alr	nifolia. Saskatoon.	7'		
3	to	4	ft	1.50		
4	to	5	ft	1.75		
5	to	6	ft	2.50		
asiatio	ca.	35	5'			
3	to	4	ft	1.50	1.25	
4	to	5	ft	1.75	1.50	
5	to	6	ft	2.50	2.00	1.75
6	to	8	ft	3.00	2.75	2.50
canad	ens	is.	Downy Shadblow. &	30 <b>'</b>		
2	to	3	ft	.60	.55	.50
3	to	4	ft	1.00	.75	.65
4	to	5	ft	1.25	1.00	.80
5	to	6	ft	1.75	1.50	1.25
6	to	8	ft	4.50	3.50	
8	to	10	ft	7.50	6.00	
10	to	12	ft	12.50		
6	to	8	ft. standards	6.00	5.00	
8	to	10	ft. standards	7.50	6.00	
laevis	•	All	egheny Serviceberry.	<i>35</i> ′		
3	to	4	ft	1.00	.75	.65
4	to	5	ft	1.25	1.00	.80
5	to	6	ft	1.75	1.50	1.25
6	to	8	ft	3.00	2.75	2.50
8	to	10	ft	4.50	4.00	3.75
6	to	8	ft. standards	6.00	5.00	
8	to	10	ft. standards	7.50	6.00	
10	to	12	ft. standards	10.00		
laevis	ro	sea.	. 35'			
3	to	4	ft. standards	2.00	1.75	
4	to		ft. standards	2.50	2.00	
5	to	6	ft. standards	3.50	3.00	
6	to	8	ft. standards	5.00	4.00	
8	to	_	ft. standards	7.50	6.50	
	to	_	ft. standards	10.00	0.00	

	1-4 Each	5-24 Each	25 & up Each
Amelanchier. oblongifolia. Thicket Shadblow.	25'		
2 to 3 ft.		.55	.50
3 to 4 ft		.75	.65
4 to 5 ft.		1.00	.80
		1.50	1.25
6 to 8 ft		2.75	2.50
8 to 10 ft		4.00	3.75
6 to 8 ft. clumps B&F			
8 to 10 ft. clumps B&E			
10 to 12 ft. clumps B&F		, ,,,	2 =1
rotundifolia, syn, vulgaris. Eurog			
2 to 3 ft		.55	.50
3 to 4 ft		.75	.65
4 to 5 ft.		1.00	.80
5 to 6 ft		1.50	1.25
6 to 8 ft		2.75	2.50
* 8 to 10 ft		4.00	3.75
6 to 8 ft. standards		4.00	
8 to 10 ft. standards	6.00	5.00	
8 to 10 ft. clumps B&F	3 15.00		
10 to 12 ft. clumps B&F	3 20.00		
sanguinea. $Roundleaf\ Shadblow.$			
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.00	4.50	
stolonifera. Running Shadblow.	4'		
18 to 24 in	.60	.50	.45
2 to 3 ft	75	.60	.55
3 to 4 ft	90	.75	
Amorpha brachycarpa. 3'			
18 to 24 in	75	.60	.50
2 to 3 ft	1.00	.75	
canescens. Lead Plant. 2'			
15 to 18 in	55	.45	.40
18 to 24 in	60	.50	.45
2 to 3 ft	65	.55	.50
fruticosa. Indigobush. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	60	.50	.45
4 to 5 ft	75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis aconitifolia. Monkshood V	ine.	15 <b>'</b>	
2 year	.55	.45	.40
3 year	.60	.50	.45
4 year	.75	.60	.55
henryana. Silvervein Creeper. 15	,		
from 4-inch pots	.75	.60	
heterophylla. Porcelain Ampelopsi	s. 25	5'	
2 year	.55	.45	.40
3 year	.60	.50	.45
4 year	.75	.60	.55
heterophylla amurensis. Amur An	npelop	psis.	25 <b>'</b>
2 year	.75	.60	.50
3 year	1.00	.75	.60
heterophylla elegans, syn. sieboldi.	15'		
2 year	.50	.40	
3 year	.60	.50	
4 year	.75	.65	
quinquefolia. Virginia Creeper. 3	5'		
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.45
quinquefolia engelmanni. Engelma	nn C	reeper.	35'
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.45
quinquefolia murorum. Wall Cree	per.		
2 year	1.00	.75	
quinquefolia saintpauli. St. Paul's	s Cree	eper.	3 <i>5</i> ′
2 year	.40	.30	.25
3 year	.50	.40	.30
tricuspidata veitchi. Boston Ivy	40'		
2 year	.50	.45	.40
3 year	.60	.55	.50
2 year from pots	.75	.60	
tricuspidata lowi. Geranium Ivy.	<i>8</i> ′		
2 year from pots	.65	.60	.50
3 year from pots heavy	1.00	.90	.75
Amygdalus davidiana. Chinese Wild P	each.	25'	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	

	1-4 Each	5 <b>-24</b> Each	25 & up Each
Amygdalus			
davidiana alba. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
nana georgica. Russian Almond.	6 <b>'</b>		
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
persica. Double Flowering Peach.	10'		
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	2.00		
6 to 8 ft	2.50		
Alboplena-Double White			
Clara Meyer—Double Pin	k.		
Rosea Plena—Double Pinl			
Rubroplena—Double Red.			
Andromeda. (See Pieris)			
Aralia japonica. Angelica Tree. 25'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
pentaphyllum. (See Acanthopane	ax).		
spinosa. Devil's Walkingstick. 2	5 <b>'</b>		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.80
6 to 8 ft	2.00	1.50	1.25
8 to 10 ft. clumps	5.00	4.50	
10 to 12 ft. clumps	7.50	6.00	
Arctostaphylos uva-ursi. Bearberry.			
3½ in. pots	.75	.60	.50
Aristolochia sipho. Dutchman's Pipe.	30'		
2 year	1.25	1.00	.75
tomentosa. 30'			
2 year	.75	.60	.50
Aronia arbutifolia. Red Chokeberry.	8'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75

	1-4 Each	5-24 Each	25 & up Each
Aronia			
atropurpurea. Purple Chokeberry.			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
melanocarpa. Black Chokeberry.	6 <b>'</b>		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
melanocarpa elata. Glossy Chokeb	erru.	10'	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
Artemesia abrotanum. Southernwood.	<i>5</i> ′		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.25	1.00	
Azalea amoena. Amoena Azalea. 4'			
10 to 12 in	2.00		
12 to 15 in	2.50		
15 to 18 in B&B	3.00		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	5.00	4.75	4.50
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	5.00	4.75	4.50
	0.00	20	1.00
hinodegiri. Carmine Azalea. 3'	2.25		
12 to 15 in	2.25 $2.75$		
	2.10		
kaempferi. Torch Azalea. 5'	0.55	0.50	0.05
15 to 18 in	2.75	2.50	
18 to 24 in	$3.75 \\ 4.50$	$\frac{3.50}{4.00}$	3.50
30 to 36 in	6.00	5.00	3.50
	0.00	5.00	
ledifolia. Snow Azalea. 6'			
15 to 18 in	3.00	2.75	2.50
18 to 24 in B&B	3.75	3.50	3.25
24 to 30 inB&B	5.00	4.50	

20 HEART ROTATION & St	511		
	1-4 Each	5-24 Each	25 & up Each
Azalea	Eden	Edch	Lucri
ledifolia rosea. Sekidera Azalea.	6'		
15 to 18 in	3.00	2.75	2.50
18 to 24 in. B&B	3.75	3.50	3.25
24 to 30 in. B&B	5.00	4.50	
lutea. 10'			
18 to 24 in. B&B	4.50	4.00	3.75
24 to 30 inB&B	6.00	5.50	5.00
3 to 4 ftB&B	7.50	6.50	6.00
mollis. Chinese Azalea. 6'			
15 to 18 in B&B	3.00	2.75	2.50
18 to 24 in B&B	4.50	4.00	3.75
24 to 30 in B&B	6.00	5.50	
mucronulatum. Dahurian Azalea	ı. 6'		
2 to 3 ft	5.00	4.50	
3 to 4 ft	-7.50	6.00	
4 to 5 ft B&B	10.00		
nudiflora. Pinxterbloom. 4'			
2 to 3 ft	5.00	4.50	
3 to 4 ft	6.00	5.00	
poukhanensis. Korean Azalea.	4'		
18 to 24 in	4.00	3.50	
24 to 30 in	5.00	4.50	
viscosa. Swamp Azalea. 6			
18 to 24 in	4.00	3.75	
24 to 30 in	5.00	4.50	
yodogawa. Yodogawa Azalea.	4'		
18 to 24 in B&B	4.00	3.50	
24 to 30 in B&B	5.00	4.50	
3 to 4 ftB&B	6.00	5.50	
Baccharis halimifolia. Groundselbush	. 10'		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.65	.55	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
*Benzoin aestivale. Spice Bush. 12	2'		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.65	.55	.45
4 to 5 ft	.85	.70	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
8 to 10 ft. clumps B&B	15.00		

				1-4 Each	5-24 Each	25 & up Each
Berberis circ 18 to		aia. Cutlea)		-	5′ 0	
julianae.	Winte	rgreen Barb	erry.	5 <b>'</b>		
15 to	18 in.		B&B	1.75	1.50	1.25
18 to	24 in.		B&B	2.50	2.25	2.00
24 to	30 in.		В&В	3.00	2.75	2.50
30 to	36 in.		B&B	4.00	3.50	3.00
koreana.	Korea	n Barberry.	<i>6'</i>			
2 to	3 ft			.75	.60	.50
3 to	4 ft			1.00	.75	.60
4 to	5 ft.			1.25	1.00	.75
sargentia	na. S	argent Barb	erry.	5 <b>'</b>		
15 to	18 in.		B&B	1.75	1.50	1.25
18 to	24 in.		B&B	2.50	2.25	2.00
				3.00	2.75	2.50
30 to	36 in.		В&В	4.00	3.50	3.00
thunberg	i. Japa	inese Barber	ry. 4	,		
15	to 18	in		.35	.25	.22
18	to 24	in		.40	.30	.25
24	to 30	in		.50	.40	.35
30	to 36	in.		.65	.55	.50
		ft. spec.		1.25	1.00	
$2\frac{1}{2}$				1.50	1.25	
3	to 3½	ft. spec.		2.00	1.75	
thunberg	i atrop	urpurea.				
	Redle	eaf Japanese	e Barb	erry.	<b>5</b> ′	
18 to	24 in	• • • • • • • • • • • • •		.50	.40	.35
24 to	30 in.			.55	.45	.40
30 to	36 in.			.65	.55	.50
36 to	42 in.			1.00	.80	.75
thunberg	ji mino	r. Box Bar	berry.	2'		
12 to	15 in.			.40	.30	.25
15 to	18 in			.45	.35	.30
18 to				.50	.40	.35
24 to	30 in	*		.60	.50	.45
thunberg	ji pluri:	flora. 5'				
18 to	24 in.			.45	.35	.30
				.55	.45	.40
30 to	36 in.			.65	.55	.50

Berberis.	1-4 Each	5-24 Each	25 & up Each
thunbergi pluriflora erecta. Trueho	edge	Columr	-
12 to 15 in	.40	.30	.25
15 to 18 in	.50	.35	.30
18 to 24 in	.55	.40	.35
24 to 30 in	.60	.50	.40
triacanthophora. Threespine Barbe	erry.	<b>5'</b>	
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.00	1.75	1.50
verruculosa. Warty Barberry. 3	*		
8 to 10 inB&B	1.50	1.25	
12 to 15 in B&B	1.75	1.50	
18 to 24 inB&B	2.50	2.25	
Berchemia racemosa. Japanese Supple	jack.	3'	
15 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
*Betula alba. European White Birch.	50 <b>'</b>		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
11/4 to 11/2 in	2.75	2.50	2.25
1½ to 1¾ in	3.50	3.00	2.75
13/4 to 2 in	4.50	4.00	3.50
2 to 2½ in	6.00	5.00	4.50
$2\frac{1}{2}$ to 3 in	10.00	7.50	
3 to 3½ in	12.50	10.00	
*alba fastigiata. Pyramidal White	Birch	. 50'	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
*alba laciniata. Cutleaf Weeping	Birch	. 35'	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1½ in	4.50	4.00	
1½ to 1¾ in	6.00	5.00	
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00		
2½ to 3 in	12.50		

			1-4	5-24	25 & up
Betula			Each	Each	Each
*lenta.	Sweet E	Birch. 40'			
6	to 8	ft	2.50	2.25	2.00
8	to 10	ft	3.00	2.75	2.50
11/4	to 1½	in	3.50	3.25	3.00
11/2	to 13/4	in	4.50	4.00	3.75
13/4	to 2	in	6.00	5.00	4.50
2	to 2½	in	7.50	6.00	5.00
$2\frac{1}{2}$	to 3	$in.\dots\dots\dots\dots$	10.00	8.00	7.00
3	to 3½	$in.\dots\dots\dots$	12.50	10.00	
*lutea.	Yellow	Birch. 50'			
6	to 8	ft	2.50	2.25	2.00
8	to 10	ft	3.00	2.75	2.50
11/4	to 1½	$in.\dots\dots\dots\dots$	3.50	3.25	3.00
11/2	to 13/4	$in.\dots\dots\dots$	4.50	4.00	
13/4	to 2	in	6.00	5.00	
$^2$	to $2\frac{1}{2}$	in	7.50	6.00	
$2\frac{1}{2}$	to 3	in	10.00	8.06	
3		in	12.50	10.00	
31/2	to 4	in	15.00	12.50	
*maxim	owiczian	a. Monarch Bird	ch. 60'	•	
6	to 8	ft	3.50	3.00	
8	to 10	ft	4.00	3.50	
$1\frac{1}{2}$	to 13/4	in	6.00	5.00	
13/4	to 2	in	7.50	6.00	
2	to 2½	in	. 10.00	7.50	
*nigra.	River B	irch. 50'			
6	to 8	ft	2.50	2.25	2.00
8	to 10	ft	3.00	2.75	2.50
<b>2</b>	to 2½	in	7.50	6.00	
6	to 8	ft. clumps B&B	12.50	10.00	
8	to 10	ft. clumps B&B	15.00	12.50	
*papyrif	era. Co	anoe Birch. 40'	•,		
6	to 8	ft	2.50	2.25	
8	to 10	ft	3.00	2.75	
11/4	to 1½	in	3.50	3.25	
11/2	to 13/4	$in.\dots\dots\dots\dots$	4.50	4.00	
13/4	to 2	in	6.00	5.00	
2	to 2½	$in\dots\dots\dots$	7.50	6.00	
$2\frac{1}{2}$	to 3	$in.\dots\dots\dots$	10.00	8.00	
3	to 3½	in	12.50	10.00	
31/2	to 4	in	15.00	12.50	

- 1-4 Each	5-24 Each	25 & up Each
Betula.		
*papyrifera cordifolia. 40'		
1½ to 1¾ in. 5.00 2 to 2½ in. 7.50		
2 to 2½ in		
*populifolia. Gray Birch. 40'		
6 to 8 ft	1.75	1.50
8 to 10 ft 2.75	2.50	2.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. 3.50	3.00	2.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. 4.00	3.75	3.50
1 <sup>3</sup> / <sub>4</sub> to 2 in 5.00	4.00	3.75
2 to $2\frac{1}{2}$ in 7.50	6.00	5.00
2½ to 3 in	7.50	6.00
3 to 3½ in. 12.50	10.00	9.00
4 to 4½ in	15.00	
6 to 8 ft. clumps B&B 12.50	10.00	
8 to 10 ft. clumps B&B 15.00	12.50	
Bignonia grandiflora. Chinese Trumpetcrees	ner 9	0'
2 year	.55	.45
3 year	.65	.60
4 year 1.25	1.00	.90
4 year 1.25	1.00	.50
grandiflora Mad. Gallen. 20'		
2 year 1.25	1.00	.90
radicans Trumpetcreeper. 30'		
2 year	.30	.25
3 year	.40	.30
speciosa. Painted Trumpetcreeper. 30'	,,,,	100
2 year	.60	.50
3 year	.75	
Bischoffia trifoliata. 12'	.,,	
3 to 4 ft	3.00	
	40'	
5 to 6 ft 3.75	3.00	
6 to 8 ft 450		
6 to 8 ft 4.50		
Bruckenthalia spiculifolia. Spikeheath. 1' 6 in., 3 inch pots	1.50	
Bruckenthalia spiculifolia. Spikeheath. 1' 6 in., 3 inch pots 2.00	1.50	
Bruckenthalia spiculifolia. Spikeheath. 1' 6 in., 3 inch pots 2.00  Buddleia alternifolia. 12'		
Bruckenthalia spiculifolia. Spikeheath. 1' 6 in., 3 inch pots 2.00  Buddleia alternifolia. 12' 2 to 3 ft	.45	
Bruckenthalia spiculifolia. Spikeheath. 1' 6 in., 3 inch pots 2.00  Buddleia alternifolia. 12'		
Bruckenthalia spiculifolia. Spikeheath. 1' 6 in., 3 inch pots 2.00  Buddleia alternifolia. 12' 2 to 3 ft	.45	

	1-4 Each	5-24 Each	25 & up Each
Buddleia	Lucri	Lucii	Eden
davidi. Orange-eye Butterfly Bus	h. 5'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
davidi superba. 5'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
davidi veitchi. Veitch Butterfly B	ush.	<b>5'</b>	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
Dubonnet. 5'			
2 to 3 ft	.60	.50	
farquhari. 5'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
Ile de France 4'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
intermedia. Wisteria Butterfly Ba	ush.	5 <b>'</b>	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
lindleyana. Lindley Butterfly Bu	sh. 5	,	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
Orchid Beauty. 5'			
2 to 3 ft	1.00	.75	
paniculata.			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40
Royal Purple. 5'			
2 to 3 ft	1.00	.75	
Buxus microphylla.			4 = 0
12 to 15 in	2.00	1.75	1.50
15 to 18 in	2.25	$\frac{2.00}{2.25}$	1.75
18 to 24 inB&B microphylla koreana.	2.50	2.25	2.00
6 to 8 inB&B	1.50	1.35	1.25
12 to 15 in	2.00	1.75	1.50
15 to 18 in		2.00	1.75
10 10 10 111	a.20	۵.00	1.10

	1-4 Each	5-24 Each	25 & up Each
Buxus.			20011
sempervirens handsworthi.			
8 to 10 in B&B	1.75	1.50	1.25
10 to 12 inB&B	2.00	1.75	1.50
sempervirens suffruticosa. Dwary	F Box	wood.	4'
12 to 15 in	2.25	2.00	1.75
15 to 18 in. B&B	2.50	2.25	2.00
Callicarpa americana. American Bea	utybe	rry. 6	,
2 to 3 ft	.75	.65	
giraldiana. $6'$			
2 to 3 ft	.75	.65	.60
giraldiana subincanescens. $6'$			
2 to 3 ft	1.25		
japonica. Japanese Beautyberry.	4'		
18 to 24 in	.45	.35	.30
2 to 3 ft	.50	.45	.40
purpurea. Chinese Beautyberry.	4'		
18 to 24 in	.45	.35	
2 to 3 ft	.50	.45	.40
Calluna vulgaris. Heather. 2'			
6 to 8 in., 4 inch pots	1.00	.75	.60
12 to 15 in., F. G B&B	2.00	1.50	
vulgaris alba. White Heather. 2	,		
6 to 8 in., 4 inch pots	1.00	.75	.60
12 to 15 in., F. G	2.00	1.50	
vulgaris alporti. $Alport\ Heather.$	2'		
4 inch pots	1.00	.75	
vulgaris aurea. $2'$			
6 to 8 in., 4 inch pots	1.00	.75	.60
12 to 15 in., F. G. B&B	2.00	1.50	
1 3 1 1 1 1 1	2'		
6 to 8 in., 4 inch pots	1.00	.75	
vulgaris searlei. 2'			
12 to 15 in., 4 inch pots	1.00	.75	.60
12 to 15 in., F. G B&B	2.00	1.50	
Calycanthus floridus. Sweet Shrub.	ō'		
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.75
5 to 6 ft	1.25	1.00	.90

	1-4 Each	5-24 Each	25 & up Each
Calycanthus.			200
occidentalis. California Sweetshra	ub. 1	2'	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
Caragana arborescens. Siberian Peatr	200	15'	
	.45	.35	.30
_ 00 0 = 00 7.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1			
3 to 4 ft	.55	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.90
boisi. 6'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft.	1.75	1.50	1.25
	1,,,	1.00	1.20
frutex. Russian Pea-shrub. 10'			
2 to 3 ft	1.25		.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
lorbergi. 4'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
sophoraefolia. Sophoraleaf Peash	rub.	10'	
2 to 3 ft	1.50		
3 to 4 ft	1.75		
Carpinus betulus. European Hornbean	n. 60	o <b>'</b>	
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ft. B&B	7.50	6.50	6.00
	11.00	10.00	9.00
6 to 8 ft		13.50	12.50
	18.00	16.00	15.00
10 to 12 ft. B&B		20.00	18.00
Sheared plants, 4 to 10 ft. quoted	d on	reques	t.
betulus fastigiata. Pyramid Horn	beam	. 40'	
3 to 4 ftB&B	10.00	7.50	
4 to 5 ftB&B	12.50		
5 to 6 ft			
3 03 0 20 111111111111111111111111111111			

	1-4 Each	5-24 Each	25 & up Each
Carpinus.			
caroliniana. American Hornbeam	•		
3 to 4 ft	5.00	4.50	4.00
4 to 5 ft	6.00	5.50	5.00
5 to 6 ft	7.50	6.50	6.00
6 to 8 ftB&B		10.00	9.00
8 to 10 ft		12.50	11.00
10 to 12 ftB&B		18.00	15.00
Sheared plants, 4 to 10 ft., quote	ea on	reques	τ.
cordata. 40'	10.50		
6 to 8 ftB&B 8 to 10 ftB&B			
	15.00		
japonica. 40'	E 00	4.50	
3 to 4 ft. bushy B&B		4.50	
4 to 5 ft. bushyB&B 5 to 6 ftB&B	7.50	6.00	
		7.50	
	12.50	10.00	
yedoensis. 25'	F 00	4.50	4.00
	5.00	4.50	4.00
4 to 5 ftB&B	7.50	6.50	6.00
	10.00 $12.50$	8.50	7.50
6 to 8 ftB&B 8 to 10 ftB&B	18.00	10.00 $15.00$	
Caryopteris incana. Bluebeard. 4'	10.00	13.00	
15 to 18 in	.45	.35	.30
18 to 24 in	.60	.50	.45
tangutica. 5'	.00	.00	.10
10 to 12 in., 4 inch pots	1.00	.80	.75
Castanea mollissima. Chinese Che			
2 to 3 ft	3.50		
Catalpa bignonioides nana syn. bunge	i.		
Umbrella Catalpa. 12'	•		
2 yr. heads,			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	
kaempferi. Japanese Catalpa. 20			
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.25	2.00	
1½ to 1¾ in	3.00	2.50	
134 to 2 in	4.00	3.50	
speciosa. Western Catalpa. 30' 8 to 10 ft.	1.75	1.50	1.25
1½ to 1¾ in	2.00	1.75	1.50
134 to 2 in	$\frac{2.00}{2.50}$	2.25	$\frac{1.50}{2.00}$
174 to 2 III	2.00	4.40	2.00

Ceanothus americanus. Jersey Tea. 3	1-4 Each	5-24 Each	25 & up Each
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
2 to 3 it	.00	.55	.50
Cedrela sinensis. Chinese Cedrela. 50'			•
5 to 6 ft	3.50	3.00	
	5.00	4.50	
8 to 10 ft	7.50	6.00	
10 to 12 ft	2.50	10.00	
Cedrus deodara. Deodar. 50'			
2 ft	4.50	4.00	
3 ftB&B	6.00	5.00	
libani. Cedar of Lebanon. 50'			
	5.00		
	6.00		
Celastrus gemmata. Chinese Bitterswee		0'	
2 year	1.00	.75	
orbiculatus. Oriental Bittersweet.	20'		
2 year	.45	.35	.30
3 year	.55	.45	.40
4 year	.75	.60	.50
scandens. Native Bittersweet. 25'			
2 year	.45	.35	.30
3 year	.55	.45	.40
4 year	.75	.60	.50
	.10	.00	.50
Celtis occidentalis. Hackberry. 50'			
	2.00	1.75	1.50
	2.50	2.25	2.00
	3.00	2.75	
11/4 to 11/2 in	3.50	3.25	
1½ to 1¾ in	4.50	4.00	
2½ to 3 in	8.50	6.50	
3 to 3½ in 1	2.50	10.00	
sinensis. Chinese Hackberry. 30'			
	3.00	2.50	
	3.50	3.00	
Cephalanthus occidentalis. Button Bush	a. 6'		
2 to 3 ft	ι. ο .45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
4 10 0 11	.75	.00	.00

•		1-4 Each	5-24 Each	25 & up Each
Cercidiphyllum japonicum.	Katsura	Tree.	<i>30</i> ′	
4 to 5 ft	B&B	5.00	4.50	4.00
	В&В		5.50	5.00
	B&B		7.50	6.50
	В&В		10.00	9.00
10 to 12 ft.	B&B	18.00	15.00	12.50
	В&В			
	В&В			
	B&B			
-	B&B			•
japonicum sinense. $C$	hinese Kat	tsura '	Tree.	50 <b>'</b>
4 to 5 ft		7.50		
5 to 6 ft.				
0 00 0 10		10.00		
*Cercis canadensis. Americ	an Redbud	. 15'		
3 to 4 ft		1.00	.75	.60
4 to 5 ft		1.25	1.00	.90
5 to 6 ft		1.75	1.50	1.25
6 to 8 ft		2.50	2.00	1.75
8 to 10 ft		3.50	3.00	2.75
6 to 8 ft. spec	B&B	10.00		
8 to 10 ft. spec		12.50		
10 to 12 ft. spec	B&B	18,00		
canadensis alba. $Whi$	tebud. 15'			
3 to 4 ft	В&В	5.00	4.50	
4 to 5 ft	B&B	6.00	5.00	
5 to 6 ft	B&B	7.50	6.00	
6 to 8 ft	B&B	10.00	8.00	
8 to 10 ft	B&B	15.00		
*chinensis. Chinese R	edbud. 10'			
2 to 3 ft		1.50	1.25	1.00
3 to 4 ft		2.00	1.50	1.25
4 to 5 ft		3.00	2.50	2.00
5 to 6 ft		$5.00^{\circ}$	4.00	3.50
6 to 8 ft		7.50	6.00	5.50
8 to 10 ft		10.00	7.50	6.50
Cercocarpus parvifolius. $\it V$	alley Maho	gany.	6'	
2 to 3 ft	B&B	5.00		

1-a Eac	
Chamaecyparis lawsoniana. Lawson Cypre	ess. 100'
2 ft	0
3 ft	0
4 ft	0
5 ft. B&B 9.0	0
6 ft B&B 12.5	0
For larger sizes to 12 ft., add \$5.00	per foot.
lawsoniana alumi. Scarab Cypress.	40'
2 ft	)
3 ft. B&B 6.00	)
lawsoniana glauca. Blue Lawson Cy	press. 40'
7 ft	)
8 ft. B&B 25.00	)
lawsoniana Triomphe de Boskoop. 4	O <b>'</b>
4 ft	)
5 ft B&B 10.00	)
6 ftB&B 12.50	)
nootkatensis. Nootka Cypress. 75'	
2 ft	3.00 2.75
3 ftB&B 5.00	4.00 3.75
4 ft	0 6.00
5 ftB&B 9.00	7.00
6 ft	9.00
nootkatensis pendula. Weeping Nootko	a Cypress. 15'
3 ft B&B 7.50	6.00
4 ft. B&B 10.00	8.00
5 ft. B&B 12.50	)
6 ft B&B 15.00	)
obtusa compacta. Compact Hinoki Cy	press. 10'
2 ft B&B 4.00	3.50 3.00
3 ft. B&B 6.00	
4 ft B&B 7.50	
5 ft B&B 10.00	
6 ft B&B 12.50	
7 ft B&B 15.00	12.50

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis.	Eddi	Lucii	Lacii
obtusa gracilis. Slender Hinoki (	Cypres	s. 15'	
2 ftB&B	4.50	3.75	
3 ftB&B	6.50	5.50	
4 ftB&B	8.00	7.00	
5 ftB&B	10.00	8.00	
6 ftB&B	12.50	10.00	
7 ftB&B		12.50	
8 ftB&B	20.00		
obtusa nana. Dwarf Hinoki Cypr	ess. 1	0'	
15 in		4.50	4.00
18 in. B&B	6.50	5.50	5.00
24 in. B&B		8.50	7.50
30 in. B&B		0.00	1.00
obiusa nana compacia. 3'			
15 in		5.00	
18 inB&B	7.50	6.50	
pisifera. Sawara Cypress. 30'			
2 ft	3.50	3.00	2.50
3 ft	5.50	4.50	3.75
4 ft	7.50	6.00	5.00
5 ft	10.00	8.50	7.00
6 ft. spec	12.50	10.00	
7 ft. spec	15.00	12.50	
8 ft. spec	18.00	15.00	
9 ft. spec	22.50	18.00	
10 ft. spec	25.00	22.50	
For larger sizes to 18 ft., add \$	5.00 p	er foot	<b>:</b> .
p. aurea. Golden Sawara Cypres	ss. 30'		
2 ft	3.50	3.00	
3 ftB&B	5.50	4.50	
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	8.50	
6 ft. spec	12.50	10.00	
7 ft. spec	15.00		
8 ft. spec	18.00		
9 ft. spec			
10 ft. spec B&B	25.00		

	1-4 Each	5-24	25 & up
Chamaecyparis	Edch	Each	Each
Chamaet paris			
p. filifera. Thread-branched Japan	rese C	ypress	. 15'
2 ftB&B	5.00	4.50	4.00
3 ftB&B	6.50	5.50	5.00
4 ftB&B	8.50	7 50	7.00
4 ft. spec B&B	12.00	10.00	
5 ft. spec B&B	15.00	12.50	
6 ft. spec B&B	18.00	15.00	
7 ft. spec		18.00	
8 ft. spec. B&B		22.50	
9 ft. spec	35.00		
p. filifera aurea.			
Golden Thread-branched Jap	panese	Cupre	ess. 10'
18 in. spd	4.00	3.75	
24 in. spd	6.00	5.00	
30 in. spd. B&B	7.50	6.00	
36x36 in. spec. B&B		0.00	
48x48 in. spec	15.00		
54x54 in. spec			
60x60 in. spec. B&B			
•			
p. filifera aurea nova.			
$Variegated \ Thread ext{-}branched \ Japan$	oanese	Cypre	ess. 10'
18 to 24 in. spd	4.00		
24 to 30 in. spd	6.00		
30 to 36 in. spd	7.50		
36 to 42 in. spd. B&B			
42 to 48 in. spd. B&B	12.50		
48 to 54 in. spd	15.00		
p. plumosa. Plume Cypress. 30'			
2 ft. sheared B&B	3.50	3.00	2.50
3 ft. sheared B&B	5.00	4.50	$\frac{2.50}{3.75}$
4 ft. sheared B&B	7.50	6.00	5.00
5 ft. sheared B&B		8.50	7.00
		11.00	9.50
6 ft. sheared	12.50 $15.00$	12.50	9.50 $11.00$
8 ft. sheared	18.00	15.00	11.00
9 ft. sheared B&B		18.50	
10 ft. sheared		$\frac{18.50}{22.50}$	
For larger sizes to 18 ft., add \$5	i.00 pe	r foot.	

	1-4 Each	5 <b>-24</b> Each	25 & up Each
Chamaecyparis p. plumosa			
3 ft. spec., 4 ft. spd. B&B			
4 ft. spec., 5 ft. spd. B&B	12.50		
5 ft. spec., 6 ft. spd. B&B	15.00		
p. plumosa aurea. Goldenplume	Cypres	ss. 25'	
2 ft. sheared B&B	3.50	3.00	2.50
3 ft. sheared B&B	5.00	4.50	3.75
4 ft. sheared B&B	7.50	6.00	5.00
5 ft. sheared B&B	10.00	8.50	7.00
6 ft. sheared B&B	12.50	11.00	9.50
7 ft. sheared B&B	15.00	12.50	11.00
3 ft. sheared B&B	18.00	15.00	
9 ft. sheared B&B	22.50	18.00	
10 ft. sheared B&B	25.00	22.50	
For larger sizes to 20 ft., add \$	5.00 pe	er foot	
3 ft. spec., 4 ft. spd. B&B	7.50		
4 ft., spec., 5 ft. spd. B&B	12.50		
5 ft. spec., 6 ft., spd. B&B	15.00		
p. plumosa lutescens. (Globe For	$m$ ). $\xi$	5'	
18 in B&B	3.50	3.00	2.50
24 in B&B	4.00	3.50	3.00
p. plumosa sulphurea. Sulphurp	lume (	Tunress	. 25'
4 ft	6.00	910.000	
5 ft	7.50		
	10.00		
	12.50		
8 ft			
9 ft. B&B			
p. squarrosa. Moss Retinospora.	<i>30</i> ′		
2 ft. sheared B&B		3.00	2.50
3 ft. sheared B&B	5.00	4.50	3.75
4 ft. sheared B&B	7.50	6.00	5.00
5 ft. sheared B&B		7.50	0.05
6 ft. sheared B&B	12.50	10.00	
	15.00	12.50	
	18.00	15.00	
For larger sizes to 15 ft., add \$5.			
	oo per	1001.	
p. squarrosa glauca. 10'			
2 ftB&B	6.00	5.00	
3 ft. B&B	7.50	6.00	

Chamaedaphne calyculata. Leatherlea	1-4 Each .f. 3'	<b>5-24</b> Each	25 & up Each
18 to 24 inB&B	4.00	3.50	3.25
24 to 30 in	5.50	5.00	4.50
Chionanthus retusa. 20'			
	5.00		
virginica. White Fringe. 25'			
	75	C.F.	en
	.75	.55	.60
3 to 4 ft	1.25	1.60	.90
4 to 5 ft	1.75	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	2.75	2.50
8 to 10 ft.	5.00	4.00	3.75
5 to 6 ft. spec B&B	10.00	7.50	
6 to 8 ft. spec. B&B	12.50	10.00	
8 to 10 ft. spec	15.00		
Cladratic lutar Vallan Wall and			
Cladrastis lutea. Yellow Wood. 30'	10.50	10.00	
6 to 8 ft		10.00	
8 to 10 ft		12.50	
10 to 12 ft		18.00	15.00
$2$ to $2\frac{1}{2}$ in	25.00	22.50	
2½ to 3 in B&B	30.00	25.00	
Clematis apiifolia. October Clematis.			
2 year	.75	.50	
chrysocoma sericea.			
2 year	1.00	.75	.60
coccinea. (See texensis).			
crispa. Curly Clematis.			
2 year	1.00	.75	
fargesi.			
2 year, 3 in. pots	1.00	.75	.60
flammula. Plume Clematis. 15'			
2 year	1.00	.75	
hybrids. Large Flowering Clemat 2 year		.75	
Jackmanni ,Mad. Ed. Andre, He Duchess of Edinburg.	nryi,		
liqusticifolia. Western Virgins-bou	ver.	15'	
2 year		.60	
montana rubens. 3 inch pots	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Clematis			
montana undulata. 3½ inch pots	1.00		
montana wilsoni.			
3 inch pots	1.00	.75	
orientalis. Oriental Clematis.		***	
4 inch pots	1.00		
•		.,	
paniculata. Sweet Autumn Clemate			4.0
2 year	.55	.45	.40
3 year	.65	.55	.50
serratifolia. Korean Clematis.			
2 year	1.00	.75	.60
tangutica. Golden Clematis. 12'			
2 year	.60	.50	
texensis syn. coccinea. Scarlet (	!lemat	is 11	) <b>'</b>
2 year	.75	.60	.50
-		.00	.00
viorna. Leatherflower.	1 00	7.5	
2 year	1.00	.75	
virginiana. Virgins-bower. 25'			
2 year	.40	.30	.25
3 year	.50	.40	.36
vitalba. Travelers-joy. 25'			
2 year	.75	.60	
· ·		.00	
viticella. Italian Clematis. 10'			
2 year	.75	.60	
Clerodendron trichotomum. Harlequin	Glory	bower	6'
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
	5 <b>'</b>		
Clethra alnifolia. Sweet Pepper Bush.	.45	.35	.30
20 00 22 2320	.50	.45	.40
	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
barbinervis. Tree Clethra. 5'			
3 to 4 ft	1.00		
4 to 5 ft.	1.25		
paniculata. 5'			
18 to 24 in	1.00	.75	.60
2 to 3 ft	1.25	1.00	.75

·	1-4 Each	5-24 Each	25 & up Each
Colutea arborescens. Bladder Senna.	10'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.60	.90
cilicica Cilician Bladder Senna.	10'		
2 to 3 ft	1.50		
media.			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft.	1.50	1.25	
	3'		
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.65	.00
	****		
Cornus alba. Tatarian Dogwood. 10'	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.96
alba elegantissima. Silverblotch			
2 to 3 ft	.75	.65	.60
3 to 4 ft.	.90	.80	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft		1.25	
alba sibirica. Coral Dogwood. 10	,		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
alba spaethi. Golden Variegated	Dogwo	od. 8	,
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	.75
4 to 5 ft	1.25	1.60	.90
alternifolia. Pagoda Dogwood. 20	)*		
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	

	1-4 Each	5-24 Each	25 & up Each
Cornus			
amomum syn. sericea. Silky Dogo		10'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.50	1.25	1.00
baileyi. Bailey Dogwood. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	85	.75
6 to 8 ft	1.25	1.00	
florida. White Flowering Dogwood	d. 25'		
3 to 4 ftB&B	3.00	2.75	2.50
4 to 5 ftB&B	4.50	4.00	3.75
5 to 6 ft	6.00	5.50	5.00
6 to 8 ftB&B	9.00	8.00	7.50
8 to 10 ft P&B	12.50	11.00	10.00
5 to 14 ft., heavy spec.			
B&B at \$2.00 per foot.			
florida plena. Dbl. White Flg. Do	gwood	l. 25'	
3 to 4 ftB&B	4.50	4.00	3.50
4 to 5 ftB&B	6.00	5.00	4.50
5 to 6 ft. spec	12.50	10.00	
6 to 8 ft. spec			
8 to 10 ft. spec			
florida rubra. Red Flowering Dog		. 20'	
3 to 4 ftB&B	5.00	4.00	3.75
4 to 5 ftB&B	6.00	5.50	5.00
5 to 6 ft	8.00	7.00	6.50
6 to 8 ft	12.50	10.00	9.00
8 to 10 ftB&B	15.00	12.50	11.50
5 ft., heavy spec B&B			
6 ft., heavy spec. B&B	18.00		
For larger sizes to 12 ft., add \$5.00	per f	oot.	
florida welchi. Variegated-leaved	Dogw	ood.	25 <b>'</b>
2 to 3 ft	4.50	4.00	
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50	6.50	
5 to 6 ftB&B	10.00	8.50	

	1-4 Each	5-24 Each	25 & up Each
Cornus			
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&I	3 5.00	4.00	3.50
4 to 5 ftB&I	6.50	5.50	5.00
4 to 5 ft. heavy B&I		7.50	
5 to 6 ft. heavy B&I	3 12.50	10.00	
6 to 8 ft. heavy B&I	3 15.00	12.50	
8 to 10 ft. heavy B&F	3 18 00	15.00	
kousa chinensis. Chinese Dogwo	od. 25'		
3 ft B&I		6.00	
4 ft B&I		7.50	
5 ftB&I	3 12.50	10.00	
mas. Cornelian Cherry. 20'			
2 to 3 ft		.85	.75
3 to 4 ft		1.15	1.00
4 to 5 ft		1.35	1.25
5 to 6 ft		2.00	1.75
6 to 8 ft		3.00	2.50
8 to 10 ft		4.00	3.50
10 to 12 ft.	7.50	6.50	6.00
officinalis. Japanese Cornelian		. 15'	
3 to 4 ft	2.00	. 15'	
3 to 4 ft	2.00 3.00	. 15'	
3 to 4 ft	2.00 3.00	. 15'	
3 to 4 ft	2.00 3.00 4.00		
3 to 4 ft	2.00 3.00 4.00	.35	.30
3 to 4 ft	2.00 3.00 4.00 .40 .50	.35 .45	.40
3 to 4 ft	2.00 3.00 4.00 .40 .50 .75	.35 .45 .60	.40 .50
3 to 4 ft	2.00 3.00 4.00 .40 .50 .75 1.00	.35 .45 .60	.40 .50 .75
3 to 4 ft	2.00 3.00 4.00 .40 .50 .75 1.00	.35 .45 .60	.40 .50
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  paniculata. Gray Dogwood. 15' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  paucinervis. Littleleaf Dogwood.	. 2.00 3.00 4.00 	.35 .45 .60 .85	.40 .50 .75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  paniculata. Gray Dogwood. 15' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  paucinervis. Littleleaf Dogwood. 3 to 4 ft.	. 2.00 3.00 4.00 .50 .75 1.00 1.25	.35 .45 .60 .85 1.00	.40 .50 .75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  paniculata. Gray Dogwood. 15' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  paucinervis. Littleleaf Dogwood.	. 2.00 3.00 4.00 .50 .75 1.00 1.25	.35 .45 .60 .85	.40 .50 .75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  paniculata. Gray Dogwood. 15' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  paucinervis. Littleleaf Dogwood. 3 to 4 ft.	. 2.00 3.00 4.00 .50 .75 1.00 1.25	.35 .45 .60 .85 1.00	.40 .50 .75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  paniculata. Gray Dogwood. 15' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  paucinervis. Littleleaf Dogwood. 3 to 4 ft. 4 to 5 ft.  pubescens. 15' 3 to 4 ft.	. 2.00 3.00 4.00 .50 .75 1.00 1.25 <i>I.</i> 6' 1.75 2.25	.35 .45 .60 .85 1.00 1.50 2.00	.40 .50 .75
3 to 4 ft	2.00 3.00 4.00 .50 .75 1.00 1.25 4. 6' 1.75 2.25	.35 .45 .60 .85 1.00 1.50 2.00	.40 .50 .75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  paniculata. Gray Dogwood. 15' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  paucinervis. Littleleaf Dogwood. 3 to 4 ft. 4 to 5 ft.  pubescens. 15' 3 to 4 ft.	2.00 3.00 4.00 .50 .75 1.00 1.25 4. 6' 1.75 2.25	.35 .45 .60 .85 1.00 1.50 2.00	.40 .50 .75
3 to 4 ft	2.00 3.00 4.00 .50 .75 1.00 1.25 6' 1.75 2.25	.35 .45 .60 .85 1.00 1.50 2.00	.40 .50 .75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  paniculata. Gray Dogwood. 15' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  paucinervis. Littleleaf Dogwood. 3 to 4 ft. 4 to 5 ft.  pubescens. 15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	2.00 3.00 4.00 .50 .75 1.00 1.25 	.35 .45 .60 .85 1.00 1.50 2.00	.40 .50 .75
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  paniculata. Gray Dogwood. 15' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  paucinervis. Littleleaf Dogwood. 3 to 4 ft. 4 to 5 ft.  pubescens. 15' 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 7 gubescens. Roundleaf Dogwood. 16'	2.00 3.00 4.00  .40 .50 .75 1.00 1.25  .75 1.75 2.25  .75 1.00 1.25	.35 .45 .60 .85 1.00 1.50 2.00	.40 .50 .75

	1-4 Each	5-24 Each	25 & up Each
Cornus			
${\bf sanguinea.}  Bloodtwig \ Dogwood.$	10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
sanguinea viridissima. Greentwig	Dogv	vood.	10'
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
stolonifera. Red Osier Dogwood.	8 <b>'</b>		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
stolonifera flaviramea. Goldentwig	g Dog	wood.	8'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
Corylopsis sinensis. Chinese Winterha	zel.	8'	
2 to 3 ftB&B	5.00	4.50	
3 to 4 ftB&B	7.50	6.50	
	10.00		
spicata. Spike Winterhazel. 6'			
2 to 3 ftB&B	7.50		
Corylus americana. American Hazelni	ut. 1	o'	
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
0 to 0 1t	1.00	1.33	1.20
avellana. Filbert. 15'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	1.75	1.60	1.50

	1-4 Each	5-24 Each	25 & up Each
Corylus			
avellana atropurpurea. $Purple\ Fi$	lbert.	15'	
2 to 3 ft	4.00	3.50	
3 to 4 ft	4.50	4.00	
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
	10.00	7.50	
8 to 10 ft	12.50	10.00	
	15"		
5 to 6 ft	5.00		
6 to 8 ft	7.50		
heterophylla setchuenensis. Chine	se Haz	zelnut.	12'
3 to 4 ft	3.00		
4 to 5 ft	4.00		
rostrata. Beaked Hazelnut. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
*Cotoneaster acutifolia. Peking Coton	reaster	. 12'	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
*acutifolia villosula. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
adpressa. Creeping Cotoneaster.	2'		
6 to 8 in. from pots	1.50	1.25	1.00
ambigua. $6'$			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
18 to 24 in., 4 in. pots	1.50	1.25	1.00
apiculata. 6'			
9 to 12 in. from pots	1.50	1.25	1.00
dammeri. 2'			
6 to 8 in. from pots	1.75	1.50	
To a serie power in the series			

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
18 to 24 in., 4 in. pots	1.50	1.25	1.00
divaricata. Spreading Cotoneaster	. 6'		
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
12 to 18 in., 4 in. pots	1.50	1.25	1.00
foveolata. 10'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
francheti. Franchet Cotoneaster.	10'		
12 to 18 in., 4 in. pots.	1.50		
himalaicus. 6'			
8 to 10 in., 4 in. pots	1.50	1.25	1.00
		1.20	1.00
	3'		
12 to 15 in. spd. from pots	1.75	1.50	1.25
15 to 18 in. spd. from pots	2.00	1.75	1.50
18 to 24 in. spd B&B	2.50	2.25	2.00
24 to 30 in. spd	3.50	3.25	3.00
horizontalis perpusilla. 3'			
10 to 12 in., from pots	1.50	1.25	1.00
12 to 15 in., from pots	2.00	1.50	1.25
hupehensis. Hupen Cotoneaster.	<b>5</b> ′		
2 to 3 ft	3.00		
3 to 4 ft	3.50		
15 to 18 in., 3 in. pots	1.50	1.25	
integerrima. European Cotoneast			
2 to 3 ft	3.00	2.50	
3 to 4 ft	3.50	3.00	
*lucida. 12'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
melanocarpa. 6'			
2 to 3 ftB&B	3.00	2.50	
3 to 4 ftB&B	3.50	3.00	

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
microphylla. Rockspray. 6'			
10 to 12 in., 4 in. pots	1.50	1.25	1.00
moupinensis. Mupin Cotoneaster.	10'		
15 to 18 in., 4 in. pots	1.50	1.25	1.00
multiflora. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
2 to 3 ft., 4 in. pots	1.50	1.25	1.00
nitens. $6'$			
2 to 3 ftB&B	3.00		
	0.00		
obscura. 10'	0.00		
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.75	2.50	2.25
4 to 5 ftB&B	3.50	3.25	3.00
18 to 24 in., 4 in. pots	1.50	1.25	1.00
racemiflora soongarica 6'			
2 to 3 ft	2.50	2.25	2.00
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	3.75	3.50	3.25
rotundifolia. Roundleaf Cotoneast	or a	) <i>†</i>	
10 to 12 in. from pots	1.50	1.25	1.00
12 to 15 in. from pots	1.75	1.50	1.25
<u> </u>	1	1.00	1.20
rosea. 6'			
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.75	2.50	2.25
4 to 5 ft	3.50	3.25	3.00
5 to 6 ftB&B	5.00	4.00	
salicifolia floccosa. 6'			
15 to 18 in. from pots	1.75		
simonsi. Simons Cotoneaster. 8'	0.50	9.00	
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	1.00
12 to 18 in., 4 in. pots	1.50	1.25	1.00
tenuipes. 6'			
8 to 12 in. from pots	1.50	1.25	
12 to 15 in., from pots	1.75	1.50	
SEE PAGE 165 FOR COMPLETE LIST OF HE	RBACE	ous sto	ск

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
wilsoni. Wilson Cotoneaster. 5'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.75	2.50	2.25
15 to 18 in., 4 in. pots	1.50	1.25	1.00
zabeli. 6'			
15 to 18 in., from pots	1.75		
*Crataegus aprica. 20'			
3 to 4 ft	2.75	2.50	2.25
4 to 5 ft	3.50	3.00	2.75
5 to 6 ft	4.00	3.50	
*arkansana. Arkansas Hawthorn	. 30'		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
*arnoldiana. Arnold Hawthorn.	20'		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
*carrierei. Carriere Hawthorn.	20'		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
6 to 8 ft. standards, quoted of	n requ	est.	
*coccinea. Thicket Hawthorn. 20	•		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
*coccinioides. 20'			
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	

Crataegus	1-4 Each	5-24 Each	25 & up Each
*cordata. Washington Hawthorn	. 20'		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50	6.00	5.00
*crusgalli. Cockspur Thorn. 30'			
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
8 to 10 ft	6.00	5.00	4.50
10 ft. spec. B&B	25.00	20.00	
*cuneata. Nippon Hawthorn. 20	)*		
3 to 4 ft	3.00	2.50	
*hupehensis. 20'			
4 to 5 ft	3.50		
5 to 6 ft	4.00		
6 to 8 ft	5.00		
8 to 10 ft	6.00		
*macracantha. Spike Hawthorn.	20'		
3 to 4 ft	3.00	2.50	
4 to 5 ft	3.50	3.00	
*mollis. Downy Hawthorn. 20'			
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
*monogyna. English Hawthorn.	20'		
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
*monogyna stricta.			
Pyramidal English Hawth	orn. 2	20'	
3 to 4 ft	3.50		
4 to 5 ft	4.50		

Crataegu	5.				1-4 Each	5-24 Each	25 & up Each
		CI.	0.04	Hawthorn. 15'			
3	to	4		11awthorn. 15	2.25	2.00	1.75
4	to	5			2.75	2.50	2.25
5	to	6			3.00	2.75	2.50
6	to	8			4.50	3.50	3.00
8	to	10			6.00	5.00	0.00
*oxya	can	tha	. E	'nglish Hawthorn.	20'		
4	to	5			2.75	2.50	2.25
5	to	6	ft.		3.00	2.75	2.50
6	to	8	ft.		4.50	3.50	3.00
8	to	10	ft.		5.00	4.50	
10	to	12	ft.		7.50		
8	to	10	ft.	spec B&B	15.00		
*oxya	can	tha	ple	ena. Dbl. White	Thorn.	15 <b>'</b>	
4	to	5	ft.		2.75	2.50	2.25
5	to	6	ft.		3.50	2.75	2.50
6	to	8	ft.		4.50	4.00	3.50
8	to	10	ft.		7.50	6.50	
10	to	12	ft.		12.50		
*oxya	can	tha	рa	uli. Paul's Scarle	t Thor	n. 15'	
4	to	5	ft.		2.75	2.50	2.25
5	to	6	ft.		3.50	2.75	2.50
6	to	8	ft.		4.50	4.00	3.50
8	to	10	ft.		7.50	6.50	
10	to	12	ft.		12.50		
*oxya	can	tha	pu	nicea. $Sgl.\ Red\ T$	horn.	15 <b>'</b>	
	to	5			2.75	2.50	
5	to	6			3.50	2.75	2.50
	to	8			4.50	4.60	3.50
8	to	10			7.50	6.50	
10	to	12	ft.		12.50		
*oxya	can	tha	ros	sea plena. $Dbl.\ P$	ink Th	orn.	15 <b>'</b>
	to				4.00	3.50	. 3.00
	to	-			4.50	4.00	3.50
6	to	8	ft		5.00	4.50	
*pereg	•			rsian Hawthorn.	15'		
_	to	4			2.50	2.00	
4	to	5			3.00	2.50	
5	to	6			3.50	3.00	
6	to	8			5.00	4.00	
8	to	10	It.		7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus.			
*persistens. 15'			
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft.	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
*pinnatifida major. Peking Hawt	horn.	20'	
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	
*pruinosa. Frosted Hawthorn. 1s	8 <b>'</b>		
4 to 5 ft	2.75	2.50	
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
*prunifolia. Plumleaf Hawthorn.	25'		
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*punctata. Dotted Hawthorn. 25	,		
3 to 4 ft	2.25	2.60	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
•	4.00	3.50	
8 to 10 ft	5.00	4.50	
pyracantha coccinea. Scarlet Fire	thorn	. 10'	
15 to 18 in., 4 in. pots	1.50	1.25	
pyracantha lalandi. Laland Fireth	orn.	10 <b>'</b>	
18 to 24 in. bushy B&B	3.50	3.00	2.75
2 to 3 ft. bushy B&B	4.00	3.75	3.50
3 x 3½ ft. spec. B&B	8.50	7.50	
$3\frac{1}{2}$ x 4 ft. spec. B&B	12.50	10.00	
4 x 5 ft. spec B&B	15.00		
5 x 6 ft. spec B&B 2	20.00		
12 to 15 in., 4 in. pots	1.50	1.25	
pyracantha yunnanensis. 10'			
12 to 18 in., 4 in. pots	1.50	1.25	
*succulenta. Fleshy Hawthorn.	20'		
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.50	2.75	2.50
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus		Lucii	Edeii
*tomentosa. Pear Hawthorn. 15'			
3 to 4 ft	2.25	2.00	1.75
4 to 5 ft	2.75	2.50	2.25
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*viridis. 35'			
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	
Cryptomeria japonica lobbi Lobb Cryp	ptome	ria. 2	0'
2 ft	3.50	2.75	2.50
3 ftB&B	4.50	4.00	3.75
4 ft	6.50	5.50	5.00
5 ft	7.50	6.50	6.00
6 ft	10.00	8.50	7.50
7 ft B&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
Cudrania tricuspidata. 25'			
4 to 5 ft	2.50		
5 to 6 ft	3.50		
Cydonia cathayensis. 8'			
3 to 4 ft	1.50		
4 to 5 ft	2.50		
japonica Flowering Quince. 5'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
japonica alba. White Flg. Quinc	e. 5'		
15 to 18 in	1.50	1.25	
18 to 24 in	1.75		
japonica alpina. Salmon Flg. Qui	nce.	4'	
18 to 24 in	1.75	1.50	1.25
2 to 3 ft	2.00	1.75	
japonica Columbia. Deep Rose F	lg. Qu	ince.	<b>5</b> ′
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	

1-4 Each	5-24 Each	25 & up Each
-		
japonica Falconet Charlet. White Flg.	Quinc	e. 6'
2 to 3 ft	1.75	
3 to 4 ft	2.25	
4 to 5 ft		
japonica pygmaea. Dwarf Jap. Quince.	3'	
18 to 24 in	.45	.40
2 to 3 ft	.55	.50
japonica rosea grandiflora. Pink Flg. Q	uince.	6'
15 to 18 in 1.50	1.25	
18 to 24 in 1.75	1.50	
japonica rosea plena.		
Dbl. Pink Flowering Quince.	5 <b>'</b>	
2 to 3 ft 2.00	1.75	1.50
3 to 4 ft	2.00	1.75
japonica rubra. Red Flowering Quince.	6'	
18 to 24 in 2.00	1.75	
2 to 3 ft 2.50	2.25	
in the second of the file	0	at at
japonica semperflorens. Soft Rose Flg.	-	ce. 6'
2 to 3 ft 2.50	2.25	
japonica umbilicata. Navel Flowering (	mince.	8'
2 to 3 ft	.55	.50
3 to 4 ft	.65	.60
4 to 5 ft 1.00	.80	.75
4 to 5 ft. heavy B&B 10.00		
5 to 6 ft. heavy B&B 12.50		
	01	
japonica Vermilion. Red Flg. Quince.	6'	
japonica Vermilion. Red Flg. Quince. 18 to 24 in 1.75	6' 1.50	
18 to 24 in 1.75	1.50	
18 to 24 in	1.50 e. 4'	
18 to 24 in	1.50	
18 to 24 in	1.50 e. 4'	
18 to 24 in. 1.75  kermesiana semi-plena. Red Flg. Quince 2 to 3 ft. 2.00  maulei. Lesser Flowering Quince. 5'	1.50 e. 4'	.40
18 to 24 in.       1.75         kermesiana semi-plena. Red Flg. Quince       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55	1.50 e. 4' 1.75	
18 to 24 in.       1.75         kermesiana semi-plena. Red Flg. Quince       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55         2 to 3 ft.       .65	1.50 e. 4' 1.75 .45 .55	.50
18 to 24 in.       1.75         kermesiana semi-plena. Red Flg. Quince       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55         2 to 3 ft.       .65         3 to 4 ft.       .75	1.50 e. 4' 1.75	.50
18 to 24 in.       1.75         kermesiana semi-plena. Red Flg. Quince       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55       .55         2 to 3 ft.       .65       .65         3 to 4 ft.       .75         sinensis. Chinese Quince.       20'	1.50 e. 4' 1.75 .45 .55	.50
18 to 24 in.       1.75         kermesiana semi-plena. Red Flg. Quince       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55         2 to 3 ft.       .65         3 to 4 ft.       .75	1.50 e. 4' 1.75 .45 .55	.50
18 to 24 in.       1.75         kermesiana semi-plena. Red Flg. Quince       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55       .65         2 to 3 ft.       .65       .75         sinensis. Chinese Quince.       20'       2 to 3 ft.       2.50	1.50 e. 4' 1.75 .45 .55	.50
18 to 24 in.       1.75         kermesiana semi-plena. Red Flg. Quince.       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55       .65         2 to 3 ft.       .65       .75         sinensis. Chinese Quince.       20'       2 to 3 ft.       2.50         Cytisus elongatus.       5'	1.50 e. 4' 1.75 .45 .55	.50 .60
18 to 24 in.       1.75         kermesiana semi-plena. Red Fly. Quince.       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55       .65         2 to 3 ft.       .65       .75         sinensis. Chinese Quince.       20'       2 to 3 ft.       2.50         Cytisus elongatus.       5'       12 to 15 in., 4 in. pots       1.00	1.50 e. 4' 1.75 .45 .55	.50 .60
18 to 24 in.       1.75         kermesiana semi-plena. Red Fly. Quince.       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55       .65         2 to 3 ft.       .65       .75         sinensis. Chinese Quince.       20'       2 to 3 ft.       2.50         Cytisus elongatus.       5'       12 to 15 in., 4 in. pots       1.00         nigricans.       Spike Broom.       4'	1.50 e. 4' 1.75 .45 .55	.50 .60
18 to 24 in.       1.75         kermesiana semi-plena. Red Fly. Quince.       2 to 3 ft.       2.00         maulei. Lesser Flowering Quince.       5'         18 to 24 in.       .55       .65         2 to 3 ft.       .65       .75         sinensis. Chinese Quince.       20'       2 to 3 ft.       2.50         Cytisus elongatus.       5'       12 to 15 in., 4 in. pots       1.00	1.50 e. 4' 1.75 .45 .55	.50 .60

Scoparius   Scotch Broom   10'   18 to 24 in	Cytisus	1-4 Each	5-24 Each	25 & up Each
18 to 24 in.				
scoparius andreanus. Paradise Broom. 10'           18 to 24 in.         .75         .65         .55           supinus. 3'           10 to 12 in., 4 in. pots         1.00         .75           Daphne cneorum. Garland Flower. 1'           8 to 10 in. spd.         B&B 1.00         .80         .75           10 to 12 in. spd.         B&B 1.25         1.10         1.00           12 to 15 in. spd.         B&B 1.50         1.35         1.25           mezereum. February Daphne. 4'           15 to 18 in.         B&B 2.00         1.75         1.50           18 to 24 in.         B&B 3.50         3.00         2.50           2½ to 3 ft.         B&B 4.00         3.50         3.00           mezereum alba. White February Daphne. 4'           18 to 24 in.         B&B 2.75         2.50         2.25           24 to 30 in.         B&B 3.75         3.25         2.75           24 to 30 in.         B&B 3.75         3.25         2.75           2½ to 3 ft.         B&B 4.50         4.00           Decumaria barbara.           3 yr. from pots         .75         .60         .50           Description for potation for potatio	•		0.5	
18 to 24 in.	18 to 24 in	.75	.65	.55
supinus. 3'         10 to 12 in., 4 in. pots       1.00       .75         Daphne cneorum. Garland Flower. 1'         8 to 10 in. spd.       B&B 1.00       .80       .75         10 to 12 in. spd.       B&B 1.25       1.10       1.00         12 to 15 in. spd.       B&B 1.50       1.35       1.25         mezereum. February Daphne. 4'         15 to 18 in.       B&B 2.00       1.75       1.50         18 to 24 in.       B&B 3.50       3.00       2.50         2½ to 3 ft.       B&B 4.00       3.50       3.00         mezereum alba. White February Daphne. 4'         18 to 24 in.       B&B 2.75       2.50       2.25         24 to 30 in.       B&B 3.75       3.25       2.75         2½ to 3 ft.       B&B 3.75       3.25       2.75         2½ to 3 ft.       B&B 4.50       4.00         Decumaria barbara.         3 yr. from pots       .75       .60       .50         Desmodium. (See Lespedeza).         Deutzia. 3'         15 to 18 in.       .45       .35       .30         18 to 24 in.       .55       .45       .40	scoparius andreanus. Paradise Bro	oom.	10'	
Daphne cneorum.   Garland Flower.   1'   8 to 10 in. spd.   B&B   1.00   .80   .75   10 to 12 in. spd.   B&B   1.25   1.10   1.00   12 to 15 in. spd.   B&B   1.50   1.35   1.25	18 to 24 in	.75	.65	.55
Daphne cneorum.   Garland Flower.   1'   8 to 10 in. spd.   B&B   1.00   .80   .75   10 to 12 in. spd.   B&B   1.25   1.10   1.00   12 to 15 in. spd.   B&B   1.50   1.35   1.25	aina/			
Daphne cneorum.       Garland Flower.       1'         8 to 10 in. spd.       B&B       1.00       .80       .75         10 to 12 in. spd.       B&B       1.25       1.10       1.00         12 to 15 in. spd.       B&B       1.50       1.35       1.25         mezereum.       February Daphne.       4'         15       to 18       in.       B&B       2.00       1.75       1.50         18       to 24       in.       B&B       2.50       2.25       2.00         2 to 2½ ft.       B&B       3.50       3.00       2.50         2½ to 3 ft.       B&B       3.50       3.00       2.50         2½ to 30 in.       B&B       2.75       2.50       2.25         2½ to 3 ft.       B&B       3.75       3.25       2.75         2½ to 3 ft.       B&B       3.75       3.25       2.75         2½ to 18       18       4.50       4.00         Decumaria barbara.         3 yr. from pots       .75       .60       .50         15 to 18 in.       .45       .35       .30         18 to 24 in.       .55       .45	-	1.00	75	
8 to 10 in. spd. B&B 1.00 .80 .75 10 to 12 in. spd. B&B 1.25 1.10 1.00 12 to 15 in. spd. B&B 1.50 1.35 1.25  mezereum. February Daphne. 4'  15 to 18 in. B&B 2.00 1.75 1.50 18 to 24 in. B&B 3.50 3.00 2.50 2½ to 3 ft. B&B 4.00 3.50 3.00  mezereum alba. White February Daphne. 4'  18 to 24 in. B&B 2.75 2.50 2.25 2½ to 3 ft. B&B 3.75 3.25 2.75 2½ to 3 ft. B&B 4.50 4.00  Decumaria barbara.  3 yr. from pots .75 .60 .50  Desmodium. (See Lespedeza).  Deutzia gracilis. Slender Deutzia. 3' 15 to 18 in45 .35 .30 18 to 24 in55 .45 .40 24 to 30 in55 .50  lemoinei. Lemoine Deutzia. 5' 18 to 24 in45 .35 .30 24 to 30 in55 .50 3 to 4 ft75 .65 .60  lemoine avalanche Avalanche Deutzia. 4' 2 to 2½ ft60 .50  lemoine compacta. 5' 18 to 24 in55 .45 .40 25 to 3 ft50 .50  lemoine compacta. 5' 18 to 24 in55 .50 .50 18 to 2½ ft60 .50 .50	10 to 12 m., 4 m. pots	1.00	.13	
10 to 12 in. spd. B&B 1.25 1.10 1.00 12 to 15 in. spd. B&B 1.50 1.35 1.25    mezereum. February Daphne. 4'	•	-		
12 to 15 in. spd.       B&B 1.50 1.35 1.25         mezereum.       February Daphne. 4'         15 to 18 in.       B&B 2.00 1.75 1.50         18 to 24 in.       B&B 2.50 2.25 2.00         2 to 2½ ft.       B&B 3.50 3.00 2.50         2½ to 3 ft.       B&B 4.00 3.50 3.00         mezereum alba.       White February Daphne.       4'         18 to 24 in.       B&B 2.75 2.50 2.25         24 to 30 in.       B&B 3.75 3.25 2.75         2½ to 3 ft.       B&B 3.75 3.25 2.75         2½ to 3 ft.       B&B 4.50 4.00         Decumaria barbara.         3 yr. from pots       .75 .60 .50         Desmodium.         (See Lespedeza).         Desmodium.         (See Lespedeza).         Desmodium.       (See Lespedeza).         Desmodium.       (See Lespedeza).         Demoinei.       Lemoine Deutzia.         3 to 24 in.       .45 .35 .30         24 to 30 in.       .55 .45 .40         24 to 30 in.       .55 .50 .50         3 to 4 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         lemoine avalanche Avalanche Deutzia.         4'       .60	8 to 10 in. spd	1.00	.80	.75
mezereum.         February Daphne.         4'           15         to 18         in.         B&B 2.50         2.25         2.00           2         to 2½ ft.         B&B 3.50         3.00         2.50           2½ to 3 ft.         B&B 4.00         3.50         3.00           mezereum alba.         White February Daphne.         4'           18         to 24 in.         B&B 2.75         2.50         2.25           24         to 30 in.         B&B 3.75         3.25         2.75           2½ to 3 ft.         B&B 4.50         4.00           Decumaria barbara.           3 yr. from pots         .75         .60         .50           Desmodium.         (See Lespedeza).           Deutzia gracilis. Slender Deutzia. 3'           15 to 18 in.         .45         .35         .30           18 to 24 in.         .55         .45         .40           24 to 30 in.         .65         .55         .50           lemoinei.         Lemoine Deutzia.         5'         .45           2½ to 3 ft.         .65         .55         .50           3 to 4 ft.         .75         .65         .55         .50	10 to 12 in. spd	1.25	1.10	1.00
15 to 18 in. B&B 2.00 1.75 1.50 18 to 24 in. B&B 2.50 2.25 2.00 2 to 2½ ft. B&B 3.50 3.00 2.50 2½ to 3 ft. B&B 4.00 3.50 3.00  mezereum alba. White February Daphne. 4' 18 to 24 in. B&B 2.75 2.50 2.25 24 to 30 in. B&B 3.75 3.25 2.75 2½ to 3 ft. B&B 4.50 4.00  Decumaria barbara. 3 yr. from pots	12 to 15 in. spd	1.50	1.35	1.25
15 to 18 in. B&B 2.00 1.75 1.50 18 to 24 in. B&B 2.50 2.25 2.00 2 to 2½ ft. B&B 3.50 3.00 2.50 2½ to 3 ft. B&B 4.00 3.50 3.00  mezereum alba. White February Daphne. 4' 18 to 24 in. B&B 2.75 2.50 2.25 24 to 30 in. B&B 3.75 3.25 2.75 2½ to 3 ft. B&B 4.50 4.00  Decumaria barbara. 3 yr. from pots	mezereum Februaru Danhne	, ,		
18       to 24       in.       B&B       2.50       2.25       2.00         2       to 2½ ft.       B&B       3.50       3.00       2.50         2½ to 3       ft.       B&B       4.00       3.50       3.00         mezereum alba. White February Daphne. 4'         18       to 24 in.       B&B       2.75       2.50       2.25         24       to 30 in.       B&B       3.75       3.25       2.75         2½ to 3 ft.       B&B       4.50       4.00         Decumaria barbara.         3       yr. from pots       .75       .60       .50         Desmodium. (See Lespedeza).         Deutzia. 3'         15       to 18 in.       .45       .35       .30         18 to 24 in.       .55       .45       .40         24 to 30 in.       .65       .55       .50         18       to 24 in.       .45       .35       .30         24 to 30 in.       .55       .50       .45         2½ to 3 ft.       .65       .55       .50         3       to 4 ft.       .75       .65       .60         Lemo		,	1.75	1.50
2 to 2½ ft. B&B 3.50 3.00 2.50 2½ to 3 ft. B&B 4.00 3.50 3.00 mezereum alba. White February Daphne. 4′  18 to 24 in. B&B 2.75 2.50 2.25 24 to 30 in. B&B 3.75 3.25 2.75 2½ to 3 ft. B&B 4.50 4.00  Decumaria barbara.  3 yr. from pots				
2½ to 3 ft.       B&B 4.00 3.50 3.00         mezereum alba. White February Daphne. 4'         18 to 24 in.       B&B 2.75 2.50 2.25         24 to 30 in.       B&B 3.75 3.25 2.75         2½ to 3 ft.       B&B 4.50 4.00         Decumaria barbara.         3 yr. from pots       .75 .60 .50         Desmodium. (See Lespedeza).         Deutzia gracilis. Slender Deutzia. 3'         15 to 18 in.       .45 .35 .30         18 to 24 in.       .55 .45 .40         24 to 30 in.       .65 .55 .50         lemoinei. Lemoine Deutzia. 5'         18 to 24 in.       .45 .35 .30         24 to 30 in.       .55 .50 .45         3 to 4 ft.       .75 .65 .60         lemoine avalanche Avalanche Deutzia. 4'         2 to 2½ ft.       .60 .50 .45         2½ to 3 ft.       .75 .60 .50         lemoine compacta. 5'         18 to 24 in.       .55 .45 .40         2 to 3 ft.       .55 .45 .40				
mezereum alba. White February Daphne. 4'         18 to 24 in.       B&B 2.75 2.50 2.25         24 to 30 in.       B&B 3.75 3.25 2.75         2½ to 3 ft.       B&B 4.50 4.00         Decumaria barbara.         3 yr. from pots       .75 .60 .50         Desmodium. (See Lespedeza).         Deutzia gracilis. Slender Deutzia. 3'         15 to 18 in.       .45 .35 .30         18 to 24 in.       .55 .45 .40         24 to 30 in.       .65 .55 .50         lemoinei. Lemoine Deutzia. 5'       .45 .35 .30         24 to 30 in.       .55 .50 .45         24 to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         lemoine avalanche Avalanche Deutzia. 4'         2 to 2½ ft.       .60 .50 .45         2½ to 3 ft.       .75 .60 .50         lemoine compacta. 5'         18 to 24 in.       .55 .45 .40         2 to 3 ft.       .55 .45 .40         2 to 3 ft.       .55 .45 .40         2 to 3 ft.       .55 .45 .40				
18       to 24 in.       B&B 2.75       2.50       2.25         24       to 30 in.       B&B 3.75       3.25       2.75         2½ to 3 ft.       B&B 4.50       4.00         Decumaria barbara.         3 yr. from pots       .75       .60       .50         Desmodium. (See Lespedeza).         Deutzia. 3'         15 to 18 in.       .45       .35       .30         18 to 24 in.       .55       .45       .40         24 to 30 in.       .65       .55       .50         18 to 24 in.       .45       .35       .30         24 to 30 in.       .55       .50       .45         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         lemoine avalanche Avalanche Deutzia.       4'         2 to 2½ ft.       .60       .50       .45         2½ to 3 ft.       .75       .60       .50         lemoine compacta.       5'       .45       .40         2 to 3 ft.       .55       .45       .40         2 to 3 ft.       .55       .45       .40         2 to 3 ft.       .60	2/2 00 0 100 1111111202			3.00
24       to 30 in.       B&B       3.75       3.25       2.75         2½ to 3 ft.       B&B       4.50       4.00         Decumaria barbara.         3 yr. from pots       .75       .60       .50         Desmodium. (See Lespedeza).         Deutzia. 3'         15 to 18 in.       .45       .35       .30         18 to 24 in.       .55       .45       .40         24 to 30 in.       .65       .55       .50         18 to 24 in.       .45       .35       .30         24 to 30 in.       .55       .50       .45         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         lemoine avalanche Avalanche Deutzia.       4'         2 to 2½ ft.       .60       .50       .45         2½ to 3 ft.       .75       .60       .50         lemoine compacta.       5'       .45       .40         2 to 3 ft.       .55       .45       .40         2 to 3 ft.       .60       .50       .45	mezereum alba. White February	Daph	ne. 4'	
2½ to 3 ft.       B&B 4.50 4.00         Decumaria barbara.         3 yr. from pots       .75 .60 .50         Desmodium. (See Lespedeza).         Deutzia gracilis. Slender Deutzia. 3'         15 to 18 in.       .45 .35 .30         18 to 24 in.       .55 .45 .40         24 to 30 in.       .65 .55 .50         18 to 24 in.       .45 .35 .30         24 to 30 in.       .55 .50 .45         2½ to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         lemoine avalanche Avalanche Deutzia. 4'         2 to 2½ ft.       .60 .50 .45         2½ to 3 ft.       .75 .60 .50         lemoine compacta. 5'         18 to 24 in.       .55 .45 .40         2 to 3 ft.       .55 .45 .40         2 to 3 ft.       .60 .50 .45	18 to 24 in	2.75	2.50	2.25
Decumaria barbara.         3 yr. from pots       .75       .60       .50         Desmodium. (See Lespedeza).         Deutzia gracilis. Slender Deutzia.       3'         15 to 18 in.       .45       .35       .30         18 to 24 in.       .55       .45       .40         24 to 30 in.       .65       .55       .50         18 to 24 in.       .45       .35       .30         24 to 30 in.       .55       .50       .45         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         lemoine avalanche Avalanche Deutzia.       4'         2 to 2½ ft.       .60       .50       .45         2½ to 3 ft.       .75       .60       .50         lemoine compacta.       5'         18 to 24 in.       .55       .45       .40         2 to 3 ft.       .60       .50       .45	24 to 30 in	3.75	3.25	2.75
3 yr. from pots	2½ to 3 ftB&B	4.50	4.00	
3 yr. from pots	Desuments barbara			
Desmodium. (See Lespedeza).         Deutzia gracilis. Slender Deutzia. 3'         15 to 18 in.       .45 .35 .30         18 to 24 in.       .55 .45 .40         24 to 30 in.       .65 .55 .50         lemoinei. Lemoine Deutzia. 5'         18 to 24 in.       .45 .35 .30         24 to 30 in.       .55 .50 .45         24 to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         lemoine avalanche Avalanche Deutzia. 4'         2 to 2½ ft.       .60 .50 .45         2½ to 3 ft.       .75 .60 .50         lemoine compacta. 5'         18 to 24 in.       .55 .45 .40         2 to 3 ft.       .60 .50 .45		75	60	5.0
Deutzia gracilis. Slender Deutzia.         15 to 18 in.       .45       .35       .30         18 to 24 in.       .55       .45       .40         24 to 30 in.       .65       .55       .50         lemoinei. Lemoine Deutzia.       5'         18 to 24 in.       .45       .35       .30         24 to 30 in.       .55       .50       .45         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         lemoine avalanche Avalanche Deutzia.       4'         2 to 2½ ft.       .60       .50       .45         2½ to 3 ft.       .75       .60       .50         lemoine compacta.       5'         18 to 24 in.       .55       .45       .40         2 to 3 ft.       .60       .50       .45	5 yr. from pots	.73	.00	.50
15 to 18 in	Desmodium. (See Lespedeza).			
15 to 18 in	Deutzia gracilis. Slender Deutzia. 3'			
18 to 24 in.       .55       .45       .40         24 to 30 in.       .65       .55       .50         lemoinei.       Lemoine Deutzia.       5'         18 to 24 in.       .45       .35       .30         24 to 30 in.       .55       .50       .45         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         lemoine avalanche       Avalanche       Deutzia.       4'         2 to 2½ ft.       .60       .50       .45         2½ to 3 ft.       .75       .60       .50         lemoine compacta.       5'         18 to 24 in.       .55       .45       .40         2 to 3 ft.       .60       .50       .45		.45	.35	.30
24 to 30 in.     .65     .55     .50       lemoinei.     Lemoine Deutzia.     5'       18 to 24 in.     .45     .35     .30       24 to 30 in.     .55     .50     .45       2½ to 3 ft.     .65     .55     .50       3 to 4 ft.     .75     .65     .60       lemoine avalanche     Avalanche     Deutzia.     4'       2 to 2½ ft.     .60     .50     .45       2½ to 3 ft.     .75     .60     .50       lemoine compacta.     5'       18 to 24 in.     .55     .45     .40       2 to 3 ft.     .60     .50     .45		.55	.45	.40
lemoinei.     Lemoine Deutzia.     5'       18     to 24 in.     .45     .35     .30       24     to 30 in.     .55     .50     .45       2½ to 3 ft.     .65     .55     .50       3     to 4 ft.     .75     .65     .60       lemoine avalanche     Avalanche     Deutzia.     4'       2     to 2½ ft.     .60     .50     .45       2½ to 3 ft.     .75     .60     .50       lemoine compacta.     5'       18 to 24 in.     .55     .45     .40       2 to 3 ft.     .60     .50     .45		.65	.55	
18       to 24 in.       .45       .35       .30         24       to 30 in.       .55       .50       .45         2½ to 3 ft.       .65       .55       .50         3       to 4 ft.       .75       .65       .60         lemoine avalanche Avalanche Deutzia.       4'         2       to 2½ ft.       .60       .50       .45         2½ to 3 ft.       .75       .60       .50         lemoine compacta.       5'         18 to 24 in.       .55       .45       .40         2 to 3 ft.       .60       .50       .45		100	.00	.00
24       to 30 in.       .55       .50       .45         2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         lemoine avalanche Avalanche Deutzia.       4'         2 to 2½ ft.       .60       .50       .45         2½ to 3 ft.       .75       .60       .50         lemoine compacta.       5'         18 to 24 in.       .55       .45       .40         2 to 3 ft.       .60       .50       .45		4.5	0.5	0.0
2½ to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         lemoine avalanche       Avalanche Deutzia.       4'         2 to ½ ft.       .60       .50       .45         ½ to 3 ft.       .75       .60       .50         lemoine compacta.       5'         18 to 24 in.       .55       .45       .40         2 to 3 ft.       .60       .50       .45				
3 to 4 ft				
lemoine avalanche     Avalanche     Deutzia.     4'       2     to 2½ ft.     .60     .50     .45       2½ to 3 ft.     .75     .60     .50       lemoine compacta.       18 to 24 in.     .55     .45     .40       2 to 3 ft.     .60     .50     .45				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 to 4 ft	.75	.65	.60
2½ to 3       ft.       .75       .60       .50         lemoine compacta.       5'         18 to 24 in.       .55       .45       .40         2 to 3 ft.       .60       .50       .45	lemoine avalanche Avalanche Der	utzia.	4'	
lemoine compacta. 5'       18 to 24 in.     .55     .45     .40       2 to 3 ft.     .60     .50     .45			•	.45
lemoine compacta. 5'       18 to 24 in.     .55     .45     .40       2 to 3 ft.     .60     .50     .45	2½ to 3 ft	.75	.60	.50
18 to 24 in				
2 to 3 ft		55	45	40
00, 60. U1 11 P OI 6				
	5 10 4 11	.13	.03	.00

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Deutzia	1-4 Each	5-24 Each	25 & up Each
myriantha Boule Rose. Dbl. Pink	Deutz	zia. 4	,
18 to 24 in.	.60	.50	
2 to 3 ft	.75	.50	
ningpoense. 5'			
2 to 3 ft.	1.50		
parviflora. Mongolian Deutzia. 5	7		
18 to 24 in	.55	.45	.40
2 to 3 ft.	.60	.50	.45
3 to 4 ft	.75	.65	.60
rosea. Rose-panicle Deutzia. 5'			
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
2½ to 3 ft	.75	.65	.60
rosea campanulata. Bellflower De			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
rosea carminea. Carmine Deutzia.	4'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
rosea eximea. Pink Choice Deutz	ia. 5'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
rosea venusta. White-panicle Deut	zia.	5 <b>'</b>	
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	
scabra candidissima. Snowflake	Deutzi	a. 12	,
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
scabra Pride of Rochester. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.85	.75	.70
6 to 8 ft	1.00	.85	.80

	1-4 Each	5-24 Each	25 & up Each
Deutzia	Lucii	Eden	Lucii
scabra rosea plena. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
scabra watereri. Waterer's Deutz	ia. 1	2'	
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.50	.45
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft.	.60	.50	.45
4 to 5 ft.	.75	.65	.60
		.00	.00
schneideriana laxiflora. 6'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
vilmorinae. Vilmorin Deutzia. 10	*		
2 to 3 ft	.60	.50	
Diervilla sessilifolia. Southern Bush	Hone	usuckla	s. 5'
2½ to 3 ft	.55	45.	. 40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
		.00	.00
trifida. Dwarf Bush Honeysuckle.	-		
2 to 3 ft	.65	.60	.55
3 to 4 ft	.75	.65	.60
(See also Weigela)			
Diospyros virginiana. Common Persi	mmon	. 15'	
6 to 8 ft	4.00	3.00	
8 to 10 ft	6.00	4.50	
10 to 12 ft	7.50	6.00	
Dirca palustris. Leatherwood. 6'			
6 to 8 in	2.00		
Elaeagnus angustifolia. Russian Olive			45
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.00	1.85	1.75
10 to 12 ft	5.00	4.00	
argentea. Silverberry. 12'			
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00

	1-4 Each	5-24 Each	25 & up Each
Elaeagnus			
longipes. Cherry Elaeagnus.			
2 to 3 ft		.75	
3 to 4 ft	1.25	1.00	
parvifolia. Chinese Elaeagnus.	<i>15</i> ′		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	. 1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
umbellata. Autumn Elaeagnus	. 12'		
2 to 3 ft		.55	.45
3 to 4 ft	75	.65	.55
4 to 5 ft		.80	.70
5 to 6 ft		1.00	
6 to 8 ft,	1.75	1.50	
Elsholtzia stauntoni. 4'			
18 to 24 in		.65	.60
2 to 3 ft	1.00	.75	
Enkianthus campanulatus. Redveir	. Enlis	44	1.71
12 to 18 in.		tnus.	15
	. 2.00		
Erica carnea. Spring Heath. 1'	1.05	1.00	77.5
6 to 8 in., 4 in. pots	1.25	1.00	.75
darleyensis.	1.05	1.00	22
6 to 8 in., 4 in. pots	1.25	1.00	.75
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.25	1.00	.75
Eucommia ulmoides. 60'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
Euonymus alatus. Winged Euonym	nus. 10'		
2 to 3 ft		.85	.75
3 to 4 ft		1.10	1.00
4 to 5 ft		1.60	1.50
5 to 6 ft		2.75	2.50
6 to 8 ft	4.00	3.75	3.50
6 to 8 ft. heavy B&			
8 to 10 ft. heavy B&			
		221222212	6'
alatus compactca. Dwarf Win		iymus. 1.25	U
3 to 4 ft		1.50	
3 to 4 It	I.ID	1.50	

_				1-4 Each	5-24 Each	25 & up Each
Euonymus			. Brook Euonymus. 8'			
			ft	1.00	.75	
3			ft	1.25	1.00	
_			ft		1.25	
4	ιο	9	I L	1.50	1.20	
atropu	ırp	ur	eus. Native Wahoo. 18	<b>5</b> ′		
2	to	3	ft	.50	.40	.35
3	to	4	ft	.60	.50	.45
4	to	5	ft	.75	.65	.60
5	to	6	ft	1.25	1.00	.90
6	to	8	ft	1.50	1.35	1.25
bunge	anı	ıs.	Winterberry Euonym	us. 1	5'	
2	to	3	ft	.50	.40	.35
3	to	4	ft	.60	.50	.45
4	to	5	ft	.75	.65	.60
5	to	6	ft	1.25	1.00	.90
6	to	8	ft	1.50	1.35	1.25
europ	aeu	s.	European Burning Bu	$\iota sh.$	15 <b>'</b>	
2	to	3	ft	.55	.45	.40
3	to	4	ft	.65	.55	.45
4	to	5	ft	.75	.65	.60
5	to	6		1.25	1.00	.90
6	to	8	ft	1.50	1.35	1.25
europ	aeu	s :	fructu-coccineus. 15'			
2			ft	.55	.45	.40
3			ft	.70	.60	.55
4	to		ft	1.00	.85	.75
latifol	ius		Broadleaf Burning Bus	h. 1	2'	
		-	ft.	.75	.60	.50
			ft	1.00	.85	.75
5	to		ft.	1.25	1.10	1.00
maack	i.	10	y'			
	to		ft	.55	.45	.40
3	to	4	ft	.65	.55	.50
4	to	5				
5		~	ft	1.00	.85	.75
5 6			ft	1.25	1.10	1.00
0	ιο	ŏ	ft	1.50	1.35	1.25
nanus			varf Burning Bush. 3'			
			in	1.00	.85	.75
15	to	18	3 in	1.50	1.25	

Euonymus         obovatus.         Running Euonymus.         1'           8 to 10 in		1-4 Each	5-24 Each	25 & up Each
8 to 10 in.       .60       .50       .40         oxyphyllus 15'       3 to 4 ft.       1.50       1.25       1.00         4 to 5 ft.       1.75       1.50       1.25       5 to 0 1.25       5 to 6 ft.       2.00       1.75       1.50         patens syn. sieboldianus. 8'         18 to 24 in.       B&B 1.75       1.50       1.25         2 to 3 ft.       B&B 2.25       2.00       1.75         3 to 4 ft.       B&B 3.00       2.75       2.50         radicans Wintercreeper. 15'         8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans acutus.       Sharpleaf Wintercreeper.       1'         1 2 to 15 in.       .50       .40       .35         15 to 18 in.       .65       .50       .45         radicans argenteo-marginatus.       Silveredge Wintercreeper.       1'         8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans colorata.				
oxyphyllus       15'         3 to 4 ft.       1.50       1.25       1.00         4 to 5 ft.       1.75       1.50       1.25         5 to 6 ft.       2.00       1.75       1.50         patens syn. sieboldianus.       8'         18 to 24 in.       B&B 1.75       1.50       1.25         2 to 3 ft.       B&B 2.25       2.00       1.75         3 to 4 ft.       B&B 3.00       2.75       2.50         radicans Wintercreeper.       15'         8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans acutus.       Sharpleaf Wintercreeper.       1'         12 to 15 in.       .50       .40       .35         15 to 18 in.       .65       .50       .45         radicans argenteo-marginatus.       Silveredge Wintercreeper.       1'         8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans carrieri.       Glossy Wintercreeper.       3'		_		
3 to 4 ft. 1.50 1.25 1.00 4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.00 1.75 1.50  patens syn. sieboldianus. 8'  18 to 24 in. B&B 1.75 1.50 1.25 2 to 3 ft. B&B 2.25 2.00 1.75 3 to 4 ft. B&B 2.25 2.00 1.75 3 to 4 ft. B&B 3.00 2.75 2.50  radicans Wintercreeper. 15'  8 to 12 in	8 to 10 in	.60	.50	.40
4 to 5 ft. 1.75 1.50 1.25 5 to 6 ft. 2.00 1.75 1.50 patens syn. sieboldianus. 8'  18 to 24 in. B&B 1.75 1.50 1.25 2 to 3 ft. B&B 2.25 2.00 1.75 3 to 4 ft. B&B 3.00 2.75 2.50 radicans Wintercreeper. 15'  8 to 12 in	oxyphyllus 15'			
5 to 6 ft.         2.00         1.75         1.50           patens syn. sieboldianus.         8'           18 to 24 in.         B&B 1.75         1.50         1.25           2 to 3 ft.         B&B 2.25         2.00         1.75           3 to 4 ft.         B&B 3.00         2.75         2.50           radicans Wintercreeper. 15'           8 to 12 in.         .45         .35         .30           12 to 15 in.         .50         .40         .35           15 to 18 in.         .60         .50         .45           18 to 24 in.         .75         .60         .50           radicans acutus. Sharpleaf Wintercreeper. 1'           12 to 15 in.         .50         .40         .35           15 to 18 in.         .65         .50         .45           radicans argenteo-marginatus.           Silveredge Wintercreeper. 1'           8 to 12 in.         .45         .35         .30           12 to 15 in.         .50         .40         .35           15 to 18 in.         .60         .50         .45           radicans carrieri. Glossy Wintercreeper. 3'           12 to 15 in.         .50         .4	3 to 4 ft	1.50	1.25	1.00
patens syn. sieboldianus. 8'           18 to 24 in.         B&B 1.75 1.50 1.25           2 to 3 ft.         B&B 2.25 2.00 1.75           3 to 4 ft.         B&B 3.00 2.75 2.50           radicans Wintercreeper. 15'           8 to 12 in.         .45 .35 .30           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           18 to 24 in.         .75 .60 .50           radicans acutus.         Sharpleaf Wintercreeper.         1'           12 to 15 in.         .50 .40 .35           15 to 18 in.         .65 .50 .45           radicans argenteo-marginatus.           Silveredge Wintercreeper. 1'           8 to 12 in.         .45 .35 .30           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           radicans carrieri.         Glossy Wintercreeper.         3'           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           radicans colorata.         10'           12 to 15 in.         .45 .35 .30           15 to 18 in.         .55 .45 .40           18 to 24 in.         .55 .45 .40           18 to 12 in. from pots         .55 .45 .40	4 to 5 ft	1.75	1.50	1.25
patens syn. sieboldianus. 8'           18 to 24 in.         B&B 1.75 1.50 1.25           2 to 3 ft.         B&B 2.25 2.00 1.75           3 to 4 ft.         B&B 3.00 2.75 2.50           radicans Wintercreeper. 15'           8 to 12 in.         .45 .35 .30           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           18 to 24 in.         .75 .60 .50           radicans acutus.         Sharpleaf Wintercreeper.         1'           12 to 15 in.         .50 .40 .35           15 to 18 in.         .65 .50 .45           radicans argenteo-marginatus.           Silveredge Wintercreeper. 1'           8 to 12 in.         .45 .35 .30           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           radicans carrieri.         Glossy Wintercreeper.         3'           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           radicans colorata.         10'           12 to 15 in.         .45 .35 .30           15 to 18 in.         .55 .45 .40           18 to 24 in.         .55 .45 .40           18 to 12 in. from pots         .55 .45 .40	5 to 6 ft	2.00	1.75	1.50
18 to 24 in.       B&B 1.75       1.50       1.25         2 to 3 ft.       B&B 2.25       2.00       1.75         3 to 4 ft.       B&B 3.00       2.75       2.50         radicans       Wintercreeper. 15'         8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         18 to 24 in.       .75       .60       .50         radicans acutus. Sharpleaf Wintercreeper. 1'         12 to 15 in.       .50       .40       .35         15 to 18 in.       .65       .50       .45         radicans argenteo-marginatus.         Silveredge Wintercreeper. 1'         8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans carrieri. Glossy Wintercreeper.       3'         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans colorata. 10'       .50       .45       .40	natans syn sigholdianus 9'			
2 to 3 ft. B&B 2.25 2.00 1.75 3 to 4 ft. B&B 3.00 2.75 2.50  radicans Wintercreeper. 15' 8 to 12 in		1 75	1.50	1 25
3 to 4 ft.         B&B 3.00 2.75 2.50           radicans Wintercreeper. 15'           8 to 12 in.         .45 .35 .30           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           18 to 24 in.         .75 .60 .50           radicans acutus.         Sharpleaf Wintercreeper.         1'           12 to 15 in.         .50 .40 .35           15 to 18 in.         .65 .50 .45           radicans argenteo-marginatus.         Silveredge Wintercreeper.         1'           8 to 12 in.         .45 .35 .30           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           radicans carrieri.         Glossy Wintercreeper.         3'           12 to 15 in.         .50 .40 .35           15 to 18 in.         .60 .50 .45           18 to 24 in.         .75 .65 .55           radicans colorata.         10'           12 to 15 in.         .45 .35 .30           15 to 18 in.         .55 .45 .40           18 to 24 in.         .55 .45 .40           18 to 12 in. from pots         .50 .45 .40           radicans kewensis. Prostrate Baby Wintercreeper.         1'           8 to 12 in. from pots         .55 .4				
radicans       Wintercreeper       15'         8 to 12 in       .45       .35       .30         12 to 15 in       .50       .40       .35         15 to 18 in       .60       .50       .45         18 to 24 in       .75       .60       .50         radicans acutus.       Sharpleaf Wintercreeper       1'         12 to 15 in       .50       .40       .35         15 to 18 in       .65       .50       .45         radicans argenteo-marginatus.         Silveredge Wintercreeper       1'         8 to 12 in       .45       .35       .30         12 to 15 in       .50       .40       .35         15 to 18 in       .60       .50       .45         18 to 24 in       .55       .45       .45         18 to 24 in       .65       .55       .50         radicans kewensis. Prostrate Baby Wintercreeper         8 to 12 in from pots       .50       .45       .40         12 to 15 in.       .65       .55       .50         radicans minima. Baby Wintercreeper       .1'         8 to 12 in. from pots       .55				
8 to 12 in		5.00	2.10	2.00
12 to 15 in	The state of the s	4.5	25	20
15 to 18 in				
18 to 24 in.       .75 .60 .50         radicans acutus.       Sharpleaf Wintercreeper.       1'         12 to 15 in.       .50 .40 .35         15 to 18 in.       .65 .50 .45         radicans argenteo-marginatus.         Silveredge Wintercreeper.         8 to 12 in.       .45 .35 .30         12 to 15 in.       .50 .40 .35         15 to 18 in.       .60 .50 .45         radicans carrieri.       Glossy Wintercreeper.       3'         12 to 15 in.       .50 .40 .35         15 to 18 in.       .60 .50 .45         18 to 24 in.       .75 .65 .55         radicans colorata.         10'       12 to 15 in.       .45 .35 .30         15 to 18 in.       .55 .45 .40         18 to 24 in.       .65 .55 .50         radicans kewensis.       Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50 .45 .40         12 to 15 in. from pots       .55 .45 .40         12 to 15 in. from pots       .55 .55 .50         radicans vegetus. Bigleaf Wintercreeper.         4'       12 to 15 in.       .75 .65 .60         15 to 18 in.       .100 .80 .75         18 to 24 in.       .100 .80 .75 <td>12 03 13 1100000000000000000000000000000</td> <td></td> <td></td> <td></td>	12 03 13 1100000000000000000000000000000			
radicans acutus.       Sharpleaf Wintercreeper.       1'         12 to 15 in.       .50       .40       .35         15 to 18 in.       .65       .50       .45         radicans argenteo-marginatus.         Silveredge Wintercreeper.       1'         8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans carrieri.       Glossy Wintercreeper.       3'         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans colorata.       10'       .45       .35       .30         15 to 18 in.       .45       .35       .30         15 to 18 in.       .55       .45       .40         18 to 12 in. from pots       .50       .45       .40         radicans minima.       Baby Wintercreeper.       1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .55       .55       .50         radicans vegetus.       Bigleaf Wintercreeper.       4' <td></td> <td></td> <td></td> <td></td>				
12 to 15 in.       .50       .40       .35         15 to 18 in.       .65       .50       .45         radicans argenteo-marginatus.         Silveredge Wintercreeper. 1'         8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         18 to 24 in.       .75       .65       .55         radicans colorata. 10'         12 to 15 in.       .45       .35       .30         15 to 18 in.       .55       .45       .40         18 to 24 in.       .65       .55       .50         radicans kewensis. Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50       .45       .40         12 to 15 in. from pots       .50       .45       .40         radicans minima. Baby Wintercreeper.       1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .55       .55       .50         radicans vegetus. Bigleaf Wintercreeper.       4'         12 to 15 in.       .75       .65       .60         1				
15 to 18 in				
radicans argenteo-marginatus.         Silveredge Wintercreeper.       1'         8 to 12 in.       .45 .35 .30         12 to 15 in.       .50 .40 .35         15 to 18 in.       .60 .50 .45         radicans carrieri.       Glossy Wintercreeper.       3'         12 to 15 in.       .50 .40 .35         15 to 18 in.       .60 .50 .45         18 to 24 in.       .75 .65 .55         radicans colorata.       10'         12 to 15 in.       .45 .35 .30         15 to 18 in.       .55 .45 .40         18 to 24 in.       .65 .55 .50         radicans kewensis.       Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50 .45 .40         12 to 15 in. from pots       .55 .45 .40         12 to 15 in. from pots       .55 .45 .40         12 to 15 in. from pots       .55 .55 .50         radicans vegetus.       Bigleaf Wintercreeper.       4'         12 to 15 in.       .75 .65 .60         15 to 18 in.       1.00 .80 .75         18 to 24 in.       1.25 1.10 1.00				
Silveredge Wintercreeper. 1'         8 to 12 in.       .45 .35 .30         12 to 15 in.       .50 .40 .35         15 to 18 in.       .60 .50 .45         radicans carrieri. Glossy Wintercreeper. 3'         12 to 15 in.       .50 .40 .35         15 to 18 in.       .60 .50 .45         18 to 24 in.       .75 .65 .55         radicans colorata. 10'         12 to 15 in.       .45 .35 .30         15 to 18 in.       .55 .45 .40         18 to 24 in.       .65 .55 .50         radicans kewensis. Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50 .45 .40         12 to 15 in. from pots       .55 .45 .40         12 to 15 in. from pots       .55 .45 .40         12 to 15 in. from pots       .65 .55 .50         radicans vegetus. Bigleaf Wintercreeper. 4'         12 to 15 in.       .75 .65 .60         15 to 18 in.       1.00 .80 .75         18 to 24 in.       1.25 1.10 1.00		.65	.50	.45
8 to 12 in.       .45       .35       .30         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         radicans carrieri. Glossy Wintercreeper.         3'       .20       .40       .35         15 to 18 in.       .60       .50       .45         18 to 24 in.       .75       .65       .55         radicans colorata. 10'         12 to 15 in.       .45       .35       .30         15 to 18 in.       .55       .45       .40         18 to 24 in.       .65       .55       .50         radicans kewensis. Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50       .45       .40         radicans minima. Baby Wintercreeper.       1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .65       .55       .50         radicans vegetus. Bigleaf Wintercreeper.       4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00 <td></td> <td></td> <td></td> <td></td>				
12 to 15 in				
15 to 18 in				
radicans carrieri. Glossy Wintercreeper. 3'         12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         18 to 24 in.       .75       .65       .55         radicans colorata.       10'         12 to 15 in.       .45       .35       .30         15 to 18 in.       .55       .45       .40         18 to 24 in.       .65       .55       .50         radicans kewensis.       Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50       .45       .40         radicans minima.       Baby Wintercreeper.       1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .65       .55       .50         radicans vegetus.       Bigleaf Wintercreeper.       4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00	12 to 15 in	,		
12 to 15 in.       .50       .40       .35         15 to 18 in.       .60       .50       .45         18 to 24 in.       .75       .65       .55         radicans colorata. 10'         12 to 15 in.       .45       .35       .30         15 to 18 in.       .55       .45       .40         18 to 24 in.       .65       .55       .50         radicans kewensis. Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50       .45       .40         radicans minima. Baby Wintercreeper.       1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .65       .55       .50         radicans vegetus. Bigleaf Wintercreeper.       4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00	15 to 18 in	.60	.50	.45
15 to 18 in	radicans carrieri. Glossy Winterd	creeper	. 3'	
18 to 24 in.       .75 .65 .55         radicans colorata.       10'         12 to 15 in.       .45 .35 .30         15 to 18 in.       .55 .45 .40         18 to 24 in.       .65 .55 .50         radicans kewensis.       Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50 .45 .40         radicans minima.       Baby Wintercreeper.       1'         8 to 12 in. from pots       .55 .45 .40         12 to 15 in. from pots       .65 .55 .50         radicans vegetus.       Bigleaf Wintercreeper.       4'         12 to 15 in.       .75 .65 .60         15 to 18 in.       1.00 .80 .75         18 to 24 in.       1.25 1.10 1.00	12 to 15 in	.50	.40	.35
radicans       colorata.       10'         12 to 15 in.       .45 .35 .30         15 to 18 in.       .55 .45 .40         18 to 24 in.       .65 .55 .50         radicans       kewensis.       Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50 .45 .40         radicans       minima.       Baby Wintercreeper.       1'         8 to 12 in. from pots       .55 .45 .40         12 to 15 in. from pots       .65 .55 .50         radicans       vegetus.       Bigleaf Wintercreeper.       4'         12 to 15 in.       .75 .65 .60         15 to 18 in.       1.00 .80 .75         18 to 24 in.       1.25 1.10 1.00	15 to 18 in	.60	.50	.45
12 to 15 in.       .45       .35       .30         15 to 18 in.       .55       .45       .40         18 to 24 in.       .65       .55       .50         radicans kewensis. Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50       .45       .40         radicans minima. Baby Wintercreeper.       1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .65       .55       .50         radicans vegetus. Bigleaf Wintercreeper.       4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00	18 to 24 in	.75	.65	.55
15 to 18 in	radicans colorata. 10'			
18 to 24 in.       .65 .55 .50         radicans kewensis.       Prostrate Baby Wintercreeper.         8 to 12 in. from pots .50 .45 .40         radicans minima.       Baby Wintercreeper.         1'       8 to 12 in. from pots .55 .45 .40         12 to 15 in. from pots .65 .55 .50         radicans vegetus.       Bigleaf Wintercreeper.         4'       12 to 15 in75 .65 .60         15 to 18 in1.00 .80 .75         18 to 24 in1.25 .1.10 .1.00	12 to 15 in	.45	.35	.30
radicans kewensis. Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50       .45       .40         radicans minima. Baby Wintercreeper. 1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .65       .55       .50         radicans vegetus. Bigleaf Wintercreeper. 4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00	15 to 18 in	.55	.45	.40
radicans kewensis. Prostrate Baby Wintercreeper.         8 to 12 in. from pots       .50       .45       .40         radicans minima. Baby Wintercreeper. 1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .65       .55       .50         radicans vegetus. Bigleaf Wintercreeper. 4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00	18 to 24 in	.65	.55	.50
8 to 12 in. from pots50 .45 .40  radicans minima. Baby Wintercreeper. 1'  8 to 12 in. from pots55 .45 .40 12 to 15 in. from pots65 .55 .50  radicans vegetus. Bigleaf Wintercreeper. 4' 12 to 15 in75 .65 .60 15 to 18 in1.00 .80 .75 18 to 24 in1.25 1.10 1.00	radicans kewensis. Prostrate Rah	u Win	tercre	ener.
radicans minima. Baby Wintercreeper. 1'         8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .65       .55       .50         radicans vegetus. Bigleaf Wintercreeper. 4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00		-		-
8 to 12 in. from pots       .55       .45       .40         12 to 15 in. from pots       .65       .55       .50         radicans vegetus. Bigleaf Wintercreeper. 4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00	•		41	
12 to 15 in. from pots       .65       .55       .50         radicans vegetus. Bigleaf Wintercreeper. 4'         12 to 15 in.       .75       .65       .60         15 to 18 in.       1.00       .80       .75         18 to 24 in.       1.25       1.10       1.00		-	-	40
radicans vegetus.     Bigleaf Wintercreeper.     4'       12 to 15 in.     .75 .65 .60     .60       15 to 18 in.     1.00 .80 .75     .75       18 to 24 in.     1.25 1.10 1.00	•			
12 to 15 in75 .65 .60 15 to 18 in. 1.00 .80 .75 18 to 24 in. 1.25 1.10 1.00	12 to 15 in from pots	.60.		.50
15 to 18 in. 1.00 .80 .75 18 to 24 in. 1.25 1.10 1.00	radicans vegetus. Bigleaf Winter	creeper		
18 to 24 in. 1.25 1.10 1.00				
	15 to 18 in.	1.00		
24 to 30 in. 2.00 1.75				1.00
	24 to 30 in.	2.00	1.75	

Fuantimus	1-4 Each	5-24 Each	25 & up Each
Euonymus sieboldianus. (See patens)			•
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Evodia danieli. 25'			
4 to 5 ft	3.00		
5 to 6 ft	3.50		
hupehensis. 25'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	4.50	3.75	
Exochorda grandiflora. Pearl Bush.	10 <b>'</b>		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.85	.75	.70
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.75	2.50	
	12.50		
8 to 10 ft. spec	15.00		
giraldi wilsoni. Wilson Pearlbush	. 15'		
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
Fagus americana. American Beech. 66	<b>)</b> '		
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	6.50	5.50	
5 to 6 ftB&B	8.50	7.50	
6 to 8 ftB&B	12.50	10.00	
8 to 10 ft	15.00	12.50	
10 to 12 ftB&B	25.00		

				1-4 Each	5-24 Each	25 & up Each
Fagus				Lucii	Lucii	Eden
sylvatio	a. E	Suropean 1	Beech. 75'			
•		-	B&B	5.00	4.50	3.75
4 t	to 5	ft	B&B	6.50	5.50	5.00
5 t	o 6	ft	B&B	8.50	7.50	6.00
6 1	to 8	ft	B&B	12.50	10.00	9.00
8 t	o 10	ft	B&B	18.00	15.00	12.50
10 1	to 12	ft	B&B	25.00	18.00	15.00
	to 14		B&B	-	25.00	
14	to 16	ft	B&B	40.00	35.00	
			ramidal Be		25 <b>'</b>	
12 t	o 15	ft	B&B	50.00		
					4	
			Fernleaf		25'	
5 t			B&B			
6 t			B&B			
8 t	0 10	It	B&B	25.00		
sylvatio	a per	ndula. $W$	eeping Beec	h. 50'		
			В&В			
14 1	to 16	ft	B&B	50.00		
La	rger s	sizes quote	d on reque	st.		
evlvatio	וות פי	rnures. F	Purple Beec	h. 75	,	
_	-	_	B&B		7.50	
	to 6		В&В		10.00	
_	to 8		В&В		12.50	
-	to 10		B&B			
10	to 12		B&B			
_			's Beech.			
6			B&B			
	to 10		B&B			
			n B&B			
La	rger s	sizes quote	d on reque	st.		
<b>T</b>	£ = ± 4.	: II. (		esia. 1	E1	
Fontanesia			ine Fontane	.60	.50	.40
	-			.75	.60	.50
				1.00	.85	
	to 8			1.25	1.00	.90
•				1.50	1.35	1.25
0 1	0 10	±0		1.00	1.00	_ , _ , ,

All : E	1-4 Each	5-24 Each	25 & up Each
Forsythia europea. Albanian Forsyth			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
intermedia. Border Forsythia.	8'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
intermedia primulina Primrose l	Forsuth	ia. 10	o*
3 to 4 ft	1.00	85	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
intermedia spectabilis. $Showy$ $Bo$			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.50	1.35	1.25
ovata. 8'			
2 to 3 ft	.75	.50	.40
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
suspensa. Weeping Forsythia.	6 <b>'</b>		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	50	.45
4 to 5 ft	.75	65	.60
5 to 6 ft	1.00	.80	.75
suspensa atrocaulis. Purple Sten	ı Forsı	thia.	6'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
suspensa fortunei. Golden Bell.	8'	.50	
2 to 3 ft	.45	.35	.30
3 to 4 ft.	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
0 00 0 201	1.20	1.00	100

	1-4 Each	5-24 Each	25 & up Each
Forsythia			
suspensa sieboldi. $Siebold \ Forsyth$	ia. 8	,	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
viridissima. Greenstem Forsythic	a. 8'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
Fothergilla gardeni. Dwarf Fothergill	la. 3'		
15 to 18 in	2.50	2.00	79-
18 to 24 in	3.50	3.00	
24 to 30 inB&B	5.00	4.00	
Franklinia (See Gordonia)			
Fraxinus americana. White Ash. 80'		-	
8 to 10 ft	2.50	2.00	1.75
1½ to 1½ in.	3.00	2.50	2.25
1½ to 1¾ in	3.75	3.25	3.00
13/4 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.00	5.50	5.00
2½ to 3 in	8.50	7.50	7.00
excelsior. European Ash. 100'			
8 to 10 ft	2.50	2.00	1.75
1½ to 1½ in.	3.00	2.50	2.25
1½ to 1¾ in.	3.75	3.25	3.00
134 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.00	5.50	5.00
2½ to 3 in	8.50	7.50	7.00
lanceolata. Green Ash. 60'	0.00		
8 to 10 ft	2.50	2.00	1.75
1½ to 1½ in	3.00	2.50	2.25
1½ to 1¾ in	3.75	3.25	3.00
13/4 to 2 in	4.50	4.00	3.75
2 to 2½ in	6.00	5.50	5.00
2½ to 3 in	8.50	7.50	7.00
mandshurica. Manchurian Ash. 8	30 <b>'</b>		
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
1½ to 1½ in	4.00	3.25	3.00
1½ to 1¾ in	4.50	3.75	3.50

	1-4 Each	5-24 Each	25 & up Each
Fraxinus			
nigra. Black Ash. 80'			
8 to 10 ft	3.50	3.25	3.00
1½ to 1½ in	4.50	4.00	
pennsylvanica. Red Ash. 60'			
8 to 10 ft	3.50	3.00	2.50
11/4 to 11/2 in	4.50	4.00	3.50
1½ to 1¾ in	6.00	5.00	4.00
13/4 to 2 in	7.50	6.00	
2 to 2½ in	8.50	7.50	
quadrangulata. Blue Ash. 80'			
6 to 8 ft	3.50		
8 to 10 ft	4.50		
Gaylussacia baccata. Black Huckleberr	ru. 3'		
18 to 24 in	3.50	3.00	
24 to 30 in	4.00	3.50	
Genista juncea. 2'			
15 to 18 in. from pots	.75	.60	.50
pilosa. Silky Leaf Broom. 1'			
4 to 6 in	.75	.60	
sagittalis. Arrowhead Broom. 9'	,		
4 to 6 in	1.00	.75	.60
scoparia. (See Cytisus).			
tinctoria. Woadwaxen. 3'	4.5	0.5	
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
Ginkgo biloba. Maidenhair Tree. 60'			
6 to 8 ft	3.25	2.75	2.50
8 to 10 ft	3.75	3.25	3.00
1½ to 1½ in.	4.50	4.25	4.00
1½ to 1¾ in	6.00	5.50	5.00
13/4 to 2 in	7.50	7.00	6.50
2 to 2½ in	10.00	9.50	9.00
2½ to 3 in	15.00	13.50	12.50
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00	<b>25.00</b>	
biloba fastigiata. Pyramidal Mai	denhai	r Tree	. 60'
6 to 8 ft	7.50		
Gleditsia elegantissima. 20'			
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	3.50	3.00	2.50
0 10 0 201	0.00	0.00	2,00

	1-4 Each	5-24 Each	25 & up Each
Gleditsia			
japonica. Japanese Honeylocust.	40'		
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.50	5.00	
sinensis. Chinese Honeylocust. 40	0'		
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	4.00	3.50	3.00
10 to 12 ft	4.50	4.00	3.50
triacanthos. Honey Locust. 60'			
5 to 6 ft	1.50	1.35	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	3.00	2.75	2.50
11/4 to 11/2 in	3.50	3.00	2.75
1½ to 1¾ in	4.50	3.50	3.25
13/4 to 2 in	6.50	5.00	
2 to 2½ in.	9.00	7.50	
2½ to 3 in	12.50	10.00	
triacanthos inermis. Thornless Ho	neylo	cust.	50 <b>'</b>
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1½ to 1¾ in	5.00	4.00	3.75
13/4 to 2 in	7.50	6.00	
2 to 2½ in	10.00		
Gordonia alatamaha. 20'			
3 to 4 ftB&B	7.50		
4 to 5 ft	10.00		
5 to 6 ftB&B	12.50		
6 to 8 ft B&B	17.50		
8 to 10 ftB&B	25.00		
Gymnocladus dioica. Kentucky Coffee	tree.	40'	
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft.	6.50	5.50	5.00
2 to 3 in	15.00	12.50	
Halesia monticola. Mountain Silverbe	ll. 50	,	
4 to 5 ft	5.00	4.00	
5 to 6 ft	7.50	6.50	
6 to 8 ft	10.00		

62 HENRY KOH	HANKIE & SON		
oz nam nam	1- Eq.	-4 5-24	25 & up Each
Halesia	Lu	cii Eucii	Lucii
tetraptera. Great Silv	verbell. 15'		
	1.0	.85	.75
5 to 6 ft	1.5	50 1.25	1.00
6 to 8 ft	1.7	75 1.50	1.25
8 to 10 ft	<b>2.</b> .	75   2.50	2.00
10 to 12 ft	4.5	50   4.00	3.50
8 to 10 ft. spec.	B&B 10.0	00	
10 to 12 ft. spec.	B&B 15.0	00	
Hamamelis japonica. $Japa$	nese Witch He	azel. 20'	
2 to 3 ft	<b>1.</b> 5	50 1.25	
3 to 4 ft	1.5	75 1.50	
4 to 5 ft	2.0	00 1.75	
5 to 6 ft	<b>2.</b> .	25 2.00	
japonica rubra. 20'			
2 to 3 ft	1.5	0 1.25	
3 to 4 ft			
4 to 5 ft			
mollis. Chinese Witch	Hazel. 20'		
2 to 3 ft			
3 to 4 ft		00 4.50	
4 to 5 ft	6.0	00	
vernalis. Vernal Witch	h Hazel. 6'		
3 to 4 ft	1.2	25 1.00	.75
4 to 5 ft	1.5	1.25	1.00
5 to 6 ft	2.0	00 1.75	1.50
6 to 8 ft		50   2.00	1.75
vernalis tomentella. 6	,		
3 to 4 ft	1.2	25 1.00	.75
4 to 5 ft,	1.5	50 1.25	1.00
5 to 6 ft	2.0	00 1.75	1.50
6 to 8 ft	2 <b>.</b> .	50   2.00	1.75
virginiana. Witch Ha	zel. 15'		
2 to 3 ft		55 .45	.40
3 to 4 ft		75 .60	.50
	1.2		.75
5 to 6 ft		-	1.00
6 to 8 ft			1.25
8 to 10 ft	2.0	00 1.75	1.50

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Hedera helix. English Ivy. 20'	1-4 Each	5-24 Each	25 & up Each
2 year, 2 in. pots	.35	.25	.20
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Albany. Albany Ivy.	.00	.10	.00
2 year, 3 in. pots	.40	.30	.25
helix baltica. 15'	.10	.00	.20
2 year, 3 in. pots	.50	.40	.35
helix conglomerata. 10'	.00	.10	.00
2 year, 3 in. pots	.75	.60	
helix Emerald Gem. 15'	.,0	.00	
2 year, 3 in. pots	.75	.60	.50
helix gracilis. Small-leaved Engli			
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Hahn's	.00	.10	.00
2 year, 3 in. pots	.45	.35	.30
3 year, 4 in. pots	.60	.45	.40
		***	
Helwingia japonica. 5'	1.05		
12 to 15 in., 3 in. pots	1.25		
Hibiscus syriacus. Shrub Althea. 12			
double varieties			
2 to 3 ft.	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft.	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft.	1.25	1.00	.90
8 to 10 ft. hvy B&B	15.00		
Ardens—Purple.			
Banner—Blush.			
Jeanne d'Arc—White.			
Lady Stanley-white, shaded	rose.		
Rubra Plena—Red.			
Speciosa Plena—Pink.			
single varieties.			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	.60
5 to 6 ft.	1.00	.80	.75
Coelestis—Blue.	1.00	.50	
Rosea—White, crimson eye.			
Rubis—Red.			
Totus albus—White.			
g wasaw many MM 11 444 VV/1			

	1-4 Each	5-24 Each	25 & up Each
Hibiscus			
variegatus. Variegated leaved Al		8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
variegatus meehani. Meehan's Van	-		iea. 6
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Hicoria ovata. Shagbark Hickory. 75			
3 to 4 ft	2.00		
4 to 5 ft	2.50		
Hippophae rhamnoides. Sea-buckthor		•	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
10 to 12 ft	7.50		
*Hovenia dulcis. Raisintree. 6'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
Hydrangea arborescens. Smooth Hyd	range	a. 6'	
2 to 3 ft	.55	.45	
3 to 4 ft	.65	.55	
4 to 5 ft	.75	.65	
arborescens grandiflora. Snowhill	Hyd	rangea	. 6'
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft.	1.00	.80	.75
cineria sterilis. Ashy Hydrangea	. 6'		·
2 to 3 ft	.75		
3 to 4 ft	1.00		
opuloides Otaksa. 3'			
4 year	1.00	.75	.60
opuloides Thos. Hogg. 3'			
4 year	1.00	.75	.60
paniculata. Panicle Hydrangea.	10'		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	
4 to 5 ft	.90	.75	
5 to 6 ft	1.00	.85	.75

1-4	5-24	25 & up
<b>Hydrangea</b> Each	Each	Each
paniculata grandiflora. Peegee Hydrang.	ea.	10'
2 to 3 ft	.50	
3 to 4 ft	.60	.55
4 to 5 ft	.75	
3 to 4 ft., tree form 1.50	1.25	
4 to 5 ft., tree form 1.75	1.50	
paniculata praecox. 10'		
2 to 3 ft	.60	
3 to 4 ft	.75	
4 to 5 ft 1.25	1.00	
5 to 6 ft 1.50	1.25	
petiolaris. Climbing Hydrangea,		
4 inch pots 1.50		
quercifolia. Oakleaf Hydrangea. 4'		
2 to 3 ft 1.25	1.00	
3 to 4 ft 1.50	1.25	
radiata. Silverleaf Hydrangea. 6'		
2 to 3 ft	.55	.50
3 to 4 ft	.65	.60
Hypericum arnoldianum. 5'		
18 to 24 in	.60	
2 to 3 ft	.75	
aureum. Golden St. Johnswort. 4'		
18 to 24 in	.35	.30
2 to 3 ft	.45	.40
3 to 4 ft	.55	.50
bucklei. Mountain St. Johnswort. 1'		
6 inches	.75	.60
densiflorum. 5'		.00
18 to 24 in	.35	.30
2 to 3 ft	.45	.40
3 to 4 ft	.55	.50
kalmianum. 4'	.00	.00
18 to 24 in	.35	.30
2 to 3 ft	.45	.40
3 to 4 ft	.55	.50
lobocarpum. 6'		
2 to 3 ft	.50	.40
3 to 4 ft	.60	.50
moserianum. Goldflower. 2'		
15 to 18 in	.45	.40

V	1-4 Each	5-24 Each	25 & up Each
Hypericum	,		- 1 - X-1
patulum. Japanese Hypericum. 3		CO	=0
18 to 24 in	.75	.60	.50
patulum henryi. Henry Hypericum	ı. 4'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.55	.50
prolificum. Shrubby St. Johnswoo	rt. 5'		
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
Idesia polycarpa. 40'			
3 to 4 ft	1.75	1,50	
4 to 5 ft	2.50	2.25	
Ilex cornuta. Chinese Holly. 10'			
18 to 24 in. B&B	3.50		
crenata. Japanese Holly. 10'			
15 in B&B	2.50	2.00	1.50
18 in B&B	3.00	2.50	2.25
24 in	3.50	3.00	2.75
30 in. B&B	5.00	4.00	3.75
36 in. B&B	6.50	6.00	5.50
42 in B&B	8.50	7.50	7.00
crenata bullata. 10'			
12 to 15 in	2.50	2.00	1.50
15 to 18 in. B&B	3.00	2.50	2.00
18 to 24 in	3.50	3.00	2.50
24 to 30 in. B&B	4.00	3.50	3.00
	1.00	0.00	0.00
crenata latifolia. 10'			
18 to 24 in	3.00	2.50	2.25
24 to 30 in	4.00	3.50	3.25
30 to 36 in	5.00	4.50	4.25
36 to 42 inB&B	6.50	5.50	
crenata microphylla. Little Leaf Ja	panese	Holli	, 10'
15 in. B&B	2.50	2.25	
18 in B&B	3.50	3.00	
24 in B&B	5.00	4.00	
geniculata. 5'			
3 to 4 ft	2.00	1.50	
4 to 5 ft.	2.50	2.00	

	1-4 Each	5-24 Each	25 & up Each
Ilex			
glabra. Inkberry. 8'			
12 to 15 inB&B	1.75	1.65	1.50
15 to 18 in	2.25	2.00	1.85
18 to 24 in	2.75	2.65	2.50
24 to 30 inB&B	3.50	3.25	3.00
30 to 36 in	5.00	4.00	3.75
36 to 42 inB&B	6.00	5.00	
laevigata. Smooth Winterberry.	6'		
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
monticola. Mountain Winterberry	. 10'		
3 to 4 ft	1.50		
A			
opaca. American Holly. 40'	7 50	6.00	
4 ft. B&B 5 ft. B&B	7.50	6.00 $7.50$	6.50
	15.00	12.50	10.00
	18.00	15.00	10.00 $12.50$
7 ft. B&B For larger sizes to 12 ft., add \$			
For larger sizes to 12 It., and a	5.00 p	61 1001	
serrata. syn. sieboldi. Finetooth I	Holly.	12'	,
serrata. syn. sieboldi. Finetooth 1 2 to 3 ft.	Holly.	12' 1.00	.75
-			
2 to 3 ft	1.25 1.50 2.00	1.00 1.25 1.75	.75 1.00 1.50
2 to 3 ft	1.25 $1.50$	$1.00 \\ 1.25$	.75 1.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	1.25 1.50 2.00 2.50	1.00 1.25 1.75	.75 1.00 1.50
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry	1.25 1.50 2.00 2.50	1.00 1.25 1.75	.75 1.00 1.50
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry	1.25 1.50 2.00 2.50	1.00 1.25 1.75 2.00	.75 1.00 1.50 1.75
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft.	1.25 1.50 2.00 2.50 . 6' .60	1.00 1.25 1.75 2.00	.75 1.00 1.50 1.75
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft. 3 to 4 ft.	1.25 1.50 2.00 2.50 . 6' .60 .75	1.00 1.25 1.75 2.00	.75 1.00 1.50 1.75
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00	1.00 1.25 1.75 2.00 .50 .65	.75 1.00 1.50 1.75 .45 .60
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.	1.25 1.50 2.00 2.50 • 6' .60 .75 1.00 1.25	1.00 1.25 1.75 2.00 .50 .65 .80 1.00	.75 1.00 1.50 1.75 .45 .60 .75
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  verticillata chrysocarpa.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50	1.00 1.25 1.75 2.00 .50 .65 .80 1.00	.75 1.00 1.50 1.75 .45 .60 .75
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  verticillata chrysocarpa. Yellow-fruited Winterberry	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50	1,00 1,25 1,75 2,00 .50 .65 .80 1,00 1,35	.75 1.00 1.50 1.75 .45 .60 .75 .90 1.25
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  verticillata chrysocarpa. Yellow-fruited Winterberry 2 to 3 ft.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50	1.00 1.25 1.75 2.00 .50 .65 .80 1.00	.75 1.00 1.50 1.75 .45 .60 .75
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft.  verticillata chrysocarpa.  Yellow-fruited Winterberry 2 to 3 ft. 3 to 4 ft.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50 1.75	1.00 1.25 1.75 2.00 .50 .65 .80 1.00 1.35	.75 1.00 1.50 1.75 .45 .60 .75 .90 1.25
2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  verticillata. Common Winterberry  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  5 to 6 ft.  6 to 8 ft.  verticillata chrysocarpa.  Yellow-fruited Winterberry  2 to 3 ft.  3 to 4 ft.  Indigofera amblyantha. Pink Indigo.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50 1.75 6'	1.00 1.25 1.75 2.00 .50 .65 .80 1.00 1.35	.75 1.00 1.50 1.75 .45 .60 .75 .90 1.25
2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  verticillata. Common Winterberry  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  5 to 6 ft.  6 to 8 ft.  verticillata chrysocarpa.  Yellow-fruited Winterberry  2 to 3 ft.  3 to 4 ft.  Indigofera amblyantha. Pink Indigo.  2 to 3 ft.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50 1.75 6' 1.50	1.00 1.25 1.75 2.00 .50 .65 .80 1.00 1.35	.75 1.00 1.50 1.75 .45 .60 .75 .90 1.25 1.25 1.25
2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  verticillata. Common Winterberry  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  5 to 6 ft.  6 to 8 ft.  verticillata chrysocarpa.  Yellow-fruited Winterberry  2 to 3 ft.  3 to 4 ft.  Indigofera amblyantha. Pink Indigo.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50 1.75 6'	1.00 1.25 1.75 2.00 .50 .65 .80 1.00 1.35	.75 1.00 1.50 1.75 .45 .60 .75 .90 1.25
2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  verticillata. Common Winterberry  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  5 to 6 ft.  6 to 8 ft.  verticillata chrysocarpa.  Yellow-fruited Winterberry  2 to 3 ft.  3 to 4 ft.  Indigofera amblyantha. Pink Indigo.  2 to 3 ft.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50 1.75 6' 1.50	1.00 1.25 1.75 2.00 .50 .65 .80 1.00 1.35	.75 1.00 1.50 1.75 .45 .60 .75 .90 1.25 1.25 1.25
2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  verticillata. Common Winterberry 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft.  verticillata chrysocarpa. Yellow-fruited Winterberry 2 to 3 ft. 3 to 4 ft.  Indigofera amblyantha. Pink Indigo. 2 to 3 ft. 3 to 4 ft.	1.25 1.50 2.00 2.50 . 6' .60 .75 1.00 1.25 1.50 1.75 6' 1.50	1.00 1.25 1.75 2.00 .50 .65 .80 1.00 1.35	.75 1.00 1.50 1.75 .45 .60 .75 .90 1.25 1.25 1.25

	1-4 Each	5-24 Each	25 & up Each
Indigofera			
potanini. Potanin Indigo. 5'	1.50	1.05	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
Itea virginica. Sweetspire. 5'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	.90
Jasminum nudiflorum. Winter Jasmin	ıe. 3'		
15 to 18 in	.50	.40	.30
18 to 24 in	:60	.50	.40
12 to 15 in., 2½ in. pots	.75	.60	.50
stephanense. 3'			
2 ft., 4 in. pots	1.25	1.00	.75
Juglans cinerea. Butternut. 75'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	-
nigra. Black Walnut. 80'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.00	2.75	2.50
1½ to 1¾ in	4.00	3.75	3.50
13/4 to 2 in	5.50	5.00	4.50
2 to 2½ in	7.50	6.00	
regia. English or Persian Walnut	. 50'		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
sieboldiana. Japanese Walnut. 56	<b>)</b> '		
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1¾ in.	4.00	3.75	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.60	

Juniperus	chinensis.	Chinese Ja	ınine	1-4 Each r. 20'	5-24 Each	25 & up Each
2			•	3.50	3.00	2.75
3				5.00	4.50	4.00
4				6.50	6.00	5.50
5				8.50	7.50	7.00
6				12.00	10.60	9.00
7				15.00	13.50	12.00
8					17.50	15.00
For 1	larger sizes	to 16 ft., a	dd \$	<b>5</b> .00 p	er foot	,
chiner	sis albovari	•				
	White leaf	Chinese Jun	niper	. 20'		
3	ft	I	В&В	7.50	6.00	5.00
4	ft	I	B&B	10.00	8.50	7.50
5	ft	I	B&B	12.50	10.00	
6	ft	I	B&B	15.00	12.50	
7	ft	I	B&B	18.00	15.00	
For 1	larger sizes	to 10 ft., a	dd \$	5.00 p	er foot	;.
chiner	sis columna	ris.				
		Chinese Jun	niper	. 20'		
4			-	6.50	6.00	5.50
5				8.50	8.00	7.50
6				12.50	10.00	9.00
7				15.00	12.50	
8	ft	E	3&B	18.00	15.00	
For 1	arger sizes			5.00 p	er foot	
chinen	sis globosa.	Globe Ch	inese	Junia	per. 5'	
18		E		4.00	3.50	
24				5.00	4.00	
36	in	<b>E</b>	8&B	7.50	6.00	
chinen	sis mas. 10	)'				
4	ft	E	3&B	12.50	10.00	
5	ft		3&B	15.00	12.50	
chinen	sis neaborie	nsis. Conica	l Ch	inese .	Juniper	. 10'
3	ft	E	8&B	5.50	5.00	
4	ft	E	3&B	6.50	6.00	
5	ft	E	8&B	7.50		
6	ft	E	3&B	10.00		
7	ft	<b>E</b>	8B	15.00		
8		E		18.00		
9	ft	E	8&B	20.00		

Juniperus	1-4 Each	5-24 Each	25 & up Each
chinensis oblonga. 8'			
_	10.00		
7 ft	12.50		
		a.t	
chinensis pfitzeriana. Pfitzer's Ja			0.05
18 to 24 in. spd B&B 2 to 2½ ft. spd B&B	2.75 $3.50$	2.50	2.25 $2.75$
		3.00	3.50
2½ to 3 ft. spd. B&B 3 to 3½ ft. spd. B&B		3.75 5.00	
3½ to 4 ft. spd B&B		6.50	
4 to 4½ ft. spd B&B	9.00	8.00	
4 to 472 it. spd B&B 4½ to 5 ft. spd B&B			
5 to 6 ft. spd B&B	18.00		12.50
6 to 7 ft. spd B&B			15.00
7 to 8 ft. spd B&B			10.00
8 to 9 ft. spd B&B			
(Upright form can be furnished in			6')
		10 00	0,
chinensis pfitzeriana compacta.		0.55	
18 to 24 in spd	4.00	3.75	
24 to 30 in. spd B&B	5.00	4.50	
chinensis sargenti. Sargent Juni			
18 inB&B	3.50	3.00	
24 in B&B	5.00	4.00	
30 in	6.50	5.50	
36 in	9.00	7.50	
chinensis smithi. Smith Chinese	Junip	er. 8'	
2 ft	3.50	3.00	
3 ftB&B	4.50	4.00	
communis. Common Juniper. 2	5 <b>′</b>		
3 ft	4.00	3.50	3.00
4 ftB&B	5.00	4.00	3.75
5 ftB&B	6.50	5.50	5.00
6 ft	7.50	6.50	6.00
communis dayi. 25'			
5 ft	7.50	6.60	
6 ft	10.00	7.50	
communis depressa. Prostrate Ju	-		0.0-
18 to 24 in. spd B&B 24 to 30 in. spd B&B	2.75 $3.50$	$\frac{2.50}{3.00}$	2.25 $2.50$
24 to 30 in. spd B&B 2½ to 3 ft. spd B&B	4.50	$\frac{3.00}{4.00}$	3.50
3 to 4 ft. spd. B&B	6.50	5.00	4.50
4 to 5 ft. spd		7.50	6.00
T to J II. spu D&D	10.00	(,50	0.00

Juniperus	1-4 Each	5-24 Each	25 & up Each
communis depressa aurea.  Golden Prostrate Juniper.	3'		
15 to 18 in. spd	3.00	2.50	
18 to 24 in. spd	3.50	3.00	
10 to 24 m. spa	0.00	3.00	
communis depressa plumosa.			
Purple Spreading Juniper.	3'		
18 to 24 in	2.75	2.50	2.25
24 to 30 in	3.50	3.00	2.50
2½ to 3 ft	4.50	3.50	3.00
3 to 3½ ft	6.00	5.00	4.50
3½ to 4 ft B&B	7.50	6.50	6.00
4 to 4½ ftB&B	10.00		
communis hibernica. Irish Juniper	r. 15	,	
2 ft	3.00	2.50	2.25
3 ftB&B	3.50	3.25	3.00
4 ft	5.00	4.50	
5 ft B&B	6.50	5.50	5.00
6 ft. B&B	8.50	7.50	6.50
7 ft. B&B	12.50	9.00	
	15.00	12.50	
9 ft	18.00		
communis kraccovica. Polish Jun	ninar	10'	
	uper.	10	
2 ftB&B	3.00		
3 ftB&B	4.00		
communis suecica. Swedish Junip	er. 2	25'	
2 ft B&B	3.00	2.75	2.50
3 ft	4.50	4.00	3.75
4 ft B&B	6.50	5.50	5.00
5 ft B&B	9.00	7.50	
communis suecica nana. $Dwarf\ Su$	edish	Junip	er. 6'
2 ft B&B	4.50	4.00	-
3 ft. B&B	5.50	5.00	
4 ft. B&B	7.50	6.00	
		3.20	
communis vase-shaped. 10'			
2 to 2½ ftB&B	4.00	3.50	
2½ to 3 ftB&B	5.00	4.50	
3 to 3½ ftB&B	6.50	5.50	

Tuningan	1-4 Each	<b>5-24</b> Each	25 & up Each
Juniperus			
conferta. Shore Juniper. 5'	4.00	3.50	3.00
2 ft. B&B	5.00	4.50	4.00
2 1t. B&B 2½ ft. B&B	6.50	5.50	5.00
3 ft. B&B	7.50	6.50	3.00
	1.50	0.00	
excelsa. Greek Juniper. 50'			
3 ft	5.00	4.00	
4 ft B&B	6.00	5.00	
5 ft B&B	7.50	6.00	
6 ft B&B	10.00	7.50	
excelsa stricta. Spiny Greek Juni	per.	8 <b>'</b>	
18 in B&B	3.00	2.50	2.00
2 ft	3.50	3.00	2.50
2½ ft B&B	4.50	3.75	3.25
3 ft B&B	6.50	5.00	4.50
3½ ft B&B	8.50	7.50	
4 ftB&B	10.00	9.00	
4½ ft B&B	12.50	11.00	
5 ft B&B	15.00	12.50	
5½ ft B&B	18.00	15.00	
6 ftB&B		18.00	
7 ft			
For larger sizes to 10 ft., add \$5	5.00 p	er foot	
horizontalis. Creeping Juniper.	1'		
18 to 24 in. spd. B&B	2.75	2.50	2.25
24 to 30 in. spd B&B	3.50	3.00	2.75
2½ to 3 ft. spd. B&B	4.50	4.00	3.75
3 to 3½ ft. spd. B&B	6.00	5.00	4.50
haminantalia aluina 11			
horizontalis alpina. 1' 18 to 24 in. spd	3.50	3.00	
24 to 30 in, spd. B&B	4.50	4.00	
30 to 36 in. spd. B&B	5.00	4.50	
30 to 30 m. spa	5.00	4.50	
horizontalis Bar Harbor. 1'			
15 to 18 in. spd. B&B	3.00	2.75	
18 to 24 in. spd	3.50	3.00	
horizontalis glauca. Blue Creeping	g Jun	iper.	1'
18 to 24 in. spd. <b>B&amp;B</b>	2.75	2.50	2.25
24 to 30 in. spd. B&B		3.00	2.75
2½ to 3 ft. spd. B&B	4.50	4.00	3.75
3 to 3½ ft. spdB&B	6.00	5.00	

iperus	1-4 Each	5-24 Each	25 & up Each
japonica. Japanese Juniper. 8'			
18 inB&I	3.00	2.75	2.50
2 ftB&I	3 4.00	3.75	3.50
3 ftB&I		5.00	4.50
4 ft	8.50	7.50	
5 ftB&I	3 10.00		
japonica aurea. Golden Japanes	e Junip	per. 8'	
18 inB&F	3.50	3.00	
2 ftB&E	4.50	4.00	
3 ftB&E	6.00		
recurva. Himalayan Juniper.	30'		
2 ftB&B	3.50		
3 ftB&E	5.00		
rigida. Needle Juniper. 30'			
2 ftB&E	5.00	4.00	
3 ft B&F	6.00	5.00	
4 ft B&F	7.50	6.00	
5 ft B&E	10.00		
sabina. Savin Juniper. 6'			
18 to 24 in. spd. B&F	3.50	3.00	2.75
2 to 2½ ft. spd B&E	3.50	3.00	2.75
2½ to 3 ft. spd B&E	4.50	4.00	3.75
3 to 3½ ft. spd B&E	5.50	5.00	4.50
3½ to 4 ft. spd B&E	7.50	6.00	5.50
4 to 4½ ft. spd B&E	10.00	8.50	7.50
4½ to 5 ft. spd. B&E	15.00	12.50	
sabina tamariscifolia. Tamarix	Savin.	2'	
18 to 24 in. spd B&E	3.50	3.00	2.75
24 to 30 in. spd B&E	4.50	4.00	3.75
2½ to 3 ft. spd B&E	6.00	5.50	5.00
3 to 3½ ft. spd B&E	8.50	7.50	7.00
3½ to 4 ft. spd. B&E	15.00	12.50	
sphine Was Three 10			
sabina Von Ehron. 10'			
24 to 30 in. spd	4.50	4.00	
		4.00 5.50	
24 to 30 in. spd	6.00		

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
scopulorum. Colorado Juniper.	40'		
3 ftB&B	4.50	4.25	
4 ft	6.00	5.50	
5 ftB&B	7.50	6.50	
6 ft	10.00	8.50	
• •			
sphaerica.	4.50	4.00	
3 ftB&B	4.50	4.00	
4 ftB&B	6.50	5.00	
5 ftB&B	8.50		
squamata. Japanese Trailing Jun	iper.	3'	
2 to 2½ ft. spd B&B	5.00	4.50	
squamata meyeri. Meyer Juniper.		-	
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
2½ to 3 ftB&B	6.00	5.00	4.50
3 to 3½ ftB&B	7.50	6.00	5.50
virginiana. Red Cedar. 40'			
2 ftB&B	3.00	2.75	2.50
3 ft	4.00	3.50	
4 ft. B&B	6.00	5.00	
5 ft	7.50	6.50	
6 ft. B&B	10.00	8.50	
7 ft. B&B	12.50	10.00	
8 ft		15.00	
9 ft		18.00	
10 ft. B&B		22.50	
For larger sizes to 20 ft., add \$5.0			10.00
For larger sizes to 20 It., add \$5.0	o per	1001.	
virginiana burki. Syn. virginiana	venus	ta.	
virginiana cannarti. Cannart Red	d Cedo	ır. 15	,
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.00	5.50
5 ftB&B	10.00	8.50	7.50
6 ftB&B	12.50	10.00	9.00
7 ftB&B	18.00	15.00	12.50
8 ftB&B	22.50	18.00	15.00
9 ftB&B		22.50	18.50
10 ftB&B	30.00	27.50	22.50

For larger sizes to 18 ft., add \$5.00 per foot.

	& up Each
-	
*	5'
2 ftB&B 4.50 4.00	3.75
3 ft	4.50
4 ft	
5 ftB&B 10.00	
6 ft	
For larger sizes to 12 ft., add \$5.00 per foot.	
virginiana glauca. Silver Red Cedar. 25'	
3 ft	4.50
4 ft	5.50
5 ft	7.50
6 ft	
7 ft	
8 ft	
For larger sizes to 18 ft., add \$5.00 per foot.	
virginiana globosa. Globe Red Cedar. 4'	
18 to 24 in	3.00
24 to 30 in	4.00
3 to 3½ ft	5.00
<b>3½</b> to 4 ft	
virginiana keteleeri. 15'	
2 ft	3.50
3 ft	4.50
4 ft	6.00
	0.00
•	
6 ft. B&B 15.00 12.50 7 ft. B&B 18.00 15.00	
For larger sizes to 12 ft., add \$5.00 per foot.	
virginiana kosteri. Koster Red Cedar. 4'	
2 to 2½ ft. spdB&B 3.50 3.00	2.75
2½ to 3 ft. spd. B&B 4.50 4.00	3.50
3 to 3½ ft. spdB&B 6.00 5.00	4.50
3½ to 4 ft. spd B&B 7.50 6.50	6.00
4 to 4½ ft. spdB&B 11.00 8.50	7.50
4½ to 5 ft. spd B&B 15.00 12.50	
5 to 6 ft. spd B&B 18.00	
virginiana pendula. Weeping Red Cedar. 15'	
4 ft	
5 ft. B&B 15.00	

For larger sizes to 12 ft., add \$5.00 per foot.

1-4 Each	5-2 <b>4</b> Each	25 & up Each
Juniperus		
virginiana plumosa. Plume Red Cedar.	15'	
6 ftB&B 12.50		*
7 ftB&B 15.00		
8 ftB&B 18.00		
•	15 <b>'</b>	
3 ftB&B 6.00	5.00	4.50
4 ftB&B 7.50	6.00	5.50
5 ft	8.50	7.50
6 ft	10.00	9.00
7 ftB&B 18.00	15.00	12.50
For larger sizes to 18 ft., add \$5.00 g	er foo	t.
virginiana tripartita. Fountain Red Ced	dar. 5	,
2 ftB&B 4.50	4.00	
2½ ftB&B 5.50	5.00	
3 ftB&B 8.50	7.50	
3½ ftB&B 10.00	9.00	
4 ft	10.00	
virginiana venusta. 15'		
2 ft B&B 4.50	4.00	3.75
3 ft	5.00	4.50
4 ft. B&B 7.50	6.00	5.50
5 ft	8.50	0.50
6 ft	12.50	
	15.00	,
	18.00	
8 ft		
Kalmia latifolia. Mountain Laurel. 6'	er 100	L.
18 to 24 in	2.75	2.50
_ 00 0 10000000000000000000000000000000	4.00	3.75
3 13 1 200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5.50	5.00
Kerria japonica. Kerria. 4'		4.5
18 to 24 in	.50	.45
2 to 3 ft	.65	.60
japonica florepleno. Double Kerria. 4'		
18 to 24 in 1.00	.75	
2 to 3 ft 1.25	1.00	
Koelreuteria paniculata. Goldenrain Tree.	25'	
4 to 5 ft	1.50	
5 to 6 ft 2.50	2.25	2.00
6 to 8 ft 4.00	3.50	3.00
8 to 10 ft 5.00	4.50	4.00
10 to 12 ft 7.50	6.00	

Kolkwitzia amabilis. Beauty Bush.	1-4 Each 8'	5-24 Each	25 & up Each
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.10
6 to 8 ft	1.75	1.50	
*Laburnum alpinum. Scotch Laburna	um. 3	0'	
4 to 5 ftB&B			
5 to 6 ftB&B			
6 to 8 ft. heavy	20.00		
8 to 10 ft. heavy	25.00		
10 to 12 ft. heavy	35.00		•
vossi. 20'			
8 to 10 ft	20.00		
10 to 12 ftB&B	25.00		
*vulgare. Goldenchain. 20'			
4 to 5 ft	4.00		
5 to 6 ftB&B	5.00		
6 to 8 ft. heavy B&B	15.00		
8 to 10 ft. heavy B&B	20.00		
10 to 12 ft. heavy B&B	30.00		
Lagerstroemia indica rubra. Red Cro	иретуг	tle. 1	2'
18 to 24 in. from pots	1.50	1.25	
Larix europea. European Larch. 60'			
3 to 4 ft	5.00	4.00	
4 to 5 ftB&B	6.00	5.50	5.00
5 to 6 ftB&B	7.50	6.50	6.00
6 to 8 ftB&B	10.00	8.00	7.50
8 to 10 ft	12.50	10.00	9.00
laricina. American Larch. 50'			
3 to 4 ft	6.00		
4 to 5 ft	7.50		
10 to 12 ft. B&B			
	20.00		
leptolepis. Japanese Larch. 50'			
3 to 4 ft		4.00	
4 to 5 ftB&B		5.50	
5 to 6 ftB&B	7.50	6.50	
6 to 8 ftB&B		8.00	7.50
8 to 10 ft		10.0C	9.00
10 to 12 ft. B&B		20.00	
12 to 14 ft B&B	35.00		

Laurocerasus officinalis schipkaensis.	1-4 Each 10'	5-24 Each	25 & up Each
12 to 15 in., 4 in. pots	1.25	1.00	
18 to 24 in	2.00	1.50	1.25
24 to 30 in	2.50	2.00	
Lespedeza bicolor. Shrub Bushclover.	6 <b>'</b>		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft.	1.25	1.00	.75
formosa syn. penduliflorum. $Purp$			
year	.60	.50	.40
3 year	.75	.60	.50
formosa albiflora. Japanese Bush			
2 year	.75	.60	.50
Leucothoe catesbaei. Drooping Leucot	hoe.	4'	
15 to 18 in	2.50	2.25	2.00
18 to 24 in	3.50	3.00	2.50
24 to 30 in	5.00		
Libocedrus decurrens. Incense Cedar	. 100	,	
18 to 24 in	3.00	2.50	
24 to 30 in	4.00	3.00	
3 to 3½ ftB&B	5.00	4.50	
4 to 5 ftB&B	7.50		
Ligustrum acuminatum. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
acuminatum macrocarpum. Bigbe	rry P	rivet.	10'
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
amurense. Amur Privet. 15'			
18 to 24 in.	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in.	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.45	.40

	1-4 Each	5-24 Each	25 & up Each
Ligustrum	Eddii	Eden	Edeii
ibota. Ibota Privet. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.65	.55	.50
ibota nanum. Pygmy Privet. 6	3′		
18 to 24 in		.30	.25
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
ibota regelianum. Regel Privet.	6'		
18 to 24 in. spd		.35	.30
24 to 30 in. spd		.50	.45
2½ to 3 ft. spd.		.65	.55
3 to 4 ft. spd	1.25	1.00	
4 to 5 ft. spd.	1.75	1.50	
lodense. Dwarf Privet. 3'			
12 to 15 in	.40	.35	.30
15 to 18 in.		.45	.40
18 to 24 in.		.55	.50
24 to 30 in.		.65	.60
ovalifolium. California Privet.	10'		
18 to 24 in		.10	.08
24 to 30 in		.12	.10
ovalifolium variegatum. Golden	Privet.	10'	
18 to 24 in		.40	.35
24 to 30 in		.45	.40
3 to 4 ft		.55	.50
vulgare. European Privet. 12'			
2 to 3 ft	.40	.30	.25
3 to 4 ft		.35	.30
4 to 5 ft		.50	.40
5 to 6 ft		.65	.60
vulgare foliosum. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft		.45	.40
vulgare leucocarpum. Yellowber	-		
2 to 3 ft		.40	.35
3 to 4 ft		.50	.45
4 to 5 ft		.65	.60
5 to 6 ft	1.00	.75	

Lindera benzoin. (See Benzoin aestivale).

1-4 Each *Liquidambar formosana. Formosa Sweetg	Each	25 & up Each
8 to 10 ft 10.00		
10 to 12 ft		
*styraciflua. Sweetgum. 60'		
6 to 8 ft	2.75	2.50
8 to 10 ft 3.75	3.25	3.00
1½ to 1½ in. 4.50	4.00	3.50
1½ to 1¾ in 5.00	4.50	4.00
13/4 to 2 in	5.50	5.00
2 to 2½ in 7.50	6.50	6.00
2½ to 3 in	12.50	10.00
3 to 3½ in	15.00	
4 to 5 in	30.00	
5 to 6 in 50.00		
*styraciflua aurea. Golden Sweetgum.	60 <b>'</b>	
8 to 10 ft		
1½ to 1¾ in. 12.50		
1 <sup>3</sup> / <sub>4</sub> to 2 in		
*Liriodendron chinense. Chinese Tulip Tre	ee. 70'	
5 to 6 ft		
6 to 8 ft		
*tulipifera. Tuliptree. 80'		
6 to 8 ft	1.75	1.50
8 to 10 ft	2.25	2.00
1¼ to 1½ in. 3.50	3.00	2.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. 4.50	3.75	3.50
13/4 to 2 in 6.00	5.00	4.50
2 to $2\frac{1}{2}$ in 7.50	6.00	5.50
2½ to 3 in 12.50	10.00	
3 to 3½ in 20.00	15.00	
3½ to 4 in	18.00	
4 to 5 in		
$ullet$ tulipifera pyramidale. $Pyramid\ Tulipt$	ree. 70	,
6 to 8 ft 7.50	6.50	
8 to 10 ft	8.50	
1½ to 1¾ in		
2 to 2½ in		
2½ to 3 in 20.00		
3 to 3½ in		
Lonicera alseuosmoides.		
2 year	.60	.50

Lonicera.	1-4 Each	5-24 Each	25 & up Each
bella albida. White Belle Honeysu	chlo	10'	
2 to 3 ft.	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft.	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
bella rosea. Belle Honeysuckle.	10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
billardi. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
browni plantierensis. Orange Hor	neysuc	kle.	4'
2 year	.60	.50	.40
3 year	.75	.60	
caprifolium. Sweet Honeysuckle.	10 <b>'</b>		
2 year	.60	.50	.40
chrysantha. Coralline Honeysuckle	. 10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
conjugialis. $8'$			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
fragrantissima. Winter Honeysuc	kle. 8	3 <b>'</b>	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
fuchsioides.			
2 year	.75	.65	.60

	1-4 Each	5 <b>-24</b> Each	25 & up Each
Lonicera	- •		
gracilipes. Spangled Honeysuckle.	6'	5.0	4.5
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
heckrotti. Everblooming Honeysu		15'	
2 year	.60	.50	.40
henryi. Henry Honeysuckle. 15'			
2 year	.75	.60	.50
hirsuta. Hairy Honeysuckle. 15'			
2 year	.60	.50	
3 year	.75	.60	
japonica. Japanese Honeysuckle.	<i>15</i> ′		
2 year	.40	.30	.22
3 year	.50	.35	.25
japonica halleana. Hall Japanese	Hone	usuckle	20'
2 year	.40	.30	.22
3 year	.50	.35	.25
japonica reticulata aurea.			
Yellow Japanese Honeysuck	le.	15'	
2 year	.50	.40	.30
kesselringi. Black fruited Honeys	nckle	10'	
2 to 3 ft.	.50	.40	
3 to 4 ft	.75	.50	
koehneana. 12'	5.5		
2 to 3 ft	.75		
3 to 4 ft	1.00		
korolkowi floribunda.			
Broad Blueleaf Honeysuck	le. 10	) <b>'</b>	
2 to 3 ft	.75	.60	
3 to 4 ft	.90	.75	
ledebouri. 10'			
2 to 3 ft.	.60	.50	
3 to 4 ft.	.75	.60	
2 20 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.80	-
6 to 8 ft	1.25	1.00	

	1-4 Each	<b>5-24</b> Each	25 & up Each
Lonicera.			
maacki podocarpa. Late Honeysuc		8'	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.80	
morrowi. Morrow Honeysuckle. 8	,		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
muendeniensis. Muenden Honeysi	ckle.	8'	
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
nitida. 3'			
6 to 12 in	.60	.50	.40
periclymenum belgica. Dutch Woo	dhine	e. 15'	
2 year	.55	.45	.40
3 year	.65	.55	.50
pileata. Privet Honeysuckle. 2'	7.5	00	5.0
6 to 12 in	.75	.60	.50
prolifera syn. sullivanti. Grape He	oneys	uckle.	<b>5</b> ′
3 year	.60	.50	.45
quinquelocularis. Mistletoe Honey	suckli	e. 10'	
5 to 6 ft	1.00	. 10	
6 to 8 ft.	1.25		
		4.01	
ruprechtiana. Manchurian Honeys	искіе .45	. 10'	.30
2 to 3 ft	.60	. <b>5</b> 0	.45
3 to 4 ft	.75	.65	.60
	.90	.80	.75
	.90	.00	.13
saccata. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
sempervirens. Trumpet Honeysuc	kle.	<i>15</i> ′	
2 year	.45	.35	.30
3 year	.60	.50	.40
spinosa alberti. Thorn Honeysuck	le. 2	? <b>'</b>	
12 to 15 in	.45	.35	.30
15 to 18 in	.55	.45	.40
18 to 24 in	.75	.60	.55
standishi. 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
syringantha. Lilac Honeysuckle.	4'		
15 to 18 in., 4 in. pots	1.25	1.00	
2 to 3 ft., field grown	1.50	1.35	1.25
syringantha wolfi. Wolf Honeysuc	2/2/2	6'	
15 to 18 in., 4 in. pots	1.25	1.00	
2 to 3 ft., field grown	1.75	1.50	
· · · · · ·			
tatarica. Red Tatarian Honeysuck			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	
tatarica alba. White Tatarian He	oneys	uckle.	10'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	
tatarica grandiflora. Pink Tatarian	Hon	eysuck	le. 10'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	
tatarica lutea. Yellow Tatarian I	Honey	suckle.	10'
2 to 3 ft	.60	.50	
3 to 4 ft	.75		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
tatarica siberica. Siberian Honeys		10'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
3 73 3 200000000000000000000000000000000	1.25	1.00	.90
tellmanniana.  2 year	1.00	.90	
thibetica. Tibetan Honeysuckle.	4"		
2 year	1.50	1.25	
verna. 5'			
2 year	.60	.50	.40
virginalis alba. Maiden Honeysuc	kle. 1	0'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	.90	.80	.75
6 to 8 ft	1.25	1.00	.90
xylosteum. Fly Honeysuckle. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
Lycium chinense. Chinese Matrimony	, Vine	. 5'	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.35	
halimifolium. Common Matrimony	Vine.	6 <b>'</b>	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.45	.35	
Lyonia ligustrina. He-Huckleberry. 12	2'		
24 to 30 in	2.50	2.25	
Maackia amurensis. Amur Maackia.	40'		
2 to 3 ft	1.75		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
Maclura pomifera. Osage-orange. 30'			
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.50	

Ea	-4 5-24 ich Each	25 & up Each
	70' 00 3.00	
=	00 5.00	
6 to 8 ft. B&B 10.		
8 to 10 ft		
10 to 12 ftB&B 15.	00 12.50	
conspicua. Yulan. 50'		
4 to 5 ftB&B 12.		
5 to 6 ftB&B 15.		
6 to 8 ftB&B 20.		
8 to 10 ft B&B 25.	00	
fraseri. Fraser Magnolia. 50'		
6 to 8 ftB&B 15.	00	
8 to 10 ft	00	
glauca syn. virginiana. Sweetbay. 2	25'	
	00 2.50	2.00
	00 3.50	
	50 5.00	
	50 7.50	
6 to 8 ft		
8 to 10 ft		
10 to 12 ft. B&B 22.		
hypoleuca. Silver Magnolia. 50'	11.00	10.00
4 to 5 ft	00 7.50	
5 to 6 ft		
6 to 8 ft		
8 to 10 ft		
10 to 12 ft		
kobus. 30'	E0 000	F 00
	50 6.00	
5 to 6 ft		
6 to 8 ft		
8 to 10 ft		12.50
8 to 10 ft. spec B&B 25.		
Larger sizes quoted on requ	est.	
lennei. Lenne Magnolia. 20'		
	.50	
4 to 5 ftB&B 10.		
5 to 6 ftB&B 12.		•
6 to 8 ftB&B 17.		
8 to 10 ftB&B 25.	.00	

1-4 Each	5-24 Each	25 & up Each
Magnolia	501	
macrophylla. Large-leaved Cucumber-tr 8 to 10 ft. B&B 25.00	·ee. 50	
8 to 10 ft		
·		
parviflora. Oyama Magnolia. 30'		
3 to 4 ft		
1 00 0 100 100 100 1200		
5 to 6 ft. B&B 15.00 6 to 8 ft. B&B 20.00		
salicifolia. Anise Magnolia. 30'		
8 to 10 ft		
10 to 12 ft		
soulangeana. Saucer Magnolia. 20'		
3 to 4 ftB&B 7.50		
4 to 5 ft B&B 10.00		
5 to 6 ft B&B 12.50		
6 to 8 ft. B&B 15.00		
8 to 10 ft. spec		
soulangeana nigra. $20'$		
6 to 8 ftB&B 25.00		
stellata. Star Magnolia. 8'		
2 to 3 ft		
3 to 4 ft		
4 to 5 ftB&B 12.50		
stellata rosea. Pinkstar Magnolia. 15'		
2 to 3 ft B&B 10.00		
3 to 4 ft		
4 to 5 ftB&B 15.00		
5 to 6 ft		
6 to 8 ft B&B 25.00		
tripetala. Umbrella Magnolia. 30'		
5 to 6 ft B&B 7.50	6.50	
6 to 8 ft B&B 10.00	7.50	
8 to 10 ft. B&B 12.50	10.00	
10 to 12 ft B&B 15.00	12.50	
virginiana. (See glauca)		
Mahonia aquifolium. Oregon Hollygrape.	5 <b>'</b>	
18 to 24 in	2.50	2.25
24 to 30 in. B&B 3.25	3.00	2.75
30 to 36 inB&B 3.75	3.50	3.25

	1-4	5-24	25 & up
Mahonia	Each	Each	Each
repens. Creeping Mahonia. 1'			
12 to 15 in	2.50	2.25	2.00
15 to 18 in. B&B	3.00	2.75	2.25
18 to 24 in	4.00	3.50	
Malus adstringens. 12'	1.00	0.00	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
angustifolia. Southern Crab. 25		2.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft.	3.50	3.00	
8 to 10 ft.	5.00	4.00	
arnoldiana. Arnold Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
baccata. Siberian Crab. 30'	0.00	•	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	10.00	7.50	5.50
baccata mandshurica. Manchuria			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	3.00
brevipes. 12'	5.00	4.50	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.20
6 to 8 ft.	3.50	3.00	
coronaria. Wild Sweet Crab. 3		0.00	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	2.00
10 to 12 ft.	10.00	7.50	
	- 4.44		

1-4 Each	5-24 Each	25 & up Each
coronaria Charlotte. 15'		
3 to 4 ft	1.50	
4 to 5 ft	2.00	
5 to 6 ft 3.00	2.50	
6 to 8 ft	3.00	
8 to 10 ft 5.00	4.00	
10 to 12 ft	7.50	
dolga. 15'		
4 to 5 ft	1,50	
5 to 6 ft	1.75	
6 to 8 ft 3.00	2.50	
8 to 10 ft 5.00	4.00	
10 to 12 ft 10.00	7.50	
Elisa Rathke. Weeping Flg. Apple. 8'		
3 to 4 ft. spread 3.00		
4 to 5 ft. spread 4.00		
5 to 6 ft. spread 5.00		
6 to 8 ft. spread 6.00		
florentina. Florentine Crab. 20'		
4 to 5 ft 2.25	2.00	
5 to 6 ft	2.50	
6 to 8 ft	3.50	
floribunda. Japanese Flowering Crab.	20 <b>'</b>	
3 to 4 ft	1.25	1.00
4 to 5 ft	1.50	1.25
5 to 6 ft 2.50	1.75	
6 to 8 ft 3.50	3.00	
8 to 10 ft 5.00	4.50	
floribunda atrosanguinea. Carmine Cr	ab. 20	) <b>'</b>
3 to 4 ft	1.25	1.00
4 to 5 ft	1.50	1.25
5 to 6 ft	1.75	1.50
6 to 8 ft	3.00	2.50
8 to 10 ft	4.50	
10 to 12 ft	7.50	
8 to 10 ft. spec B&B 20.00		
floribunda lemoinei. 15'		
3 to 4 ft	1.50	
4 to 5 ft. 2.00	1.75	

				1-4	5-24	25 & up
Malus				Each	Each	Each
fusca.	C	rea	on Crab. 20'			
4	to	_	ft	1.75	1.50	
5	to	6	ft	2.50	2.00	
6	to	8	ft	3.50	3.00	
8	to	10	ft	5.00	4.00	
glauce	sce	ns.	Dunbar Crab. 12'			
3	to	4	ft	1.50	1.25	1.00
4	to	5	ft	2.00	1.75	1.50
5	to	6	ft	2.50	2.25	2.00
6	to	8	ft	3.50	3.00	2.50
8	to	10	ft	5.00	4.50	
hallia	na.	Н	all Crab. 15'			
	to	6		6.00		
6	to	8	ft	7.50	-	
8	to		ft	10.00		
hallia	na		kmani. Parkman Cro	b. 15	·	
	to	4		1.75	1.50	1.25
4	to	5	ft	2.25	2.00	1.75
5	to	6	ft.	3.50	3.00	2.50
6	to	8	ft	4.50	4.00	3.50
8	to	-	ft	6.00	5.00	0.00
10	to		ft.	10.00	7.50	
_				10.00	1.00	
hopa.			Flowering Crab. 12'	1 75	1.50	
4	to	5	ft	1.75	1.50	
5	to	6	ft	2.50	2.00	
6	to	8	ft	3.50	3.00	
8	to	10	ft	6.00	5.00	
ioensi			airie Crab. 25'			
3	to	4	ft	1.75	1.50	1.25
4	to	5	ft	2.00	1.75	1.50
5	to	6	ft	3.00	2.50	2.00
6	to	8	ft	4.00	3.50	
8	to	10	ft	6.00	5.00	
ioensi				5'		
3	to	4	ft	1.75	1.50	1.25
4	to	5	ft	2.00	1.75	1.50
5	to	6	ft	3.00	2.50	2.00
6	to	8	ft	4.00	3.50	3.00
8	to	10	ft	6.00	5.00	4.50
10	to	12	ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Malus Will of G. Lando'			
micromalus. Midget Crab. 10'	0.00	1.50	
4 to 5 ft	2.00	1.50	
	2.50	2.00	
6 to 8 ft	$3.50 \\ 5.00$	$\frac{3.00}{4.00}$	
niedzwetzkyana. Redvein Crab.	20 <b>'</b>		
3 to 4 ft.	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft.	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4.00
Oekonemurat Echtermeyer. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	6.00	5.00	
purpurea. Purple Crab. 15'	•		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis. 15'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft.	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
purpurea eleyi. Eley Flowering		15'	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	4.00
prunifolia rinki. Chinese Apple.			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	

		1-4	5-24	25 & up
		Each	Each	Each
Malus				
robusta.	Cherry Crab. 15'			
3 to	4 ft.	1.75	1.50	1.25
4 to	5 ft	2.00	1.75	1.50
5 to	6 ft.	3.00	2.50	2.00
6 to	8 ft	4.00	3.50	3.00
8 to	10 ft.	5.00	4.50	4.00
robusta	fastigiata. 15'			
3 to	4 ft	1.75	1.50	1.25
4 to	5 ft	2.00	1.75	1.50
5 to	6 ft	3.00	2.50	2.00
6 to	8 ft	4.00	3.50	3.00
8 to	10 ft	5.00	4.50	
robusta	persicifolia. 12'			
4 to	5 ft	2.00	1.75	
5 to	6 ft.	3.00	2.50	
6 to	8 ft.	4.00	3.50	
8 to	10 ft.	5.00	4.50	
0 10	10 11	5.00	1.00	
sargenti.	Sargent Crab. 6'			
3 to	4 ft	2.00	1.75	1.50
4 to	5 ft	2.50	2.00	1.75
5 to	6 ft	3.00	2.75	2.50
6 to	8 ft.	4.00	3.50	
scheideck	ceri. Scheidecker Crab.	20'		
3 to	4 ft	1.75	1.50	1.25
4 to	5 ft	2.00	1.75	1.50
5 to	6 ft	2.50	2.25	
6 to	8 ft	4.00	3.50	
sieboldi.	Toringo Crab. 15'			
3 to	4 ft	1.50	1.25	1.00
4 to	5 ft	1.75	1.50	1.25
5 to	6 ft	2.00	1.75	1.60
6 to	8 ft	3.00	2.75	2.50
8 to	10 ft.	5.00	4.50	4.00
10 to	12 ft	10.00	7.50	
spectabil	is. Chinese Flowering Cr	rab.	15'	
3 to	4 ft	1.50	1.25	
4 to	5 ft	1.75	1.50	
5 to	6 ft.	2.50	2.00	
6 to	8 ft	3.50	3.00	2.75
8 to	10 ft	5.00	4.50	4.00
		• •		2.00

Malus	1-4 Each	5-24 Each	25 & up Each
spectabilis alba plena. Dbl. White			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sublobata. Yellow Autumn Crab.	12'		
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
theifera. Tea Crab. 20'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.75	2.25	
6 to 8 ft	4.00	3.50	
8 to 10 ft.	5.00		
theifera rosea. 20'			
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	2.75	2.50	2.25
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.50
10 to 12 ft	10.00	7.50	
toringoides. Cutleaf Crab. 15'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50		
8 to 10 ft	5.00		
tschonoski. 20'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
yunnanensis veitchi. 25'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
zumi. Zumi Crab. 12'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Malus			
zumi calocarpa. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
Morus alba pendula. Weeping Mulbe	rru	10'	
3 yr. heads, 5 to 7 ft. stems	3.00	2.75	
alba tatarica. Russian Mulberry.	60'		
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
1½ to 1¾ in	2.50	2.00	1.75
1 <sup>3</sup> / <sub>4</sub> to 2 in.	3.50	3.00	2.50
2 to 2½ in.	5.00	4.00	2.00
Myrica carolinensis. Northern Bayber		5'	60
18 to 24 in	.85	.70	.60
24 to 30 in	1.00	.90	.80
3 to 4 ft	1.50	1.25	1.00
Section 1. In the section of	5'		
18 to 24 in	.85	.70	.60
2 to 3 ft	1.00	.90	.80
3 to 4 ft. heavyB&B	6.00	5.00	
4 to 5 ft. heavy B&B	7.50	6.00	
gale. Sweetgale. 4'			
18 to 24 in	2.50	2.00	1.75
2 to 3 ft	3.00	2.50	1110
	0.00	2.00	
Nandina domestica. Nandina. 8'			
18 to 24 in	2.50		
Neillia longeracemosa. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
sinensis. Tube Neillia. 6'			
2 to 3 ft	1.00	.75	.60
	1.00	1.00	.75
3 to 4 ft	1.50	1.25	1.00
			1.00
Nemopanthus mucronatus. Mountain	Holly	. 10'	
2 to 3 ft	2.50		
Neviusia alabamensis. Snow-wreath.	6'		
2 to 3 ft	1.50		
3 to 4 ft	2.00		

	1-4 Each	5 <b>-24</b> Each	25 & up Each
*Nyssa aquatica. Big Tupelo. 40'			
3 to 4 ft	3.50		*
4 to 5 ft	4.50		
*sylvatica. Tupelo. 40'			
3 to 4 ft	3.00	2.75	2.50
4 to 5 ft	4.00	3.50	3.00
5 to 6 ft	5.00	4.50	4.00
6 to 8 ft	7.50	6.00	5.00
8 to 10 ft	10.00	7.50	
10 to 12 ft	15.00	12.50	
Ostrya virginiana. American Hophorn	beam.	40'	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	7.50	6.00	
*Oxydendrum arboreum . Sourwood.	40'		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft.	7.50	6.50	6.00
10 to 12 ft.	12.50	10.00	0,00
Pachistima canbyi. Canby Pachistime		10.00	
3 inch pots	1.00	.75	.60
Paeonia suffruticosa. Tree Peony. 6'			
8 to 10 in., 3 year	4.00	3.50	
Paulownia tomentosa. Royal Paulown	nia. S	30 <b>'</b>	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50		
Periploca graeca. Silk Vine. 30'			
2 year	.60	.50	.40
3 year	.75	.60	.50
Perowskia atriplicifolia. 4'			
2 to 3 ft	2.00	1.50	
Phellodendon amurense. Amur Corkt	ree.	50 <b>'</b>	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.00	1.75
1½ to 1½ in	3.25	2.75	2.50
1½ to 1¾ in	3.75	3.25	3.00
13/4 to 2 in	5.00	4.75	4.50
2 to 2½ in	6.50	5.50	

	1-4 Each	5-24 Each	25 & up Each
Phellodendron			
lavallei. 30'			
8 to 10 ft	4.00		
1½ to 1¾ in	6.00		
sachalinense. Sakhalin Corktree.	50 <b>′</b>		
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
1½ to 1¾ in	4.50	4.00	
Philadelphus Albatre. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	
Argentine. 5'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Avalanche. 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	
Banniere. 8'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
Bouquet Blanc. 5'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
coronarius. Sweet Mockorange.	10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
coronarius aureus. Golden Mocko	range.	4'	
18 to 24 in	.75	.65	.60
24 to 30 in	.90	.80	.75
3 to 4 ft	1.25	1.00	.90
4 to 5 ft	1.50	1.25	
coronarius nanus. 4'			
12 to 15 in	.75	.60	
15 to 18 in	.85	.75	
18 to 24 in	1.00	.90	
coronarius multiflorus plenus. $6'$	'		
2 to 3 ft	.60	.50	
Dame Blanche. 6'			
2 to 3 ft	.60	.50	.40

Philadelphus	1-4 Each	5-24 Each	25 & up Each
dianthiflorus plenus. 4'			
18 to 24 in		4.5	40
	.55	.45	.40
_ ** ** *******************************	.65	.55	.50
	.75	.60	
falconeri. Star Mockorange. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
Favorite. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	
Gerbe de Neige. 6'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
		,,,	,,,,
Glacier. 5' 2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.50
4 10 5 11		.05	
gordonianus. Gordon Mockorange.			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
grandiflorus. Big Scentless Mock	orange	e. 8'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
incanus. Gray Mockorange. 10'			
	1.25	1.00	
3 to 4 ft	1.25 $1.50$	1.00	
4 to 5 ft	1.50	1,20	
inodorus. Scentless Mockorange.	10 <b>'</b>		
3 to 4 ft	1.25		
lemoinei erectus. 5'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
0 to 10	.00	.00	7.00

	1-4	5-24	25 & up
	Each	Each	Each
Philadelphus			
lewisi. Lewis Mockorange. 10'	CO	F.0	4.5
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
· 5 to 6 ft	1.00	.80	.75
Magdalene. $6'$			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
nepalensis. Nepal Mockorange. 1	9 <b>'</b>		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
nivalis. Snowbank Mockorange.	10'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
Norma. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.80	
Ophelia. 6'	_,,,		****
2 to 3 ft	.55	.45	.40
3 to 4 ft.	.65	.55	
4 to 5 ft	.75	.65	
Pavillon Blanc. 8'	.10	.00	.00
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	
- 00 0 100	1.00		
5 to 6 ft	1.25	.80	
	1.23	1.00	.90
pyramidale. 6'	7.5	0.5	
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	
· ·	2'		
3 to 4 ft	1.50	1.25	
splendens. Splendens Mockorange			
2 to 3 ft	1.50	1.25	
Sybille. 5'			
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			20011
virginal. $8'$			
2 to 3 ft	65	.55	.50
3 to 4 ft	75	.65	.60
4 to 5 ft	. 1.00	.80	.75
5 to 6 ft	. 1.25	1.00	.90
6 to 8 ft	. 1.50	1.35	1.25
Voie Lactee. 6'			
2 to 3 ft		.45	.40
3 to 4 ft		.55	.50
4 to 5 ft		.65	.60
5 to 6 ft	. 1.00	.90	
zeyheri. Zeyher Mockorange.	10'		
3 to 4 ft	60	.50	.45
4 to 5 ft	75	.65	.60
5 to 6 ft	. 1.00	.80	.75
6 to 8 ft	1.25	1.00	
Photina villosa. 8'			
3 to 4 ft	75	.60	.50
4 to 5 ft	. 1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft		2.00	1.50
8 to 10 ft	. 3.50	3.00	2.50
villosa laevis. 15'			
4 to 5 ft	1.50	1.25	
5 to 6 ft		1.50	
6 to 8 ft		2.50	
Physocarpus intermedius parvifolius	i.		
Dwarf Ninebark. 4'	•		
2 to 3 ft	.60	.50	.45
3 to 4 ft		.65	.60
monogynus. 3'		,,,,	
2 to 3 ft	. 3.50	3.00	
opulifolius. Ninebark. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	60	.50	.45
4 to 5 ft	75	.65	.60
5 to 6 ft		.80	.75
6 to 8 ft		1.00	.90

Physocarpus	1-4 Each	Each	25 & up Each
opulifolius luteus. Goldleaf Nin		10'	0.0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
opulifolius nanus. $5'$			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
Picea alba. White Spruce. 50'			
2 ft	3.50	3.00	
3 ftB&B	5.00	4.50	
4 ft	6.50	5.50	
5 ftB&B	8.50	7.50	
6 ft	10.00	8.50	
7 ft	15.00	12.50	
8 ft	18.00	15.00	
9 ftB&B	22.50	18.00	
10 ftB&B		25.00	
For larger sizes to 20 ft., add		per foo	t.
alba gloriosa. 30'			
2 ftB&B	7.50		
3 ft	10.00		
4 ft	12.50		
5 ftB&B	15.00		
6 ft	18.00		
alcockiana. Alcock Spruce. 75'			
2 ft	7.50		
10 ft			
For larger sizes to 15 ft., add	\$5.00	per foo	t.
asperata. Drayon Spruce. 60'			
2 ftB&B	7.50	6.00	
canadensis. Black Hills Spruce.	60'		
2 ft		3.00	
3 ftB&B		4.50	
4 ftB&B		5.50	
5 ft	8.50	7.50	
6 ft	10.00	8.50	
7 ft		12.50	
8 ft	18.00	15.00	
9 ft		18.00	
10 ft	27.50	25.00	
For larger sizes to 18 ft., add		per foot	t.

Picea								1-4 Each	<b>5-24</b> Each	25 & up Each
engelr	nan	ni.	$E^{\cdot}$	ngei	lman	n S	pruce	75'		
3	ft.						В&В	10.00	7.50	
4	ft.						В&В		10.00	
5	ft.						B&B		12.50	
6	ft.						.B&B		15.00	
excels	a.	No	rwa	y S	pruc	e.	75'			
2	ft.						.B&B	3.00	2.50	2.25
3	ft.						.B&B	4.00	3.50	3.00
4	ft.	٠					.B&B	6.00	5.00	4.50
5	ft.						.B&B	7.50	6.50	6.00
6	ft.						B&B	10.00	8.50	7.50
7	ft.						B&B	12.50	10.00	9.00
8	ft.						B&B		15.00	
9	ft.						B&B	22.50	18.00	
F	or la	arg	er s	izes	to 2	5 ft	., add	\$5.00	per foc	ot.
excels	a aı	are	a. (	Gold	len 1	Vori	vay S	pruce.	75'	
3	ft.						B&B		8.00	
4	ft.						B&B	12.50	10.00	
5	ft.						B&B	15.00		
6	ft.						B&B			
7	ft.						B&B			
F	or la	arg	er s	izes	to 1	2 ft	., add	\$5.00	per fo	ot.
excels	a cl	ank	oras	iliar	na.	7'				
18	in.						B&B	6.50		
2	ft.						B&B	8.00		
3	ft.						B&B	10.00		
excels	a m	ax	well	i.	Max	wel	l Spri	ice. 6	,	
18	to	24	in.				B&B	7.50	6.00	
24	to	30	in.				B&B	10.00	7.50	
30	to	36	in.				B&B	12.50	10.00	
36	to	42	in.				B&B	15.00	12.50	
42	to	48	in.				B&B	20.00	15.00	
excels	a n	ana	a co	mp	acta	D	warf	Spruc	o. 4'	
18	to	24	in.				в&В	7.50	6.00	
24	to	30	in.				в&в	10.00	7.50	
30	to						в&в	12.50	10.00	
36	to	42					в&в	15.00	12.50	
42	to						B&B	20.00		

	1-4 Each	5-24 Each	25 & up Each
Picea			
excelsa nana pyramidalis.			
Pyramidal Dwf. Spruce.	4'		
18 inB&B	6.00		
2 ft	7.50		
3 ftB&B	10.00		
excelsa parviformis. Dwf. Pyra		oruce.	4'
2 ftB&B	10.00		
excelsa pendula. Weeping Sprus	ce. 20'		
3 ftB&B	7.50	6.00	
4 ft B&B	10.00	7.50	
5 ft B&B	12.50	10.00	
6 ft B&B	15.00	12.50	
For larger sizes to 12 ft., add	\$5.00 r		t.
excelsa procumbens. Prostrate			
2 ft. spd		5.00	
2½ ft. spd B&B	7.50	6.00	
excelsa pygmea. Pygmy Norwo	ay Spr	uce. 2	0'
18 to 24 in B&B		5.50	
24 to 30 in	7.50	6.50	
excelsa remonti. Remont Spruc	e. 6'		
18 to 24 in		5.50	5.00
24 to 30 in. B&B		6.50	6.00
30 to 36 in		8.50	7.50
36 to 42 in		10.00	9.00
42 to 48 inB&B	15.00	12.50	
glauca conica. Dwarf Alberta S	pruce.	6 <b>'</b>	
2½ ftB&B	7.50	6.50	6.00
3 ftB&B	10.00	8.50	7.50
4 ft B&B			
mariana doumeti. Doumet Spru	ce. 25	,	
2 ftB&B	6.00	5.00	
3 ftB&B	7.50	6.00	
4 ftB&B	10.00		
5 ft			
omorika. Serbian Spruce. 50'			
3 ft	10.00	7.50	
4 ft B&B		10.00	
5 ft		12.50	
6 ft		12.00	
7 ft. B&B			
1 1t,	20.00		

		1-4 Each	5-24 Each	25 & up Each
Picea.				
orientalis. Oriental S	•			
2 ft		5.00	4.50	
3 ft		7.50	6.00	
4 ft		10.00	7.50	
5 ft		12.50	10.00	
15 ft		50.00		
polita. Tigertail Sprud	e. 75'			
2 ft		4.50	4.00	3.75
3 ft	B&B	6.00	5.50	5.00
4 ft		9.00	7.50	
For larger sizes to		\$5.00 g	er foo	t.
pungens. Colorado Sp				
2 ft		4.00	3.50	3.00
3 ft		5.50	5.00	4.50
4 ft		7.50	6.50	
5 ft		10.00	8.50	
6 ft		12.50	10.00	
7 ft		15.00	12.50	
8 ft		18.00	15.00	
For larger sizes to				t.
pungens glauca. Blue	: Colorado	Spruce	. 60'	
2 ft	B&B	6.50	5.50	
3 ft	B&B	10.00	8.00	
4 ft		12.50	10.00	
5 ft	B&B	15.00	12.50	
6 ft		18.00	15.00	
7 ft		25.00	18.00	
8 ft		30.00	25.00	
9 ft		35.00	30.00	
For larger sizes to	20 ft., add	\$5.00 p	er foo	t.
pungens kosteri. Kost	ter Blue Si	pruce.	50 <b>'</b>	
2 ft	B&B	10.00	8.00	
2½ ft	B&B	12.00	10.00	
3 ft	B&B	14.00	13.00	
3½ ft	B&B	16.00	15.00	
4 ft	B&B	18.00	16.00	
4½ ft	B&B	20.00	18.00	
5 ft	B&B	25.00	22.50	
5½ ft		27.50	25.00	
			27.50	
	B&B		30.00	
8 ft	B&B	40.00	35.00	
For larger sizes to	25 ft., add	d \$7.50	per f	oot.

							1-4 Each	5-24 Each	25 & up Each
Picea.									
punge									
_	1/2								
3									
	1/2	ft.					18.00		
4		ft.				.B&B	20.00	18.00	
rubra.		Red	Sprue	ce.	60 <b>'</b>				
12	ft					.B&B	35.00		
sitche	nsi	s	Sitka S	Spru	ce. 1	40'			
							7.50	6.00	
_	_							7.50	
Pieris flori	ibu	ında	. Mo	unte	in A	ndron	reda.	4'	
			in				5.00	4.50	3.75
			in.						0
japoni	•						10'		
			in				4.00		
			in						
			in.						
21	to	50	111			· DCD	0.00		
mariar									
			in					2.50	
			in					3.00	
			in				4.00	3.50	
36	to	42	in			B&B	5.00	4.50	
Pinus bank	csi:	ana.	Jack	Pin	1e. 6	30 <b>'</b>			
2	ft.					.B&B	4.00	3.50	3.00
3	ft.					.B&B	6.00	5.00	4.50
4	ft.					.B&B	7.50	6.50	6.00
5	ft.					B&B	10.00	8.50	7.50
6	ft					.B&B	12.50	10.00	
7	ft.							12.50	
8	ft.					.B&B	20.00	15.00	
9	ft.					B&B	25.00	20.00	
10	ft.					B&B	30.00	25.00	
Fo	or :	larg	er size	s to	18 ft	., add	\$5.00	per foot	•
bunge	ana								
3	ft							7.50	
4	ft					B&B	10.00	9.00	
cembra	a.								
_	ft.								
3	ft.					B&B	15.00		

Pinus densiflora. Japanese Red Pine.	1-4 Each 60'	5-24 Each	25 & up Each
2 ft	4.00	3.50	3.00
2 ft	6.00	5.00	4.50
4 ft B&B	7.50	6.50	6.00
5 ftB&B	10.00	8.50	7.50
	12.50	10.00	
7 ftB&B	15.00	12.50	
8 ft	20.00	15.00	
For larger sizes to 17 ft., add	\$5.00 p	er foo	t.
flexilis. Limber Pine. 30'			
3 ftB&B	7.50	6.00	
4 ft B&B	8.50	7.50	
5 ftB&B	12.50	10.00	
6 ftB&B	15.00	12.50	
7 ftB&B	18.00	15.00	
For larger sizes to 16 ft., add	\$5.00 p	per foo	ot.
montana. Swiss Mountain Pine.	10'		
18 in	3.00	2.75	
2 ftB&B	3.50	3.25	
2½ ft. B&B	4.50	4.25	
3 ftB&B	6.50	5.50	
3½ ftB&B		8.00	
4 ft		12.50	
5 ft		15.00	
6 ft B&B			
7 ftB&B			
montana mughus. Dwarf Mounta	in Pin		
15 to 18 in. spd B&B	2.75	2.50	
18 to 24 in. spd B&B	3.50	3.00	
2 to 2½ ft. spd. B&B	4.50	4.00	
2½ to 3 ft. spd. B&B	6.50	5.50	
3 to 3½ ft. spd. B&B		8.50	
3½ to 4 ft. spd. B&B		12.50	
4 to 5 ft. spd. B&B		15.00	12.50
5 to 6 ft. spd. B&B			
6 to 7 ft. spd B&B	45.00		
nigra. Austrian Pine. 50'	<b>5.00</b>	4.50	
2 ft B&B	5.00	4.50	
3 ftB&B	7.50	6.00 $7.50$	
4 ft		10.00	
5 ft		12.50	
7 ft	18.00	15.00	
1 It	10+00	10,00	

Pinus nigra continued	5-24 2 Each	25 & up Each
8 ft	20.00	
9 ft. B&B 30.00	25.00	
For larger sizes to 25 ft., add \$5.00 j		•
peuce. Balkan Pine. 20'		
2 ftB&B 7.50	6.00	
3 ftB&B 10.00	7.50	
ponderosa. Western Yellow Pine. 60'		
5 ft B&B 10.00		
6 ft		
For larger sizes to 18 ft., add \$5.00	per foot	
parviflora. Japanese White Pine. 50'		
5 ft	_	
3 ftB&B 7.50	6.00	
4 ft	7.50	
5 ft	12.50	
6 ft. B&B 18.00	15.00	12.50
7 ft. B&B 20.00	18.00	15.00
8 ft. B&B 25.00	20.00	18.00
9 ft. B&B 30.00	25.00	20.00
For larger sizes to 18 ft., add \$5.00 pe		
strobus. White Pine. 75'		
2 ft	5.00	
3 ftB&B 7.50	6.00	
5 ft	10.00	
6 ft	12.50	
7 ft	15.00	
8 ft B&B 20.00	18.00	
For larger sizes to 20 ft., add \$5.00 p	er foot	•
sylvestris. Scotch Pine. 50'		
2 ft B&B 5.00	4.00	
3 ftB&B 6.00	5.00	
4 ft B&B 8.50	7.50	
5 ft B&B 12.50	10.00	
6 ftB&B 15.00	12.50	
7 ft	15.00	13.56
8 ft B&B 20.00	18.00	16.00
9 ft B&B 25.00	22,50	18.50
10 ft. B&B 30.00	27.50	25.00
For larger sizes to 18 ft., add \$5.00 p	er foot,	

Pinus	5-24 Each	25 & up Each
	4	
sylvestris nana. Dwarf Scotch Pine.	10'	
4 ft B&B 10.00		
5 ft B&B 12.50		
thunbergi. Japanese Black Pine. 60'		
2 ftB&B 6.50	5.00	4.50
3 ftB&B 10.00	7.50	6.00
4 ft	10.00	
5 ft. B&B 15.00	12.50	
6 ft	15.00	
Platanus occidentalis. American Planetree		
6 to 8 ft 2.00	1.50	1.25
8 to 10 ft 2.50	2.00	1.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.00	2.75	2.50
1½ to 1¾ in. 4.50	4.00	3.75
13/4 to 2 in 5.50	5.00	4.50
2 to $2\frac{1}{2}$ in	6.00	
orientalis. European Planetree. 80'		
6 to 8 ft	1.50	1.25
8 to 10 ft 2.50	2.00	1.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. 3.50	3.00	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. 4.50	4.00	3.75
1 <sup>3</sup> / <sub>4</sub> to 2 in 5.50	5.00	4.50
2 to $2\frac{1}{2}$ in. 6.50	5.50	5.00
$2\frac{1}{2}$ to 3 in. 10.00	8.50	
Polygonum auberti. China Fleecevine. 25	,	
2 year	.50	.40
Populus alba. White Poplar. 60'		
10 to 12 ft	2.00	
1 <sup>3</sup> / <sub>4</sub> to 2 in 3.50		
2 to $2\frac{1}{2}$ in 4.50	3.75	
alba nivea. Silver Poplar. 90'		
8 to 10 ft	2.50	
10 to 12 ft	3.00	
2 to 2½ in 7.50	6.50	
2½ to 3 in 10.00	7.50	
berolinensis. Volga Poplar. 40'		
8 to 10 ft	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. 3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. 3.50	3.25	3.00
13/4 to 2 in 5.00	4.00	3.50
2 to 2½ in 7.50	6.00	

		1-4 Each	5-24 Each	25 & up Each
Populus				
bolleana.	Bolleana Poplar. 50'	1.50	1.05	1.00
	o 8 ft		1.25	1.00
- '	to 10 ft		1.50	1.25
	o 1½ in		$\frac{2.00}{3.00}$	1.75 $2.50$
			4.00	2.50
	o 2 in		5.50	
	o 2½ in	. 10.00	7.50	
			1.50	
<b>candicans</b> 8 to	Balm of Gilead. 90 10 ft	. 2.00		
certinens	is. Certinensis Poplar	. 40'		
6 t	o 8 ft		1.75	
8 1	to 10 ft		2.00	
10 t	o 12 ft	. 3.00	2.50	
1¾ t	o 2 in	4.00	3.50	
2 t	o 2½ in	. 6.50	5.00	
maximow	riczi. Japanese Poplar	. 40'		
8 1	to 10 ft	3.00	2.50	2.25
10 t	to 12 ft	3.50	3.00	
1½ t	o 13/4 in	4.00	3.50	
2 t	o 2½ in	6.50	5.00	
nigra bet	ulifolia. 60'			
1½ t	o 2 in	5.00	4.00	3.50
2 t	o 2½ in	7.50	6.00	5.00
2½ t	o 3 in	. 10.00	7.50	
nigra ital	ica. Lombardy Poplar	. 60'		
6 1	to 8 ft	1.00	.75	.60
8 1	to 10 ft	1.25	1.00	.75
10	to 12 ft	1.50	1.25	1.00
1½ t	to 13/4 in	2.00	1.60	1.35
13⁄4 t	o 2 in	3.00	2.50	2.00
2 1	to 2½ in	4.00	3.00	2.75
$2\frac{1}{2}$ t	o 3 in	5.00	4.00	3.75
3 t	o 3½ in	7.50	6.00	
simoni.	Simon Poplar. 35'			
6	to 8 ft	. 1.50	1.25	1.00
8	to 10 ft	. 1.75	1.50	1.25
11/4	to 1½ in	. 2.00	1.75	1.50
	to 134 in		2.25	2.00
	to 2 in		3.00	
2 1	to 2½ in	5.00	4.00	

Post land	1-4 Each	5-24 Each	25 & up Each
Populus.			
suaveolens przewalski. 40' 1½ to 1¾ in.	3.50	3.00	
13/4 to 2 in	4.50	4.00	
2½ to 3 in	7.50	6.00	
	1.00	0.00	
tremuloides. Quaking Aspen. 50'	0.775	0.05	
8 to 10 ft	$2.75 \\ 3.50$	$\frac{2.25}{3.00}$	
134 to 2 in	$\frac{3.50}{4.00}$	3.50	
2 to 2½ in	5.00	4.50	
	10'	1.00	
10 to 12 ft	3.00	2.50	2.25
1½ to 1¾ in	3.50	3.00	2.20
1¾ to 2 in	4.50	4.00	
2 to 2½ in	5.00	4.50	
2½ to 3 in	6.50	5.50	
Potentilla fruticosa. Shrubby Cinquefor		0,00	
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
Prinsepia sinensis. Cherry Prinsepia.	6'		
9 to 12 in., from pots	$\frac{0}{1.50}$	1.25	
		1.20	
	20'	75	60
- 00 0 20000000000000000000000000000000	.85	.75	.60
5 to 6 ft	$1.00 \\ 1.25$	.85 1.00	.75 .90
6 to 8 ft	1.75	1.50	
	1.70	1.50	1.20
americana Newport.			
Purple-leaved American Pla			
3 to 4 ft	.75	.65	
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10 $1.65$	1.00 1.50
6 to 8 ft	1.75		1.50
armeniaca sibirica. Siberian Aprie			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
*avium plena.			
Double White Flowering C	herry	30'	
6 to 8 ft	4.00	3.50	1
8 to 10 ft	6.00	5.00	1
Large specimens quoted on r	eques	t.	

_		<b>1-4</b> Each	5-24 Each	25 & up Each
Prunus	D (1)			
2 to	Bessey Cherry. 8'	.60	.50	.40
	4 ft	.75	.60	.50
	5 ft	1.00	.75	.60
	pissardi. Purpleleaf P		12'	.00
4 to	5 ft.	1.25	1.00	
5 to	6 ft	1.50	1.25	
6 to	8 ft	1.75	1.65	
8 to	10 ft	2.50	2.00	
cistena.	Purpleleaf Sand Cherry.		2.00	
3 to	4 ft	.85	.75	
4 to	5 ft	1.00	.85	
5 to	6 ft	1.50	1.25	
6 to	8 ft	1.75	1.50	
demissa.	Western Chokecherry.	<i>30</i> ′		
3 to	4 ft	.75		
4 to	5 ft	1.00		
5 to	6 ft	1.25		
dunbari.	Dunbar Plum. 6'			
2 to	3 ft	.85	.70	
3 to	4 ft	1.00	.85	
4 to	5 ft	1.25	1.10	
5 to	6 ft	1.50	1.25	
glandulo	sa. Flowering Almond.	10'		
2 to	3 ft	.60	.50	.40
3 to	4 ft	.75	.60	.50
4 to	5 ft	1.00	.75	.60
glandulo	sa albiplena.			
D	ouble Whiteflowering Al	mond.		
2 to	3 ft	.75	.60	.50
3 to		.85	.70	.60
	3 ft. own roots	1.50		
3	sa sinensis.			
	Couble Pink-flowering Alm			
2 to	3 ft	.75	.60	
3 to		.85	.70	.60
	3 ft. own roots	1.50		
	4 ft. own roots	2.00		
hortulan			4.6-	
4 to		1.50	1.25	
5 to	6 ft	1.75	1.50	
6 to		2.50	1.75	
8 to	10 ft	3.00	2.50	

_	1-4 Each	5-24 Each	25 & up Each
Prunus			
incisa. Mame Cherry. 15'	1 75	1.50	1.05
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	$\frac{2.00}{2.50}$	1.75 $2.25$	$\frac{1.50}{2.00}$
8 to 10 ft.	3.50	3.00	$\frac{2.00}{2.50}$
		5.00	2.00
japonica. Chinese Bush Cherry.  2 to 3 ft.	12' 1.50	1.25	1.00
3 to 4 ft.	1.75	1.50	1.25
	1.73	1.50	1.25
*lannesiana. Hitoye Cherry. 30'	2 00	2.50	2.00
5 to 6 ft	$\frac{3.00}{4.00}$	2.50	2.00
6 to 8 ft	6.00	3.50 5.00	3.00 4.00
	0.00	5.00	4.00
*lannesiana Amayadori. 30'	0.00	0.50	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
*lannesiana Jonioi. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
*lannesiana sirotae. $Mt.\ Fuji\ Che$		25'	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
maacki. Amur Cherry. 12'			
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
maritima. Beech Plum. 12'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	$1.2\tilde{\text{o}}$	1.00	.90
moseri fl. pl. 12'			
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.75	2.50	
mume. Japanese Apricot. 15'			
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.75	2.50	
	Amria	ot. 15	,
mume. fl. pl. Dbl. Flg. Japanese 5 to 6 ft.	3.00	00. 10	
J 10 0 11	5.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

_	1-4 Each	5-24 Each	25 & up Each
Prunus	2 = 1		
v	25'	1.05	
3 to 4 ft	1.50 $1.75$	1.25 $1.50$	
4 to 5 ft		1.50	
padus. European Bird Cherry.			
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.65	1.50
pennsylvanica. Pin Cherry. 25'			
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.50	3.00	2.75
persica. (See Amygdalus).			
pumila. Sand Cherry. 5'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
serotina. Wild Black Cherry. 60			
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	1.75	1.65	1.50
10 to 12 ft	3.50	3.00	
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	3.75
*serrulata Higantakura. $Dbl.\ While$	e Flg.	Cherr	y. 30'
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
Large specimens quoted on	reques	t.	
*serrulata Hisakura. Dbl. Pink	Flg. C	herry.	30 <b>'</b>
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
Large specimens quoted on	reques	t.	
*serrulata James H. Veitch, syn.	Fugen	zo. 30	P
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
unus			
*s. James H. Veitch pendula.			
Dbl. Pink Wpg. Cherry.	40.00		
2 yr. hds., 3 to 5 ft. stem			
*serrulata sachalinensis. syn. Sar Yama Cherry. 50'	genti.		
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
Large specimens quoted on r	eques	t.	
*sieboldi, syn. Naden. Siebold Ch		40'	
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
Large specimens quoted on re-	equest		
spinosa. Blackthorn. 12'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.00	1.75
spinosa purpurea. Purpleleaf Bla	cktho	rn. 12	·
3 to 4 ft	1.50		
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
Large specimens quoted on r	eques	t.	
*subhirtella ascendens. Shiro-higo	in. 2	O <b>'</b>	
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
*subhirtella autumnalis.			
Autumn Flowering Higar	a Che	rru. 30	<b>)</b> '
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
8 to 10 ft			
Large specimens quoted on a		t.	
*subhirtella pendula. Weeping H			. 15'
2 yr. hds., 4 to 6 ft. stem		4.50	
2 J1, 1103, 1 to 0 10, 5term	0.00	50	

Prunus		1-4 Each	5-24 Each	25 & up Each
tomentosa.	Nanking Cherry. 8		Lucii	Lacii
2 to 3	ft	.75	.60	.50
3 to 4	ft	.90	.75	.60
	$ft. \dots \dots \dots \dots \dots \dots \dots$	1.00	.85	.75
5 to 6	ft	1.25	1.00	.90
6 to 8	ft	1.50	1.35	1.25
triloba. $Si$	ngle Flowering Plum.	10'		
4 to 5	ft	2.50	2.25	2.00
5 to 6	ft	3.50	3.25	3.00
6 to 8	ft	4.50	4.00	
triloba pler	a. Double Flowering	Plum.	10'	
3 to 4	ft	1.00	.80	.75
4 to 5	ft	1.25	1.00	.90
5 to 6	$ft. \dots \dots \dots \dots \dots \dots$	1 50	1.25	1.10
virginiana.	· ·			
	ł ft	.75	.60	.50
	ft	1.00	.75	60
5 to 6	6 ft	1.25	1.00	.90
	3 ft	1.75	1.50	1.25
	ft	2.00	1.75	1.50
*yedoensis.	- 00 O			
5 to 6		3.00	2.50	2.00
	ft	4.00	3.50	3.00
	ft	6.00	5.00	4.00
	taizanfukun.			
	ft	2.50	2.00	1.50
5 to 6		3.00	2.50	2.00
6 to 8		4.00	3.50	3.00
	ft	6.00	5.00	4.00
Large	specimens quoted on	reques	t.	

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa—semi-double pale pink
Gioiko—semi-double pale yellow
Hata-zakura—semi-double white
Horaisan—double pink
Hosokawanioi—semi-double flesh
Kuramayami—double pink
Kwanzan—syn. Sekiyama—double deep pink
Miyako—double pink
Shirofugen—double light pink

1-4 5-24 25 & up Each Each Each

3.00

3.50

Prunus.

Shogetsu—double soft pink

Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga douglasi. Douglas Fir.	70'		
2 ftB&B	3.50	3.00	2.50
3 ftB&B	5.00	4.00	3.75
4 ftB&B	7.50	6.00	
5 ftB&B		8.50	
6 ftB&B		12.50	
7 ftB&B		15.00	
8 ftB&B	22.50	18.00	
9 ftB&B		20.00	
10 ftB&B		25.00	
For larger sizes to 25 ft., add \$	5.00 p	er foot.	
Pseudolarix kaempferi. Golden Larch	h. 50'		
10 ft			
Ptelea trifoliata. Hoptree. 20'			
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
Pterocarya stenoptera. Chinese Wing	nut.	40'	
6 to 8 ft	10.00		
8 to 10 ft	12.50		
Pterostyrax corymbosa. Little Epaul	ette-tr	ee. 20'	
4 to 5 ft	4.50	3.50	
5 to 6 ft	5.00	4.00	
6 to 8 ft	6.50	5.00	
Pueraria thunbergiana. Kudzu-bean.	40'		
2 year	.45	.30	.20
Pyracantha (See Crataegus).			
Pyrus betulaefolia. Birch Leaf Pear.	20'		
6 to 8 ft	3.50	3.00	
calleryana. Callery Pear. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	

8 to 10 ft......

	1-4 Each	5-24 Each	25 & up Each
Pyrus.			
salicifolia. Willowleaf Pear. 30'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
serrulata. $20'$			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
Quercus alba. White Oak. 75'			
6 to 8 ft	4.50	4.00	3.00
1½ to 1½ in	5.50	5.00	4.00
1½ to 1¾ in	6.50	6.00	5.00
13/4 to 2 in	8.50	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
bicolor. Swamp White Oak. 60'			
6 to 8 ft	4.50	4.00	3.00
1½ to 1½ in	5.50	5.00	4.00
1½ to 1¾ in	6.50	6.00	5.00
13/4 to 2 in	8.50	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00	20.00	
coccinea. Scarlet Oak. 75'			
6 to 8 ft	4.00	3.50	3.00
1¼ to 1½ in.	5.00	4.50	4.00
1½ to 1¾ in.	6.00	5.50	5.00
1¾ to 2 in	10.00	7.50	6.00
2 to 2½ in	12.50	10.00	7.50
$2\frac{1}{2}$ to 3 in	15.00	12.50	10.00
3 to 3½ in.	20.00	15.00	14.00
$3\frac{1}{2}$ to 4 in	25.00	20.00	18.50
4 to 4½ in	35.00		
lyrata. Overcup Oak. 75'			
1½ to 1¾ in	7.50		
13/4 to 2 in	10.00		
3 to 3½ in	20.00		
3½ to 4 in	25.00		

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

Quercus			1-4 Each	5-24 Each	25 & up Each
macrocarpa	. n	lossycup Oak. 75'			
_		in.	12.50	10.00	
2½ to		in	15.00	12.50	
3 to	$3\frac{1}{2}$	in	20.00	15.00	
3½ to		in	25.00	20.00	
4 to	$4\frac{1}{2}$	in	35.00		
palustris.	Pin	Oak. 75'			
6 to	8	ft	2.50	2.25	2.00
11/4 to	$1\frac{1}{2}$	in	3.50	3.25	3.00
1½ to	$1\frac{3}{4}$	in	4.50	4.00	3.75
13/4 to	2	$in. \dots \dots \dots \dots$	6.50	5.50	5.00
2 to	$2\frac{1}{2}$	in	8.50	7.50	6.50
2½ to	3	in	12.50	10.00	9.00
3 to	$3\frac{1}{2}$	in	15.00	13.50	12.50
3½ to	4	in	20.00	17.50	15.00
4 to	5	in	30.00	25.00	
5 to	6	in	40.00		
phellos. W	7illo	w Oak. 40'			
6 to	8	ft	6.50	5.50	5.00
11/4 to	$1\frac{1}{2}$	in	7.50	7.00	6.50
1½ to	13/4	in	10.00	8.50	7.50
13/4 to	2	in	12.50	10.00	
2 to	$2\frac{1}{2}$	in	15.00	12.50	
2½ to	3	in	20.00	18.00	
prinus. Ch	estn:	ut Oak. 50'			
_	8	ft	4.50	4.00	3.50
11/4 to	11/2	in	5.50	5.00	4.50
1½ to	13⁄4	in	7.50	6.00	5.50
13/4 to	2	in	10.00	7.50	
2 to	$2\frac{1}{2}$	in	12.50	10.00	
2½ to	3	in	15.00	12.50	
3 to	$3\frac{1}{2}$	in	20.00	15.00	
3½ to	4	in	25.00	20.00	
robur. $En$	glis	h Oak. 80'			
1½ to	13/4	in	6.50	5.50	
2 to	$2\frac{1}{2}$	in	12.50	10.00	
2½ to	3	in	15.00	12.50	
3 to	$3\frac{1}{2}$	in	20.00	15.00	
3½ to	4	in	25.00	20.00	
4 to	$4\frac{1}{2}$	$in. \dots \dots \dots \dots$	35.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

1-4 5-24 25 & up Each Each Each

Quercus

Quercus		
robur fastigiata. Pyramidal English (	0ak. 60	,
1¼ to 1½ in B&B 20.00		
1½ to 1¾ in B&B 25.00		
2½ to 3 in B&B 50.00		
3 to 3½ inB&B 65.00		
3½ to 4 inB&B 75.00		
4 to 4½ in B&B 100.00		
rubra. $Red~Oak.~~75'$		
6 to 8 ft 3.50	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 5.00	4.00	3.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 6.00	5.50	5.00
13/4 to 2 in 7.50	6.50	6.00
2 to 2½ in 10.00	8.50	7.50
2½ to 3 in 15.00	12.50	10.00
3 to 3½ in. 20.00	15.00	
3½ to 4 in	20.00	
4 to 4½ in		
stellata. Post Oak. 75'		
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 5.00	4.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. 6.50		
13/4 to 2 in 8.50	7.50	
texana. 75'		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in. 7.50		5.50
13/4 to 2 in 10.00		6.50
2 to $2\frac{1}{2}$ in		8.50
2½ to 3 in	12.50	
3 to 3½ in 20.00		
$3\frac{1}{2}$ to 4 in		
4 to 4½ in		
velutina. Black Oak. 70'		
6 to 8 ft 5.00	4.50	4.00
1½ to 1½ in. 6.00	5.50	5.00
1½ to 1¾ in	7.50	7.00
13/4 to 2 in 12.50	10.00	9.00
2 to 2½ in	12.50	11.00
2½ to 3 in	15.00	14.00
3 to $3\frac{1}{2}$ in	20.00	
Retinospora. (See Chamaecyparis).		
Rhamnus caroliniana. Carolina Buckthorn	ı. 25'	
3 to 4 ft	,	
4 to 5 ft 1.00	1	
5 to 6 ft		

	1-4	5-24	25 & up
Rhamnus	Each	Each	Each
cathartica. Buckthorn. 12'			
3 to 4 ft	60	.50	.45
4 to 5 ft		.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
dahurica. Dahurian Buckthorn	n. 12'		
2 to 3 ft	60	.50	.40
3 to 4 ft	65	.55	.50
4 to 5 ft		.65	.60
5 to 6 ft		.80	.75
6 to 8 ft.	1.25	1.00	.90
frangula. Glossy Buckthorn.	12'		
3 to 4 ft	60	.50	.45
4 to 5 ft		.65	.60
5 to 6 ft		.80	.75
6 to 8 ft		1.00	.90
8 to 10 ft		1.35	1.25
	af Rhamn		2'
3 to 4 ft		2.00	
4 to 5 ft		3.00	
5 to 6 ft		3.50	
6 to 8 ft	4.50	4.00	
3 to 4 ft	1.00	.90	.75
4 to 5 ft		1.25	1.00
5 to 6 ft.		1.50	1.25
6 to 8 ft.		1.75	1.50
0 00 0 10000000000000000000000000000000		1	1100
purshiana. Cascara Buckthor		=0	15
3 to 4 ft		.50 .65	.45 .60
5 to 6 ft		.80	.75
6 to 8 ft		1.00	.90
8 to 10 ft.		1.35	1.25
	1.00	1.00	1.20
spathulaefolia. 6'	0.00	1.50	
2 to 3 ft		$\frac{1.50}{2.00}$	
	2.50	2.00	
utilis. 10'	1.50	1.05	
3 to 4 ft		1.25	
4 to 5 ft		1.50 1.75	
5 to 6 ft	2.20	1.70	
wilsoni. 10'	0.00	1 ==	
4 to 5 ft	<b>2.0</b> 0	1.75	

Rhododendron carolinianum. Carolina	1-4 Each Rhode	5-24 Each	25 & up Each 0n. 6'
2 to 3 ft	6.00	5.50	5.00
antempliance Cuturily Division in the	1	01	
catawbiense. Catawba Rhododend 2 to 3 ft	ron. 5.00	8' 4.50	4.00
2 to 3 ft	6.00	5.50	5.00
3 to 4 It	0.00	5.50	3.00
maximum. Rosebay Rhododendron	ı. 15'		
2 to 3 ftB&B	5.00	4.50	4.00
3 to 4 ftB&B	6.00	5.50	5.00
4 to 5 ftB&B	7.50		
Rhodotypos kerrioides. Jetbead. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
Rhus canadensis. Fragrant Sumac.	6 <b>'</b>		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
copallina. Shining Sumac. 20'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
cotinus. Purple Fringe or Smoke	etree.	12'	
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	2.75	2.50	2.25
glabra. Smooth Sumac. 12'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.50	.40	.35
javanica syn. osbecki. $Java\ Suma$	c. 18	,	
4 to 5 ft	1.50	1.25	
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
trilobata. Lemonade Sumac. 3'			
18 to 24 in	.75	.60	
2 to 3 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Rhus.			
typhina. Staghorn Sumac. 25'		•	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
typhina laciniata. Shredded Sum	ac. 2	5 <b>'</b>	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	
Ribes alpinum. Mountain Currant. 4	<i>'</i>		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	
aureum. Slender Golden Currant.	10'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
fasciculatum. Winterberry Curra	nt. 4'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
gordonianum. Gordon Currant.	8'		
3 to 4 ft	1.00	.75	
sanguineum. Ruby Winter Curran			
		00	
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Robinia Elliotti. 10'			
3 to 4 ft	3.00		
4 to 5 ft	4.00		
fertilis. 25'			
6 to 8 ft	4.00	3.50	
globosa. Globe Locust.			
3 yr. hds., 5 to 6 ft. stems	7.50		
3 yr. hds., 6 to 8 ft. stems	10.00		
SEE PAGE 165 FOR COMPLETE LIST OF H	ERBACE	ous st	оск

Nispida		1-4 Each	5-24 Each	25 & up Each
2 yr. standard, 3 to 4 ft. 2.25 2 yr. standard, 4 to 5 ft. 2.50 Bush form, 2 to 3 ft. 1.50 1.25  holdfi. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.50  kelseyi. Kelsey Locust. 12' 6 to 8 ft. 5.00 4.50 4.00 8 to 10 ft. 6.00 5.50 5.00  neomexicana. New Mexico Locust. 10' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50  pseudoacacia. Common Locust. 60' 5 to 6 ft. 7.75 60 5.00  1½ to 13¼ in. 3.50 3.00  pseudoacacia bessoniana. Besson Locust. 40' 5 to 6 ft. 4.00 6 to 8 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 5.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 4.00 6 to 8 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 5.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 5.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 5.00 9 to 5.50 5.50 3 to 4 ft. 7.75 65 60 4 to 5 ft. 1.00 80 75 5 to 6 ft. 1.25 1.00 90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in. 40 30 2.5 2 to 3 ft. 50 40 30 3 to 4 ft. 60 50 45	Robinia			
2 yr. standard, 4 to 5 ft. 2.50 Bush form, 2 to 3 ft. 1.50 1.25  holdti. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.50  kelseyi. Kelsey Locust. 12' 6 to 8 ft. 5.00 4.50 4.00 8 to 10 ft. 6.00 5.50 5.00 neomexicana. New Mexico Locust. 10' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50  pseudoacacia. Common Locust. 60' 5 to 6 ft. 7.75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.25 10 to 12 ft. 3.00 2.50  pseudoacacia bessoniana. Besson Locust. 40' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 6.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 4.00 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 7.75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft50 .40 .30				
Bush form, 2 to 3 ft.				
holdti. Holdt Locust. 25' 6 to 8 ft				
6 to 8 ft. 3.50 8 to 10 ft. 4.50  kelseyi. Kelsey Locust. 12' 6 to 8 ft. 5.00 4.50 4.00 8 to 10 ft. 6.00 5.50 5.00  neomexicana. New Mexico Locust. 10' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50  pseudoacacia. Common Locust. 60' 5 to 6 ft. 7.75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.25 10 to 12 ft. 3.00 2.50  1½ to 1¾ in. 3.50 3.00  pseudoacacia bessoniana. Besson Locust. 40' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 6.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 7.75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.00 .80 .75 5 to 6 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in40 .30 .25 2 to 3 ft. 5.0 .40 .30 .35 3 to 4 ft. 5.00 .50 .45 acicularis bourgeauiana. Bourgeau Rose. 6'	Bush form, 2 to 3 ft	1.50	1.25	
8 to 10 ft.       4.50         kelseyi. Kelsey Locust. 12'       6 to 8 ft.       5.00       4.50       4.00         8 to 10 ft.       6.00       5.50       5.00         neomexicana. New Mexico Locust. 10'       3 to 4 ft.       2.50       2.00         4 to 5 ft.       3.00       2.50         pseudoacacia. Common Locust. 60'       5       60'         5 to 6 ft.       .75       .60       .50         6 to 8 ft.       1.00       .85       .75         8 to 10 ft.       2.00       1.50       1.25         10 to 12 ft.       3.00       2.50         1½ to 1¾ in.       3.50       3.00         pseudoacacia bessoniana. Besson Locust. 40'       5 to 6 ft.       4.00         6 to 8 ft.       5.00       8 to 10 ft.       5.00         pseudoacacia decaisneana. Decaisne Locust. 40'       5 to 6 ft.       3.50         6 to 8 ft.       4.00       8 to 10 ft.       5.00         pseudoacacia Marguerite. 20'       6 to 8 ft.       5.00         6 to 8 ft.       5.00       4.50         viscosa. Clammy Locust. 10'       2 to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00	holdti. Holdt Locust. 25'			
kelseyi.       Kelsey Locust.       12'         6 to 8 ft.       5.00       4.50       4.00         8 to 10 ft.       6.00       5.50       5.00         neomexicana.       New Mexico Locust.       10'       3 to 4 ft.       2.50       2.00         4 to 5 ft.       3.00       2.50       2.50       2.00       4 to 5 ft.       3.00       2.50         pseudoacacia.       Common Locust.       60'       60'       60'       60'       50'       60'       50'       60'       50'       60'       50'<	6 to 8 ft	3.50		
6 to 8 ft. 5.00 4.50 4.00 8 to 10 ft. 6.00 5.50 5.00  neomexicana. New Mexico Locust. 10' 3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50  pseudoacacia. Common Locust. 60' 5 to 6 ft75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.25 10 to 12 ft. 3.00 2.50  1½ to 1¾ in. 3.50 3.00  pseudoacacia bessoniana. Besson Locust. 40' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 5.00 9 seudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 4.00 8 to 10 ft. 5.00  Pseudoacacia Marguerite. 20' 6 to 8 ft. 75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.00 .80 .75 5 to 6 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft50 .50 .50 .45	8 to 10 ft	4.50		
8 to 10 ft. 6.00 5.50 5.00  neomexicana. New Mexico Locust. 10'  3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50  pseudoacacia. Common Locust. 60'  5 to 6 ft	kelseyi. Kelsey Locust. 12'			
neomexicana.       New Mexico Locust.       10'         3 to 4 ft.       2.50       2.00         4 to 5 ft.       3.00       2.50         pseudoacacia.       Common Locust.       60'         5 to 6 ft.       .75       .60       .50         6 to 8 ft.       1.00       .85       .75         8 to 10 ft.       2.00       1.50       1.25         10 to 12 ft.       3.00       2.50         pseudoacacia bessoniana.       Besson Locust.       40'         5 to 6 ft.       4.00       4.00         6 to 8 ft.       5.00       4.00         pseudoacacia decaisneana.       Decaisne Locust.       40'         5 to 6 ft.       3.50         6 to 8 ft.       4.00         8 to 10 ft.       5.00         pseudoacacia Marguerite.       20'         6 to 8 ft.       5.00         4 to 5 ft.       65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.00       .90	6 to 8 ft	5.00	4.50	4.00
3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50  pseudoacacia. Common Locust. 60'  5 to 6 ft	8 to 10 ft	6.00	5.50	5.00
3 to 4 ft. 2.50 2.00 4 to 5 ft. 3.00 2.50  pseudoacacia. Common Locust. 60'  5 to 6 ft	neomexicana. New Mexico Locust	. 10'		
pseudoacacia. Common Locust. 60'  5 to 6 ft			2.00	
5 to 6 ft	4 to 5 ft	3.00	2.50	
5 to 6 ft	pseudoacacia. Common Locust I	30'		
6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.25 10 to 12 ft. 3.00 2.50 1½ to 1¾ in. 3.50 3.00  pseudoacacia bessoniana. Besson Locust. 40′ 5 to 6 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 6.00  pseudoacacia decaisneana. Decaisne Locust. 40′ 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia decaisneana. Decaisne Locust. 40′ 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20′ 6 to 8 ft. 5.00  viscosa. Clammy Locust. 10′ 2 to 3 ft. 65 .55 .50 3 to 4 ft. 75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5′ 18 to 24 in. 40 .30 .25 2 to 3 ft. 50 .40 .30 3 to 4 ft. 50 .50 .40 .30 3 to 4 ft. 50 .50 .45  acicularis bourgeauiana. Bourgeau Rose. 6′			.60	.50
8 to 10 ft.       2.00 1.50 1.25         10 to 12 ft.       3.00 2.50         1½ to 1¾ in.       3.50 3.00         pseudoacacia bessoniana. Besson Locust. 40'         5 to 6 ft.       4.00         6 to 8 ft.       5.00         8 to 10 ft.       6.00         pseudoacacia decaisneana. Decaisne Locust. 40'         5 to 6 ft.       3.50         6 to 8 ft.       4.00         8 to 10 ft.       5.00         pseudoacacia Marguerite. 20'         6 to 8 ft.       5.00 4.50         viscosa. Clammy Locust. 10'         2 to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .80 .75         5 to 6 ft.       1.25 1.00 .90         Rosa acicularis. Prickly Rose. 5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana. Bourgeau Rose. 6'				
10 to 12 ft. 3.00 2.50 1½ to 1¾ in. 3.50 3.00  pseudoacacia bessoniana. Besson Locust. 40′ 5 to 6 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 6.00  pseudoacacia decaisneana. Decaisne Locust. 40′ 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20′ 6 to 8 ft. 5.00  pseudoacacia Marguerite. 20′ 6 to 8 ft. 5.00  pseudoacacia Marguerite. 20′ 6 to 8 ft. 5.00 4.50  viscosa. Clammy Locust. 10′ 2 to 3 ft. 65 .55 .50 3 to 4 ft75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5′ 18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft50 .40 .30 3 to 4 ft50 .40 .30 3 to 4 ft60 .50 .45				
1½ to 1¾ in.       3.50 3.00         pseudoacacia bessoniana.       Besson Locust.       40'         5 to 6 ft.       4.00         6 to 8 ft.       5.00         8 to 10 ft.       6.00         pseudoacacia decaisneana.       Decaisne Locust.       40'         5 to 6 ft.       3.50         6 to 8 ft.       4.00         8 to 10 ft.       5.00         pseudoacacia Marguerite.       20'         6 to 8 ft.       5.00 4.50         viscosa.       Clammy Locust.         10'       2 to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .80 .75         5 to 6 ft.       1.25 1.00 .90         Rosa acicularis.       Prickly Rose.       5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana.       Bourgeau Rose.				
pseudoacacia bessoniana.       Besson Locust.       40'         5 to 6 ft.       4.00         6 to 8 ft.       5.00         8 to 10 ft.       6.00         pseudoacacia decaisneana.       Decaisne Locust.       40'         5 to 6 ft.       3.50         6 to 8 ft.       4.00         8 to 10 ft.       5.00         pseudoacacia Marguerite.       20'         6 to 8 ft.       5.00         viscosa.       Clammy Locust.         10'       2 to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .80 .75         5 to 6 ft.       1.25 1.00 .90         Rosa acicularis.       Prickly Rose.       5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana.       Bourgeau Rose.       6'			3.00	
5 to 6 ft. 4.00 6 to 8 ft. 5.00 8 to 10 ft. 6.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 5.00 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft. 65 .55 .50 3 to 4 ft75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft50 .40 .30		T	1 10	
6 to 8 ft. 5.00 8 to 10 ft. 6.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 5.00 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft. 65 .55 .50 3 to 4 ft75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in. 40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft60 .50 .45 acicularis bourgeauiana. Bourgeau Rose. 6'			ι. 40	
8 to 10 ft. 6.00  pseudoacacia decaisneana. Decaisne Locust. 40' 5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 5.00 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft. 65 .55 .50 3 to 4 ft75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft60 .50 .45  acicularis bourgeauiana. Bourgeau Rose. 6'				
pseudoacacia decaisneana.       Decaisne Locust.       40'         5 to 6 ft.       3.50         6 to 8 ft.       4.00         8 to 10 ft.       5.00         pseudoacacia Marguerite.       20'         6 to 8 ft.       5.00 4.50         viscosa.       Clammy Locust.         10'       2 to 3 ft.         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .80 .75         5 to 6 ft.       1.25 1.00 .90         Rosa acicularis.       Prickly Rose.       5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana.       Bourgeau Rose.	0 00 0 20000000000000000000000000000000			
5 to 6 ft. 3.50 6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 5.00 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft65 .55 .50 3 to 4 ft75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft60 .50 .45  acicularis bourgeauiana. Bourgeau Rose. 6'				
6 to 8 ft. 4.00 8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 5.00 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft65 .55 .50 3 to 4 ft75 .65 .60 4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5' 18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft60 .50 .45  acicularis bourgeauiana. Bourgeau Rose. 6'	•		ocust.	40'
8 to 10 ft. 5.00  pseudoacacia Marguerite. 20' 6 to 8 ft. 5.00 4.50  viscosa. Clammy Locust. 10' 2 to 3 ft				
pseudoacacia Marguerite. 20'         6 to 8 ft.       5.00 4.50         viscosa. Clammy Locust. 10'         2 to 3 ft.       .65 .55 .50         3 to 4 ft.       .75 .65 .60         4 to 5 ft.       1.00 .80 .75         5 to 6 ft.       1.25 1.00 .90         Rosa acicularis. Prickly Rose. 5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana. Bourgeau Rose. 6'	0 00 0 20000000000000000000000000000000			
6 to 8 ft. 5.00 4.50  viscosa. Clammy Locust. 10'  2 to 3 ft	8 to 10 it	0.00		
viscosa. Clammy Locust. 10'         2 to 3 ft.       .65       .55       .50         3 to 4 ft.       .75       .65       .60         4 to 5 ft.       1.00       .80       .75         5 to 6 ft.       1.25       1.00       .90         Rosa acicularis. Prickly Rose. 5'         18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .30         3 to 4 ft.       .60       .50       .45         acicularis bourgeauiana.       Bourgeau Rose.       6'	-			
2 to 3 ft	6 to 8 ft	5.00	4.50	
3 to 4 ft	viscosa. Clammy Locust. 10'			
4 to 5 ft. 1.00 .80 .75 5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose, 5'  18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft60 .50 .45 acicularis bourgeauiana. Bourgeau Rose, 6'	2 to 3 ft	.65	.55	.50
5 to 6 ft. 1.25 1.00 .90  Rosa acicularis. Prickly Rose. 5'  18 to 24 in40 .30 .25 2 to 3 ft50 .40 .30 3 to 4 ft60 .50 .45  acicularis bourgeauiana. Bourgeau Rose. 6'	3 to 4 ft	.75	.65	.60
Rosa acicularis.       Prickly Rose.       5'         18 to 24 in.       .40 .30 .25         2 to 3 ft.       .50 .40 .30         3 to 4 ft.       .60 .50 .45         acicularis bourgeauiana.       Bourgeau Rose.       6'	_ 00 0			.75
18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .30         3 to 4 ft.       .60       .50       .45         acicularis bourgeauiana.       Bourgeau Rose.       6'	5 to 6 ft	1.25	1.00	.90
18 to 24 in.       .40       .30       .25         2 to 3 ft.       .50       .40       .30         3 to 4 ft.       .60       .50       .45         acicularis bourgeauiana.       Bourgeau Rose.       6'	Rosa acicularis. Prickly Rose. 5'			
3 to 4 ft		.40	.30	.25
3 to 4 ft	2 to 3 ft	.50	.40	.30
		.60	.50	.45
		ıu Ros	se. 6'	

Para	1-4 Each	5-24 Each	25 & up Each
Rosa alpina. Pyrenees Rose. 3'			
2 to 3 ft	.75	.60	.50
3 to 4 ft.	1.00	.75	.60
blanda. Meadow Rose. 5'			
18 to 24 in.	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.55
canina. Dogbrier. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
coriifolia froebeli. Froebel Rose.	5'		
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
davurica. Dahurian Rose. 6'			
2 to 3 ft	1.00	.75	.60
ecae. Eca Rose. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
foetida persiana. Persian Yellow	Rose.		•
2 year	1.25	1.00	
fujisanensis. Mt. Fuji Rose. 8'			
3 to 4 ft	1.00	.75	.60
helenae. Helen Rose. 6'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
helenae fl. pl. Dbl. Helen Rose.	6'		
3 to 4 ft	1.50	1.25	1.00
hugonis. Hugonis Rose. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
humilis. Pasture Rose. 5'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
lucida. Virginia Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50

7	1-4 Each	5-24 Each	25 & up Each
Rosa			
marreti. Marret Rose. 6' 3 to 4 ft	1.50		
maximowicziana jacki. Jack Rose	. 6'		
2 to 3 ft	1.50		
moyesi. Moyes Rose. 10'			
2 to 3 ft	1.50		
3 to 4 ft	1.75	*	
multiflora. Japanese Rose. 8'			
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
multiflora cathayensis. Cathay I	Rose.	<i>6</i> ′	
3 to 4 ft	.75	.60	
nitida. Bristly Rose. 3'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	
3 to 4 ft	.75	.60	
	****	,,,	
palustris. Swamp Rose. 8'	.45	.35	.30
	.55	.45	
2 to 3 ft	.75	.60	
	.10	.00	.50
rouletti.			
12 to 15 in., 4 in. pots	.75	.60	.50
rubiginosa. Sweetbriar. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
rubiginosa hybrids. Lady Penzano	e. Lo	rd Pen	zance.
Green Mantle, Lucy Asht			
and Flora McIvor. 6'	,		,
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
rubrifolia. Redleaf Rose. 6'			
18 to 24 in.	.45	.35	.30
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	. 10
		.00	•
rugosa. Rugosa Rose. 6'		4.0	0.5
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45

Rosa	1-4 Each	5-24 Each	25 & up Each
rugosa alba. White Rugosa Rose.	6'		
	•		
18 to 24 in	.65	.55	
2 to 3 ft	.75	.65	
rugosa hybrids. 5'			
- 2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
Varieties:—			
Blanche de Coubert, C. F.	Meve	r. C. 1	₽.
Worth, Agnes Carmen, New			
Zembla, Mad. Geo. Bruant,			
Waterer, Belle Poitevine, Sir			
ton, Hansa, Agnes, F. J. Gro			7
ton, mand, mand, i.e., or ore	otenae	7150.	
rugosa hyb.—climbing.			
Man Conf	1.00	.75	
Max Graf	1.00	.15	
rugosa repens. Creeping Rugosa	Rose.	1'	
2 year	1.50	1.25	1.00
3 year	1.75	1.50	1.25
sericea. 4'	75	co	=0
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
setigera. Prairie Rose. 6'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
spinosissima altaica. Altai Rose.	4'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
3 to 4 ft	.90	.70	.65
ii hiid- Buietly Seet	ah Dag	e. 6'	
spinosissima hispida. Bristly Scot	cn nos .75	.65	.60
2 to 3 ft	1.00	.80	
3 to 4 ft	1.00	.00	, ,10
spinosissima hybrids. 5'			
2 to 3 ft	1.25	1.00	
3 to 4 ft			
Dbl. Blush, Dbl. White, D	bl. Pi	nk, Fu	ılgens.
Sgl. Red, Sgl. Pink.		-	_
watsoniana. Watson Rose. 6'			
3 to 4 ft	1.25	1.00	

Rosa	1-4 5-24 25 & up Each Each Each
wichuraiana. Wichurio	in Rose. 2'
2 year	
3 year	
wichuraiana hybrids.	
2 year	
Jersey Beauty, Sw	veetheart, Universal Fav-
orite, Manda's T	Triumph, South Orange
Perfection, Evergr	een Gem.
RO	SES
Hybrid Perpetuals. 2 year	No. 1
Anne de Diesbach	J. B. Clark
Baroness Rothchild	Mme. Albert Barbier
Baron de Bonstettin	Mrs. John Laing
Earl of Dufferin	Magna Charta
Clio	M. P. Wilder
Eugene Furst	Margaret Dickson
Frau Karl Druschki	Paul Neyron
Gen. Jacqueminot	Tom Wood
Geo. Arends	Ulrich Brunner
Hybrid Tea. 2 year No. 1.	
Betty Uprichard	Madame Butterfly
Chas. K. Douglas	Mrs. Henry Bowles
Etoile de France	Mrs. Henry Morse
Gruss an Teplitz	Pres. Hoover
Jonkheer J. L. Mock	Radiance
Killarney	Rev. F. Page-Roberts
Lady Alice Stanley	Sunburst
Lady Hillingdon	White Killarney
Mad. Abel Chatenay	Willowmere
Climbing roses. 2 year No.	
American Beauty	Mad. Gregoire Staechelin
American Pillar	Mary Wallace
Aviateur Bleriot	Paul's Scarlet Climber
Dr. W. Van Fleet	Roserie
Dorothy Perkins	Silver Moon
Excelsa Gardenia	Star of Persia
Gardenia Hiawatha	White Dorothy Perkins
niawama	
Polyantha hybrids. 2 year	No. 1 1.00 .75

Ideal

Lafayette

Katherine Zeimet

Else Poulsen

Gloria Mundi

Golden Salmon

Rosa	1-4 Each	5-24 Each	25 & up Each
woodsi. Wood's Rose. 5'			er.
2 to 3 ft	.85	.75	.60
3 to 4 ft	1.00	.85	.75
xanthina Allard. 10'	1.00	.00	
2 to 3 ft	2.00		
xanthina spontanea. Sgl. Korean		10'	
2 to 3 ft	2.00		
Rubus deliciosus. Boulder Raspberry.	5 <b>'</b>		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	
dumetorum. European Dewberry.	2'		
2 year	.60	.50	.45
3 year	.75	.60	.50
odoratus. Flowering Raspberry.	6'	•	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
phoenicolasius. Wineberry. 8'			-
3 to 4 ft	1.00	.75	
Salix amygdaloides. Peachleaf Willon	v. 30		
2 to 3 ft.	1.50	1.25	
3 to 4 ft.	2.00	1.50	
4 to 5 ft.	2.50	2.00	
babylonica. Babylon Weeping Wi	llow	50'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in.	2.25	2.00	
babylonica crispa. Ringleaf Ween	oina V	Villow	30 <b>'</b>
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft.	4.00	3.50	
babylonica dolorosa. Wisconsin We	emina	Willow	. 40'
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft.	1.75	1.50	1.25
1½ to 1½ in.	2.25	2.00	1.75
babylonica salamoni. Salamon We	enina	Willou	. 50'
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in.	3.00	2.50	2.25
1½ to 1¾ in.	4.00	3.50	3.00
13/4 to 2 in.	4.50	4.00	3.75
2 to 2½ in	6.50	5.50	
2½ to 3 in.	10.00	7.50	
3 to 3½ in	12.50	10.00	

	1-4 Each	5-24 Each	25 & up Each
Salix			
caprea. Goat Willow. 20' 5 to 6 ft	1.00	.80	.75
6 to 8 ft.	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
	1.75	1.50	1.20
discolor. Pussy Willow. 20'			
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.80	.75
8 to 10 ft	1.50	1.25	1.00
doniana. 9'			
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.00	1.75	
elegantissima. Thurlow Weeping	Willow	v. 50'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
1½ to 1½ in.	3.00	2.50	2.25
1½ to 1¾ in.	4.00	3.50	3.00
1¾ to 2 in	4.50	4.00	3.75
2 to 2½ in.	6.50	5.50	5.00
fragilis. Brittle Willow. 50'			
3 to 4 ft	1.50		
fragilis repandens. 10'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
incana. syn. rosmarinifolia. Rosen	-		
3 to 4 ft. shrub form	.60	.50	.45
4 to 5 ft. shrub form	.75	.65	.60
5 to 6 ft. shrub form	1.00	.80	.75
6 to 8 ft. shrub form	1.25	1.00	.90
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
jessoensis. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft.	2.25	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
lucida. Shining Willow. 18'			
2 to 3 ft	.50	1.25	
_ vo v *v	,	+.20	

Salix	1-4 Each	5-24 Each	25 & up Each
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
matsudana. Hankow Willow. 35'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft.	1.75	1.50	1.25
1½ to 1¾ in	3.00	2.50	1.20
13/4 to 2 in	4.00	3.50	
matsudana tortuosa. 20'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.00	2.50	2.25
mutabilis. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft.	1.00	.75	.00
myricoides rigida. 9' 3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
	2110	2.00	1120
nigricans cotinifolia. 12' 6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
		2.00	1110
niobe. Niobe Weeping Willow. 36	1.75	1.50	1.25
	2.00	1.75	1.50
	2.75	2.50	$\frac{1.50}{2.25}$
10 to 12 ft	4.00	3.50	2.20
13/4 to 2 in.	4.50	4.00	
2 to 2½ in	6.50	5.50	
	0.00	0.00	
patula. 20'	1.50	1.25	
3 to 4 ft	1.50	1.23	
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
1¼ to 1½ in.	3.00	2.50	2.25
1½ to 1¾ in.	4.00	3.50	3.00
13/4 to 2 in	4.50	4.00	
purpurea nana. Dwf. Purple Osie			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Salix			
regalis. Royal Willow. 30'			0.0
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.35	1.25
8 to 10 ft	2.25	2.00	
sieboldiana. $Siebold \ Willow. \ 30'$			
6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft	2.25	2.00	1.50
smithiana. 20'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
tomini. 20'			
3 to 4 ft	2.00	1.50	
uralensis. 15'			
5 to 6 ft	1.00	.75	.60
6 to 8 ft.	1.25	1.00	.90
vitellina. Golden Willow. 30'	1.05	1.00	0.0
6 to 8 ft	1.25	1.00 1.50	.90
	1.75	1.75	1.25 $1.50$
1¼ to 1½ in	2.00		
1½ to 1¾ in. 1¾ to 2 in.	3.00	2.50	2.00
134 to 2 in	4.00	3.50	3.00
vitellina britzensis. Bronze Golde	n $Wi$	llow.	<i>30</i> ′
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.75	
1½ to 1¾ in.	3.00	2.50	
13/4 to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
vitellina glauca. Blue Russian Wi	llow.	20'	
5 to 6 ft	.75	.65	.60
6 to 8 ft.	1.25	1.00	.90
8 to 10 ft	1.50	1.35	1.25
vitellina pendula. Golden Weeping	Will	ow. h	o <b>'</b>
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft.	2.00	1.75	1.50
1½ to 1¾ in.	3.00	2.50	2.00
13/4 to 2 in	4.00	3.50	3.00
	- 1		
wentworthi. $50'$ 8 to 10 ft.	1 75	1.50	
8 to 10 ft	1.75		
	$\frac{3.00}{4.00}$	$\frac{2.50}{3.50}$	
-/1 00 - 1111	5.00	5.50	
2 to $2\frac{1}{2}$ in	0.00		

Sambucus canadensis. American Eld	1-4 Each <i>er. 10</i>	5-24 Each	25 & up Each
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
canadensis acutiloba. Cutleaved	Elder.	10 <b>'</b>	
2 to 3 ft.	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
nigra. European Elder. 15'			
4 to 5 ft	.75	.65	.60
5. to 6 ft	1.00	.85	.75
nigra aurea. Golden European El	der. 1	<i>5</i> ′	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
nigra variegata. $Variegated\ Elde$	er. 10	,	
3 to 4 ft	1.00		
pubens. Scarlet Elder. 8'			
3 to 4 ft	.65	.55	
4 to 5 ft	.85	.75	
5 to 6 ft	1.00	.90	
pubens leucocarpa. Yellow-fruit	ed $Eld$	er. 8'	
3 to 4 ft	1.25	1.00	
racemosa. European Red Elder.	8'		
3 to 4 ft	.65	.55	.50
4 to 5 ft.	.85	.75	.70
5 to 6 ft	1.00	.90	.80
6 to 8 ft	1.50	1.25	
Sassafras variifolium. Sassafras. 50'			
6 to 8 ft.	4.50	3.75	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50	6.00	
	1.00	0.00	
Schizophragma hydrangeoides.	201		
Japanese Hydrangea-vine		1.25	
from pots	1.50		
Sciadopitys verticillata. Umbrella Pin			
10 ft. specB&B	100.00		

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

	1-4 Each	5-24 Each	25 & up Each
Shepherdia argentea. Silver Buffalob	_	15'	
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
canadensis. Russet Buffaloberry.	8 <b>'</b>		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
Smilax rotundifolia. Horsebrier.			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
Solanum dulcamara. True Bitterswee		.00	.00
2 year	.50	.40	.35
2 year	.50	.40	.00
Sophora japonica. Chinese Scholartre	e. 25'		
2 to 3 ftB&B	4.50	4.00	3.75
3 to 4 ft	6.00	5.50	5.00
4 to 5 ft	7.50	7.00	6.50
	10.00	9.00	8.00
	12.50	10.00	0.00
		10.00	
	15.00		
6 to 8 ft. specB&B	18.00		
vicifolia. Vetchleaf Sophora. 6'			
3 to 4 ft	7.50		
Sorbaria aitchisoni. Kashmir False Sa		. 8'	
3 to 4 ft	.60	,50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
arborea glabrata. 15'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
lindleyana. Lindley False Spirae	a 8'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
		.00	.00
sorbifolia. Ural False Spiraea.	5 <b>'</b>		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
Sorbus americana American Mountai			0.55
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
11/4 to 11/2 in	6.00		

	1-4 Each	5-24 Each	25 & up Each
Sorbus			
	40'	0.50	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	6.00	5.00	
2 to $2\frac{1}{2}$ in	7.50	6.50	
aucuparia. European Mountain A		50'	
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.50	2.25
1½ to 1½ in	4.00	3.50	3.00
1½ to 1¾ in	4.50	4.00	3.75
13/4 to 2 in	5.50	5.00	4.50
2 to 2½ in	7.50	6.00	5.50
2½ to 3 in	12.50	10.00	
3 to 3½ in	15.00	12.50	
3½ to 4 in	20.00	15.00	
aucuparia columnaris. Columnar		1sh. 4	10'
1¼ to 1½ in			
1½ to 1¾ in	10.00		
aucuparia fastigiata. Pyramidal M	It. Ash	ı. 40'	
8 to 10 ft	7.50		
commixta. Japanese Mountain A	1sh. 2	5'	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	)
10 to 12 ft	4.50	4.00	)
quercifolia. Oak-leaf Mountain	Ash.	25'	
6 to 8 ft	2.75	2.50	2.25
8 to 10 ft	3.50	3.00	)
1½ to 1½ in	5.00	4.00	)
1½ to 1¾ in	6.00	5.00	)
13/4 to 2 in	7.50	6.00	)
2 to 2½ in	10.00	7.50	)
2½ to 3 in	12.50	10.00	)
3 to 3½ in	15.00	12.50	)
spuria. 15'			
6 to 8 ft	3.50	3.00	)
8 to 10 ft	4.00	3.50	)
1¼ to 1½ in	4.50	4.00	)
torminalis. Wild Service Tree.	50'		
6 to 8 ft.		3.50	3.00
8 to 10 ft		4.50	
0 10 10 11	0.00	1.0	

		1-4 Each	5-24 Each	25 <b>&amp;</b> up Each
	Garland Spirea. 6'			
2 to 3	3 ft	.45	.35	.30
3 to 4	ł ft	.60	.50	.45
4 to 5	5 ft	.75	.65	.60
5 to 6	6 ft	1.00	.80	.75
aitchisoni.	(See Sorbaria).			
billiardi.	Billiard Spiraea. 6.'			
	3 ft	.45	.35	.30
	ł ft	.60	.50	.45
	ft	.75	.65	.60
	Bumalda Spiraea. 3'			
18 to 2	4 in	.50	.40	
24 to 3	0 in	.60	.50	
humalda A	Anthony Waterer.			
	thony Waterer Spiraea.	3'		
	4 in	.55	.45	.40
	0 in.	.60	.50	.45
bumalda v				
	4 in	.55	.45	
	0 in	.60	.50	
	$m{r}$ folia ulmifolia. $Elmlea$	f Spir		6'
	B ft	.75		
3 to 4	<b>ft.</b>	1.00		
douglasi.	Douglas Spiraea. 8'			
2 to 3	3 ft	.45	.35	.30
3 to 4	l ft	.60	.50	.45
4 to 5	5 ft	.75	.65	.60
	6 ft	1.00	.80	.75
fortunei.	Fortune Spiraea. 4'			
	ft	.60	.50	.45
	ft	.65	.55	.50
	Froebel Spiraea. 4'	.00	.00	
	3 ft	.60	.50	.45
	ft	.65	.55	.50
	Japanese Spiraea. 6'			
18 to 2	4 in	.55	.45	.40
24 to 3	0 in	.65	.55	.50
japonica o	valifolia. White Japane	ese Sp	oiraea.	3'
18 to 2	4 in	.55	.45	.40
	0 in	.65	.55	.50

Spiraea	1-4 Each	<b>5-24</b> Each	25 & up Each
japonica ruberrima. Pink Japanese	Sni	raea	5 <b>'</b>
2 to 3 ft	.55	.45	.40
3 to 4 ft.	.65	.55	.50
latifolia syn. bethlehemensis.		.00	.00
Pink Meadow Spiraea. 6'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
lindleyana. (See Sorbaria).			
margaritae, Margarita Spiraea. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
nipponica rotundifolia. Big Nippon	Sni	raea	10'
3 to 4 ft	.75	.60	10
	1.00	.75	
	1.25	1.00	
prunifolia. Bridal Wreath. 8'	1.20	2.00	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
0 00 1 200	.75	.65	.60
2 00 0 2000	1.00	.80	.75
	1.00	.00	.10
pubescens. 6'	75	60	
3 to 4 ft	$\frac{.75}{1.00}$	.60 .75	
2 40 0 244111111111111111111111111111111	1.00	.10	
reevesiana. Reeves Spiraea. 8'	4.5	0.5	0.0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.00	.50	.45
4 to 5 ft	.75	65	.60
reevesiana lanceata. Double Reeves	_		8'
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
salicifolia. Willowleaf Spiraea. 5'		25	.30
2 to 3 ft	.45	.35 .50	.45
3 to 4 ft	.60 .75	.65	.60
4 to 5 ft		.80	.75
0 00 0 20111111111111111111111111111111	1.00	.00	.13
sorbifolia. (See Sorbaria).			
superba. Striped Spiraea. 4'	.55	.45	.40
18 to 24 in	.65	.55	.50
	.00	.00	.50
syringiflora. Lilac Spiraea. 3'	1 00		
18 to 24 in	1.00		

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in	.45	.35	.25
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60
4 to 5 ft tomentosa. Hardhack. 4'	1.00	.80	.75
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
0 00 1 100	.00	.00	.10
trichocarpa. Korean Spiraea. 4'	45	25	20
2 to 3 ft	.45 .60	.35 .50	.30
3 to 4 ft	.75	.65	.60
		.00	.00
van houttei. Vanhoutte Spiraea.	10'	25	20
2 to 3 ft	.45	.35	
3 to 4 ft	.60 .75	.45 .65	.60
5 to 6 ft	1.00	.80	.75
	1.00	.00	.10
veitchi. Veitch Spiraea. 12'			
2 to 3 ft,	.60	.50	.45
3 to 4 ft	.75	.65	.60
wilsoni. Wilson Spiraea. 6'			
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
Staphylea bumalda. Bumalda Bladder	nut.	8'	
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
colchica. Colchis Bladdernut. 12	,		
3 to 4 ft	1.75	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	
pinnata. European Bladdernut. 1	2'		
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
trifolia. American Bladdernut. 1	2'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
5 to 6 ft	1.00	.90	.75
6 to 8 ft	1.25	1,00	.90

	1-4 Each	Each	25 & up Each
Stephanandra flexuosa. Cutleaf Steph	hanand	dra. 6	,
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
Stewartia pentagyna. Mountain Steu	vartia.		
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50	6.00	
5 to 6 ftB&B	10.00	8.50	
6 to 8 ftB&B	12.50		
8 to 10 ft B&B	15.00		
pentagyna grandiflora. 15'			
5 to 6 ft	12.50		
6 to 8 ft B&B	15.00		
8 to 10 ftB&B	17.50		
serrata. 30'			
4 to 5 ft	10.00		
5 to 6 ft			
6 to 8 ft			
Stranvaesia davidiana. 5'			
12 to 15 in., from pots	1.50		
· · · · · · · · · · · · · · · · · · ·	2.50		
Styrax japonica. Japanese Snowbell.			
3 to 4 ft	$\frac{zv}{4.00}$	3.50	3.00
	6.00	5.00	$\frac{3.00}{4.50}$
	8.50	7.00	6.00
	12.50	10.00	0.00
8 to 10 ft	15.00	12.50	
	10.00	12.50	
obassia. Fragrant Snowbell. 20' 4 to 5 ft	7.50		
	10.00		
	12.50		
	15.00		
Symphoricarpos chenaulti. 5'	4.5	0.5	0.0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
mollis. Spreading Snowberry. 6'			_
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
occidentalis. Western Snowberry.	5'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos	Lucii	Edell	Lucii
o. heyeri. 5'			
2 to 3 ft	.60	.50	
racemosus. Snowberry. 6'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
vulgaris. Coralberry. 5'			2.0
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
*Symplocos paniculata. syn. crataegoid	les.		
Asiatic Sweetleaf. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.75	1.50	1.00
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	2.50	2.25
Syringa affinis giraldi. Purple Early			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
chinensis. syn. rothomagensis. $\it Ch$	inese	Lilac.	10'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
chinensis alba. White Chinese Li	lac. 1	!0 <b>'</b>	
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.25
chinensis metensis. 10'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft.	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	2.00
Her			

		1-4 Each	5 <b>-</b> 24 Each	25 & up Each
Syringa	<b>5</b> 1 21.	_		
	saugeana. Purple Chin			10'
2 to	3 ft	.55	.45	.40
3 to	4 ft	.65	.55	.50
4 to	5 ft	.75	.65	.60
5 to	6 ft	1.00	.85	.75
6 to	8 ft	1.25	1.00	.90
emodi. $H$	Himalayan Lilac. 8'			
3 to	4 ft	1.25	1.00	
4 to	5 ft	1.50	1.25	
5 to	6. ft	2.00	1.50	
henryl ex	cimea. 8'			
3 to	4 ft	2.50	2.00	
4 to	5 ft	3.00	2.50	
5 to	6 ft	3.50	3.00	
henryi lu	itece. 8'			
3 to	4 ft	2.50	2.00	
· 4 to	5 ft	3.00	2.50	
5 to	6 ft	3.50	3.00	
japonica.	Japanese Tree Lilac.	20'		e
3 to	4 ft		.75	.60
4 to	5 ft		1.00	.90
5 to	6 ft		1.35	1.25
6 to	8 ft		1.60	1.50
8 to	10 ft		2.50	2.00
10 to	12 ft.		5.00	
12 to		10.00		
josikaea.	Hungarian Lilac. 10'			
2 to		.60	.50	.45
3 to	4 ft		.60	.55
4 to			.65	.60
5 to	6 ft	1.25	.90	.75
6 to	8 ft		1.25	.90
microphy				
2 to	3 ft		1.25	1.00
3 to	4 ft	2.00	1.50	1.25
4 to	5 ft	2.50	2.00	1.50
5 to	6 ft	3.00	2.50	2.00
oblata.	12'			
3 to		1.50	1.25	
4 to	5 ft	1.75	1.50	
5 to	6 ft	2.00	1.75	

				1-4 Each	5-24 Each	25 & up Each
Syringa						
oblata						
2	to	-	ft	1.00	.85	.75
_	to	-	ft	1.50	1.25	1.00
4	to	5	ft	1.75	1.50	1.25
palibi	nia	na.	10'			
3	to	4	ft	2.00	1.50	
4	to	5	ft.	2.50	2.00	
5	to	6	ft	3.00	2.50	
pekin	ensi	is.	Peking Lilac. 15'			
4	to	5	ft	1.75	1.50	1.25
5	to	6	ft	2.50	2.00	1.75
6	to	8	ft	3.00	2.75	2.50
8	to	10	ft	4.00	3.75	3.50
10	to	12	ft	7.50	6.00	
6	to	8	ft. spec. B&B	12.50		
8	to	10	ft. spec B&B	15.00		
persic	a.	Pe	ersian Lilac. 10'			٠
2	to	3	ft	.60	.50	.45
3	to	4	ft	.75	.65	.60
4	to	5	$\mathbf{ft.}\dots\dots\dots\dots\dots\dots$	1.00	.75	.70
persic	a a	lba.	. White Persian Lilae	c. 10'		
2	to	3	ft	.85	.75	
3	to	4	ft	1.00	.90	
pubes			Hairy Lilac. 6'			
2	to	3	ft	2.50	2.00	
3	to	4	ft	3.00	2.50	
villos	a.	La	te Lilac. 8'			
2	to	3	ft	.55	.45	.40
3	to	4	ft	.65	.55	.50
4	to	5	ft	.75	.65	.60
5	to	6	ft	1.00	.85	.75
6	to	8	ft	1.50	1.25	
vulga	ris.	$C\epsilon$	ommon Purple Lilac.	15 <b>'</b>		
2	to	3	ft	.55	.45	.40
3	to	4	ft	.65	.55	.50
4	to	5	ft	.85	.75	.60
5	tő	6	ft	1.25	1.00	.90
6		8	ft	1.50	1.35	1.25
4	to	5	ft. clumps	5.00	2.00	0
5	to	6		6.00		
J	ţŪ	J	in clumps	0.00		

## Syringa

## 1-4 5-24 25 & up Each Each Each

vulgar	is	alba	a.	Co	m	no	n	V	V	hi	te	I	ila	c.	15'		
2	to	3	ft.											.73	5	.60	50
3	to	4	ft.											.8	5	.75	60
4	to	5	ft.											1.0	0	.90	
5	to	6	ft.			. ,								1.5	0	1.25	
6	to	8	ft.				٠,.							1.78	5	1.50	
4	to	5	ft.	clu	ım	ps								5.0	0		
5	to	6	ft.	clu	ım	ps								6.0	0		

## vulgaris. Named Varieties. 15'

These hybrid lilacs are grown on their own roots in bush form. Can also be furnished in tree form in first two sizes at 25% additional.

				 	~	 		
2	to	3	ft	 		1.00	.75	.60
3	to	4	ft			1.25	1.00	.90
4	to	5	ft	 		1.50	1.35	1.25
5	to	6	ft	 		2.50	2.25	1.75
6	to	8	ft	 		3.50	3.00	2.50

Belle de Nancy-Double Rose.

 $2\text{--}3' \quad 3\text{--}4' \quad 4\text{--}5' \quad 5\text{--}6' \quad 6\text{--}8'$ 

**Chas. Joly**—Dark Purplish Red. 2-3′ 3-4′ 4-5′ 5-6′ 6-8′

Frau Dammann—Single White.

2-3' 3-4' 4-5' 5-6' 6-8' **La Tour d'Auvergne**—Double Purple.

2-3' 3-4' 4-5'

Ludwig Spaeth—Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay—Double White. 2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier—Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine-Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye-Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy—Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

Syringa vulgaris. Named Varieties	1-4 Each	5-24 Each	25 & up Each
We have a limited quantity	of the	e new	er va-
rieties of Lemoine's hybrid n			
we offer at the following pri			
rieties will be forwarded on re			
	•		
2 to 3 ft	1.50		
3 to 4 ft	2.00		
4 to 5 ft	2.50		
5 to 6 ft	3.50		
yunnanensis. Yunnan Lilac. 10'			
3 to 4 ft	2.00		
Tamarix africana. African Tamarix.	15 <b>'</b>		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.75	
gallica. French Tamarix. 10'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	
gallica indica. India Tamarix.	10'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	.75
juniperina. Juniper Tamarix. 1	5'		
3 to 4 ft	1.50	1.25	
odessana. Odessa Tamarix. 6'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	.75
		.00	, ,10
pentandra. Fivestamen Tamarix.	12'	0.0	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
ieiandra purpurea. Fourstamen	Tamar	ix. 1	0 <b>'</b>
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
Taxodium ascendens. Pondcypress. 50	9'		
6 to 8 ft B&B	12.50		
8 to 10 ft			
10 to 12 ftB&B	20.00		

SEE PAGE 165 FOR COMPLETE LIST OF HERBACEOUS STOCK

Taxodium	1-4 Each	5-24 Each	25 & up Each
distichum. Common Baldcypress.	50'		
4 to 5 ftB&B		6.00	
5 to 6 ft		7.50	
6 to 8 ftB&B		12.50	
0 00 0 20000000	18.00	15.00	
10 to 12 ft		18.00	
Taxus baccata. English Yew. 50'	23.00	18.00	
18 in. B&B	5.00	4.00	
2 ftB&B	6.00	5.00	
2½ ft B&B	7.50	6.00	
3 ft B&B			
3½ ft B&B		7.50	
baccata erecta. Broom Yew. 10'	12.50	10.00	
	6.00	E 00	
	6.00 $7.50$	5.00	
		6.50	
baccata fastigiata. Irish Yew. 10			
. 2 ftB&B			
3 ftB&B	15.00		
baccata repandens. Spreading E	Inglish	Yew.	2'
15 to 18 in. spd	3.50	2.75	2.50
18 to 24 in. spd	4.50	4.00	3.75
24 to 30 in. spd		5.50	5.00
30 to 36 in. spd		6.50	6.00
36 to 42 in. spd		10.00	
baccata washingtoni. Washington		6'	
18 inB&B	6.50	5.00	
24 in. spec		3.00	
_	10.00		
canadensis. Canada Yew. 3'	0.00		
15 to 18 in. spdB&B	3.00		
cuspidata. Japanese Yew. 10'			
15 to 18 in. spd B&B		2.75	2.50
18 to 24 in. spdB&B		4.00	
2 to $2\frac{1}{2}$ ft. spdB&B		5.50	
2½ to 3 ft. spdB&B	7.50	6.50	6.00
3 to 3½ ft. spd B&B		10.00	7.50
3½ to 4 ft. spd B&B		12.50	10.00
4 to 4½ ft. spd B&B		15.00	
$4\frac{1}{2}$ to 5 ft. spd B&B		20.00	
5 to 6 ft. spec. B&B	40.00	35.00	
6 to 7 ft. spec. B&B	50.00	45.00	
cuspidata aurescens. Golden Jap	anese	Yew.	20'
18 inB&B			

	1-4 Each	5-24 Each	25 & up Each
Taxus		7	
cuspidata brevifolia. Dwarf Japa			
15 to 18 in	4.00	3.50	3.25
	6.00	5.00	4.50
	8.50	7.50	7.00
30 to 36 in		10.00	
36 to 42 inB&B	15.00		
cuspidata brevifolia compacta. $6'$			
18 to 24 in	7.50	6.00	
24 to 30 inB&B	10.00		
cuspidata capitata. Upright Japan	nese Y	ew. 2	25'
18 in B&B	3.50	2.75	2.50
2 ft B&B	5.00	4.75	4.50
2½ ft	7.50	6.50	6.00
3 ft	10.00	8.50	8.00
3½ ftB&B	12.50	11.00	10.00
4 ft	15.00	13.50	12.50
4½ ft B&B	20.00	17.50	15.00
5 ft	25.00	22.50	20.00
5½ ft	30.00	27.50	25.00
6 ftB&B	35.00	32.50	30.00
6½ ftB&B	40.00	37.50	35.00
7 ftB&B	50.00	45.00	40.00
intermedia. Hybrid Yew. 12'			
18 to 24 inB&B	5.00	4.00	
24 to 30 inB&B	6.50	5.50	
media browni. Brown's Yew. 10	′		
18 to 24 inB&B	6.00	5.00	
24 to 30 inB&B	7.50	6.00	
media hatfieldi. Hatfield Yew.	20 <b>'</b>		
18 to 24 inB&B	5.00	4.00	
24 to 30 inB&B	6.50	5.50	
media hicksi. Hicks Yew. 20'			
18 to 24 inB&B	4.00	3.50	
24 to 30 inB&B	5.00	4.50	
30 to 36 inB&B	7.50	6.00	
36 to 42 in B&B	10.00	8.50	
b			

1-4 Each	5-24 Each	25 & up Each
Thuja occidentalis. American Arborvitae.	40'	Lucii
3 ft B&B 3.50	3.25	3.00
4 ftB&B 5.00	4.25	4.00
4 ft. heavy spec B&B 7.50		
5 ftB&B 7.50	6.50	6.00
5 ft. heavy spec B&B 10.00		
6 ft B&B 10.00	$9.0\sigma$	8.00
6 ft. heavy spec B&B 12.50		
7 ft	10.00	9.00
7 ft. heavy spec B&B 15.00		
8 ftB&B 15.00	12.50	11.00
8 ft. heavy spec B&B 18.50		
9 ftB&B 18.50	15.00	12.50
10 ft	18.00	15.00
10 ft. heavy specB&B 25.00		
For larger sizes to 18 ft., add \$5.00 j	oer foo	t.
occidentalis aurea douglasi.		
Douglas Golden Arborvitae. 15'		
3 ftB&B 4.00	3.50	
4 ftB&B 5.50	5.00	
5 ftB&B 7.50	6.50	
6 ft B&B 10.00	8.50	
7 ft B&B 12.50	10.00	
8 ftB&B 15.00	12.50	
9 ftB&B 20.00	15.00	
For larger sizes to 16 ft., add \$5.00		t.
occidentalis columbia. Silver-tipped Art	orvita	e. 40'
3 ft	3.50	3.00
4 ft B&B 5.50	5.00	4.50
5 ft B&B 7.50	6.50	6.00
6 ft B&B 10.00	7.50	
7 ft	10.00	
8 ft	12.50	
9 ft	15.00	
For larger sizes to 14 ft., add \$5.00		t.
occidentalis compacta. Compact Arbon		4'
15 in	2.00	
18 in	2.25	0.05
24 in	2.50	2.25
30 in	3.00	
36 in	4.00	
42 in	5.50	
48 inB&B 10.00	7.50	

·	1-4 Each	5-24 Each	25 & up Each
Thuja	Eden	Cucii	Lacii
occidentalis compacta. Parsons		itae.	10'
2½ ftB&B		3.00	2.75
3 ft		4.00	3.50
3½ ftB&B		5.50	5.00
4 ftB&B		7.50	6.00
4½ ftB&B		8.50	
5 ftB&B		10.00	
5½ ft B&B 6 ft B&B		11.50 $12.50$	
7 ft		13.50	
8 ft B&B		15.00	
9 ft B&B		18.00	
occidentalis cristata. 15'	22.00	10.00	
3 ftB&B	5.00		
4 ft			
	1.50		
occidentalis elegantissima. 15'			
2 ftB&B		3.00	2.50
3 ftB&B		3.50	
4 ft		5.00	4.50 6.00
		6.50 9.00	6.00
6 ft		10.00	
8 ft		12.50	
9 ft		15.00	
For larger sizes to 15 ft., add			t.
	40,000	, , , , , , , ,	
occidentalis ellwangeriana.  Tom Thumb Arborvitae.	6'		
2 ftB&B		2.50	2.25
2½ ft		3.00	
3 ft B&B		3.50	
3½ ft. B&B		4.50	
4 ft B&B		6.00	
4½ ft B&B		7.50	
5 ft		9.00	
occidentalis ericoides Heath Ar	homito	ie. 5'	
3 ftB&B		ie. J	
occidentalis globosa. Globe Art		e. 3'	
18 inB&B		e. 3 2.00	1.75
24 in		2.50	
30 in		3.00	
36 in		3.50	3.00
42 in		5.00	3.00
		50	

Thuja		1-4 Each	5-24 Each	25 & up Each
occidentalis hoveyi. Hovey	Golde	n Arb	orvitae	. 8'
18 in		2.25	2.00	1.75
2 ft	.B&B	3.00	2.50	2.25
21/2 ft	.B&B	3.50	3.00	2.75
3 ft	.B&B	4.00	3.50	3.00
3½ ft	.B&B	6.00	5.00	4.00
4 ft	.B&B	7.50	6.00	5.00
4½ ft	.B&B	10.00	7.50	
5 ft	.B&B	12.50	10.00	
5½ ft	. B&B	15.00		
6 ft		17.50		
7 ft	B&B	20.00		
occidentalis Little Gem. 2'				
15 in	.B&B	3.00	2.50	
18 in	B&B	4.00	3.50	
occidentalis lutea. Geo. Pe-	abody's	s Arbo	rvitae.	15'
3 ft		4.50	4.00	
4 ft	B&B	6.00	5.00	
5 ft		7.50	6.00	
6 ft		10.00	7.50	
7 ft	.B&B	12.50	10.00	
8 ft	B&B	15.00	12.50	
9 ft	.B&B	20.00	15.00	
For larger sizes to 16 f	t., add	\$5.00	per foo	ot.
occidentalis pumila. Green	Globe	Arbon	vitae.	3'
18 in. spread	B&B	2.25	2.00	1.75
24 in. spread	B&B	3.00	2.50	2.25
30 in. spread	B&B	3.50	3.00	2.75
36 in. spread	.B&B	5.00	4.00	3.50
42 in. spread	B&B	7.50	6.00	5.00
48 in. spread	B&B	10.00		
occidentalis pyramidalis. $P_{\ell}$	ramid	al Ar	borvita	e. 25'
2 ft	B&B	3.50	2.50	2.25
3 ft	.B&B	4.50	3.50	3.00
4 ft	.B&B	6.00	4.50	4.00
5 ft	.B&B	7.50	6.50	6.00
6 ft	.B&B	10.00	8.50	8.00
7 ft		12.50	11.00	10.00
8 ft		15.00	12.50	11.00
9 ft			15.00	12.50
10 ft	.B&B	25.00	18.50	15.00
			_	

For larger sizes to 18 ft., add \$5.00 per foot.

Thuja	1-4 Each	5-24 Each	25 & up Each
occidentalis douglasi pyramidalis.			
Douglas Pyramidal Arborvita	e. 20'		
2 ft	3.50	2.75	
3 ft. B&B	4.50	3.50	
4 ft	6.00	4.50	
5 ft	7.50	6.50	
	10.00	8.50	
	15.00	12.50	
For larger sizes to 13 ft., add			t.
occidentalis recurva nana. 6'			
18 inB&B	2.50	2.25	
2 ft. B&B	3.00	2.50	
2½ ft. B&B	4.00	3.50	
3 ft	5.00	4.50	
3½ ft	7.50	6.00	
4 ft	10.00	7.50	
occidentalis reevesi. Reeves Arbo	rvitae	. 10'	
2½ ftB&B	4.00	3.50	
3 ftB&B	4.50	4.00	
3½ ftB&B	6.00	5.00	
4 ft	7.50	6.00	
4½ ftB&B	8.50	7.50	
5 ftB&B	10.00	8.50	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
occidentalis reidi. Reid Arborvite	ae. 8'		
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	4.00	3.50	3.00
3 ftB&B	5.00	4.00	3.75
3½ ftB&B	6.50	5.50	
4 ftB&B	7.50	6.50	
4½ ftB&B	8.50	7.50	
5 ftB&B	10.00	8.50	
6 ftB&B	12.50	10.00	
occidentalis riversi. Rivers Arbor		12'	-
4 ftB&B	5.00	4.50	
5 ftB&B	7.50	6.00	
	10.00	8.00	
	12.50	10.00	
	15.00	12.50	
9 ft		15.00	
For larger sizes to 12 ft., add 5	a oo.ce	er 100t	**

	1-4 Each	5-24 Each	25 & up Each
Thuja			Edell
occidentalis rosenthali. Rosenthal	Arbon	rvitae.	10'
2 ftB&B	3.50	3.00	2.50
3 ftB&B	4.00	3.50	3.00
4 ftB&B	6.00	5.00	4.50
5 ftB&B	7.50	6.50	6.00
6 ftB&B		9.00	8.00
7 ftB&B		12.50	10.00
occidentalis spiralis. Spiral Arbor		25'	
2 ftB&B	2.75	2.50	2.25
3 ftB&B	4.50	3.50	3.00
	6.00	4.50	4.00
5 ftB&B	7.50	6.50	6.00
6 ftB&B		9.00	8.00
	12.50	11.00	10.00
	15.00	13.50	12.00
9 ftB&B		15.00	14.00
For larger sizes to 20 ft., add \$			t.
occidentalis umbraculifera. Dwarf	Arbo	rvitae.	3'
15 to 18 in. spd B&B		1.75	1.50
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spd B&B	3.00	2.50	2.25
$2\frac{1}{2}$ to 3 ft. spd B&B	4.00	3.50	3.00
3 to $3\frac{1}{2}$ ft. spd B&B	5.00	4.50	4.00
$3\frac{1}{2}$ to 4 ft. spd B&B	7.50	6.00	
occidentalis vervaeneana. Vervaen	e Arb	orvitae	. 12'
3 ftB&B	4.00	3.50	
4 ftB&B	6.00	5.00	
5 ftB&B	7.50	6.50	
6 ft	10.00	8.50	
7 ft	12.50	10.00	
8 ft	15.00	12.50	
9 ftB&B		15.00	
10 ft B&B		20.00	
For larger sizes to 20 ft., add 5	5.00 j	per foo	t.
occidentalis wareana.			
Ware or Siberian Arborvit	ae. 15	i'	
18 in B&B	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	4.00	3.50	3.00
3 ft	5.50	4.50	3.75
3½ ftB&B	6.50	5.50	4.75
4 ft	7.50	6.50	5.50
	10.00	8.00	7.00

Thuja occi	dentalis wareana	1-4 Each	5 <b>-24</b> Each	25 & up Each
5	ft		10.00	8.00
6	ft B&F	15.00	12.50	10.00
7	ft		15.00	12.50
8	ft B&I		20.00	
occide	ntalis woodwardi. $Woodw$	ard Ar	borvita	e. 6'
18	in	2.50	2.00	
24	in. B&E		2.50	
oriont	alis. Oriental Arborvitae.	051		
			0.00	0.50
-	ftB&F		3.00	2.50
4	ftB&I		4.50	3.75
5	ftB&I		5.50	5.00
6	ftB&I		6.50	6.00
7	ftB&I		8.50	7.50
8	ftB&I		12.00	10.00
9	ftB&F	3 18.00	15.00	
orient	alis conspicua. Goldspire	Arborvi	itae. 2	20'
2	ftB&I	3 4.00	3.50	
3	ft		4.00	
4	ftB&I	6.50		
5	ft B&I	8.00		
orient	alis elegantissima.			
	Rollinson's Golden Arborr	vitae.	10'	
2	ft B&I	3 4.00	3.50	
3	ftB&I	3 5.00	4.50	
4	ftB&I	3 7.50	6.00	
5	ft	3 10.00	7.50	
6	ftB&I		10.00	
7	ft	3 15.00	12.50	
8	ftB&I	3 18.00	15.00	
orient	alis nana aurea.			
	Berkman's Golden Arbe	rvitae.	3"	
18	in. B&I	3 2.50	2.25	
2	ft. B&I		3.00	
21			3.50	
3	ft. B&I		0.00	
orient	alis sieboldi. Siebold Arbo	rvitae.	3'	
2	ft		_	
3	ft. B&I			
3		7.00		

1-4 Each	5-24 Each	25 & up Each
Thuja	Lucii	Lacii
plicata. Giant Arborvitae. 20'		
3 ftB&B 4.00	3.50	
4 ft	4.50	
5 ft	6.00	
6 ftB&B 10.00	8.00	
7 ft	10.00	
8 ft		
9 ft		
For larger sizes to 14 ft., add \$5.00 g	er foo	t.
standishi. Standish Arborvitae. 15'		
3 ftB&B 5.00		
4 ft		
5 ft		
15 ft B&B 35.00		
Tilia americana. American Linden. 75'		
6 to 8 ft	1.50	1.25
8 to 10 ft	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in. 3.00	2.50	2.25
1½ to 1¾ in 3.50	3.00	2.50
13/4 to 2 in	4.00	3.25
2 to 2½ in 6.50	5.50	4.50
2½ to 3 in 10.00	7.50	6.00
3 to 3¾ in	12.50	
3½ to 4 in	15.00	
cordata. Littleleaf European Linden. 7	'0 <b>'</b>	
1½ to 1½ in. 5.00	4.00	3.50
1½ to 1¾ in 6.00	5.00	4.25
13/4 to 2 in 7.50	6.00	5.00
2 to 2½ in	8.00	7.00
2½ to 3 in 15.00	12.50	10.00
3 to 3½ in	15.00	
4 to 4½ in 30.00		
euchlora. Crimean Linden. 75'		
6 to 8 ft	3.50	3.00
8 to 10 ft 5.00	4.00	3.75
1½ to 1½ in. 6.50	5.50	5.00
1½ to 1¾ in 7.50	6.50	6.00
13/4 to 2 in	8.50	8.00
2 to 2½ in	10.00	9.00
2½ to 3 in	15.00	12.50
3 to 3½ in 25.00	20.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

Tilia         henryana.       50'         1½ to 1½ in.       7.50         heterophylla.       Beetree Linden.       60'         2 to 2½ in.       10.00       7.50         2½ to 3 in.       15.00       12.50         3 to 3½ in.       20.00	2.00 2.50 3.50
1½ to 1½ in	2.50 3.50
heterophylla.       Beetree Linden.       60'         2       to 2½ in.       10.00       7.50         2½ to 3 in.       15.00       12.50	2.50 3.50
2 to 2½ in. 10.00 7.50 2½ to 3 in. 15.00 12.50	2.50 3.50
2½ to 3 in	2.50 3.50
	2.50 3.50
3 to 31/2 in 20.00	2.50 3.50
	2.50 3.50
oliveri. 50'	2.50 3.50
8 to 10 ft	2.50 3.50
platyphyllos. Bigleaf European Linden. 75'	2.50 3.50
	3.50
	1.50
	5.00
	7.00
	0.00
	2.50
3½ to 4 in	
4 to 5 in	
platyphyllos pyramidalis.  Pyramidal Bigleaf Linden. 50'	
6 to 8 ft 6.00	
8 to 10 ft	
tomentosa. Silver Linden. 40'	
6 to 8 ft	
1½ to 1¾ in. 7.50 6.50	
134 to 2 in	
2 to 2½ in	
2½ to 3 in 17.50 15.00	
3 to 3½ in	
3½ to 4 in	
4 to 5 in 45.00	
vulgaris. Common European Linden. 75'	
	2.00
	2.50
	3.50
	4.50
	5.00
2 to 2½ in 8.50 7.50	7.00
2½ to 3 in 12.50 10.00	9.00
3 to 3½ in	2.50
3½ to 4 in	5.00
4 to 5 in	

Tripterygium regeli. 5'		
2 to 3 ftB&B 2.00	1.50	1.25
3 to 4 ft	1.75	1.50
Tsuga canadensis. Canada Hemlock. 75'	2110	2.00
2½ ft B&B 4.50	4.00	3.75
3 ft B&B 6.00	5.50	5.00
4 ft. B&B 7.50	7.00	6.50
4 ft. ex. broad B&B 10.00	••••	0.00
5 ft B&B 12.50	10.00	9.00
5 ft. ex. broad B&B 15.00	10.00	0.00
6 ft	13.50	12.50
7 ft	15.00	14.00
8 ft	17.50	16.50
For larger sizes to 18 ft., add \$5.00 g		
	7C1 1000	•
caroliniana. Carolina Hemlock. 50'		
2 ftB&B 6.00		
3 ftB&B 7.50		
4 ft		
5 ft		
6 ft		
7 ft		
sieboldi. Siebold Hemlock. 35'		
8 ft. specimens B&B 60.00		
9 ft. specimens B&B 75.00		
Ulex europeaus. Common Gorse. 4'		
18 to 24 in., 4 in. pots 1.50	1.25	
Ulmus americana. American Elm. 80'		
8 to 10 ft	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 2.50	2.25	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 3.50	3.00	2.75
1¾ to 2 in 4.50	3.75	3.50
2 to $2\frac{1}{2}$ in	5.00	
$2\frac{1}{2}$ to 3 in 7.50	6.50	
3 to $3\frac{1}{2}$ in	10.00	
3½ to 4 in	12.50	
4 to $4\frac{1}{2}$ in 20.00	15.00	
americana moline. Moline Elm. 80'		
6 to 8 ft	1.50	1.25
8 to 10 ft	2.25	2.00
11/4 to 11/2 in 3.00	2.75	2.50
1½ to 1¾ in. 4.50	4.00	3.50
13/4 to 2 in 5.50	4.50	4.00
2 to 2½ in 7.50	6.50	
2½ to 3 in	8.00	

				1-4	5-24	25 & up
Ulmus				Each	Each	Each
america	na	vase-	shaped. 50'			
6	to	8	ft	1.75	1.50	1.25
8	to	10	ft	2.50	2.25	2.00
11/4	to	$1\frac{1}{2}$	in	3.00	2.75	2.50
11/2	to	$1\frac{3}{4}$	in	4.50	4.00	3.50
13/4	to	2	in	5.50	4.50	4.00
2	to	$2\frac{1}{2}$	in	7.50	6.50	6.00
21/2	to	3	in	10.00	8.00	
3	to	$3\frac{1}{2}$	in	15.00	12.50	
campest	ris.	Eng	lish Elm. 75'			
6	to	8	ft	2.50	2.25	
8	to	10	ft	3.50	3.00	
11/4	to	$1\frac{1}{2}$	in	4.00	3.50	
11/2	to	13/4	in	5.00	4.50	
13/4	to	2	in	7.50	6.00	
2	to	$2\frac{1}{2}$	in	10.00	7.50	
21/2	to	3	in	12.50	10.00	
3	to	31/2	in	20.00	15.00	
31/2	to	4	in	25.00	20.00	
4	to	5	in	35.00	30.00	
5	to	6	in	50.00	45.00	
campest					5'	
8	to	10	ft	6.00		
13/4		2	in	12.50		
			lia. Belgian Elm		0.00	
8	to	10	ft	3.50	3.00	
$1\frac{1}{4}$ $1\frac{1}{2}$	to to		in.	4.00	3.50	
13/4	to	2	in.	5.00 $7.50$	4.50 6.00	
2	to	$\frac{2}{2\frac{1}{2}}$	in.	10.00	0.00	
21/2	to	3	in	12.50		
3		$\frac{3}{1/2}$		12.50		
_	TO		ın	20.00		
	to		in	20.00	1 2	,
_	ris	monu	ımentalis. Monum	ent E		
6	ris to	monu 8	imentalis. Monum	ent E 4.00	3.50	3.00
6 8	ris to to	<b>monu</b> 8 10	ft	4.00 5.00	$\frac{3.50}{4.00}$	3.00 3.75
6 8 1 1/4	to to to	8 10 1½	ft	4.00 5.00 6.00	3.50 4.00 5.00	3.00 3.75 4.50
6 8 11/4 11/2	to to to to	monu 8 10 1½ 1¾	ft	4.00 5.00 6.00 7.50	3.50 4.00 5.00 6.50	3.00 3.75 4.50 5.50
6 8 11/4 11/2 13/4	to to to to to	monu 8 10 1½ 1¾ 2	ft	4.00 5.00 6.00 7.50 10.00	3.50 4.00 5.00 6.50 7.50	3.00 3.75 4.50 5.50 6.50
6 8 11/4 11/2 13/4 2	to to to to to to	monu 8 10 1½ 1¾ 2 2½	ft. ft. in. in. in. in.	4.00 5.00 6.00 7.50 10.00 15.00	3.50 4.00 5.00 6.50 7.50 12.50	3.00 3.75 4.50 5.50 6.50 10.00
6 8 11/4 11/2 13/4	to to to to to to to	monu 8 10 1½ 1¾ 2	ft. ft. in. in. in. in. in. in.	4.00 5.00 6.00 7.50 10.00 15.00	3.50 4.00 5.00 6.50 7.50 12.50 15.00	3.00 3.75 4.50 5.50 6.50 10.00 13.50
6 8 11/4 11/2 13/4 2 21/2	to to to to to to to to	monu 8 10 1½ 1¾ 2 2½ 3 3½	ft. ft. in. in. in. in. in. in. in. in.	ent E 4.00 5.00 6.00 7.50 10.00 15.00 18.00 25.00	3.50 4.00 5.00 6.50 7.50 12.50 15.00 20.00	3.00 3.75 4.50 5.50 6.50 10.00
6 8 1 <sup>1</sup> / <sub>4</sub> 1 <sup>1</sup> / <sub>2</sub> 1 <sup>3</sup> / <sub>4</sub> 2 2 <sup>1</sup> / <sub>2</sub> 3	to to to to to to to	monu 8 10 1½ 1¾ 2 2½ 3 3½ 4	ft. ft. in. in. in. in. in. in.	4.00 5.00 6.00 7.50 10.00 15.00	3.50 4.00 5.00 6.50 7.50 12.50 15.00	3.00 3.75 4.50 5.50 6.50 10.00 13.50

	1-4	5-24	25 & up
Ulmus	Each	Each	Each
campestris purpurea. Purpleleaf	Emaliah	Elm.	70'
8 to 10 ft		Eim.	70
2½ to 3 in	12.50	10.00	
3 to 3½ in.		18.00	
campestris vegeta. Huntingdon I			
8 to 10 ft		2.75	
1½ to 1½ in.		3.50	
1½ to 1¾ in.		4.50	
134 to 2 in.		5.50	
2 to 2½ in		7.50	
2½ to 3 in		12.00	
3 to 3½ in		15.00	
3½ to 4 in	25.00	20.00	
4 to 5 in	35.00		
5 to 6 in	50.00		
campestris wheatleyi. Wheatley	Elm.	75'	
6 to 8 ft		3.50	3.00
8 to 10 ft		4.00	3.75
1¼ to 1½ in		5.00	4.50
1½ to 1¾ in	7.50	6.50	5.50
134 to 2 in		7.50	6.50
2 to 2½ in	15.00	12.50	10.00
2½ to 3 in	20.00	15.00	13.50
3 to 3½ in	25.00	20.00	
3½ to 4 in	30.00		
fulva. Slippery Elm. 65'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
glabra. Scotch Elm. 75'			
1¼ to 1½ in	4.00	3.50	
1½ to 1¾ in.		4.50	
134 to 2 in		6.00	
2 to 2½ in		7.50	
2½ to 3 in		10.00	
3 to 3½ in	18.00	15.00	
3½ to 4 in	25.00	20.00	
-1-k	Ell	. 20'	
glabra camperdown. Camperdor	wn Eim . 4.00	$\frac{20}{3.50}$	
6 ft. stem	. 4.00	5.50	
glabra nana. $Globe\ Elm.$			
6 to 8 ft. standards			
8 to 10 ft. standards	. 15.00		

	1-4 Each	5-24 Each	25 & up Each
Ulmus			
japonica. Japanese Elm. 70'			
8 to 10 ft	5.00		
1½ to 1¾ in	6.50		
13/4 to 2 in	7.50		
2 to 2½ in	10.00		
2½ to 3 in	12.50		
3 to 3½ in	15.00		
parvifolia. Chinese Elm. 30'			
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 75	i'		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.00	2.75
13/4 to 2 in	4.50	4.00	3.50
2 to 2½ in	6.00	5.00	0.00
2½ to 3 in	8.00	6.50	
3½ to 4 in	15.00	12.50	
racemosa. Rock Elm. 75'	10.00	12.00	
6 to 8 ft	4.00		
8 to 10 ft	5.00		
0 00 10 10	6.50		
		•	
4 to 5 in	35.00		
Vaccinium corymbosum. Highbush I	3lueber	ry. 8	,
2 to 3 ftB&B	3.50	3.00	2.75
3 to 4 ftB&B	6.00	5.00	4.50
4 to 5 ftB&B	7.50	6.50	6.00
vacillans. Dryland Blueberry. 3'			
18 to 24 inB&B	3.50		
Viburnum acerifolium. Mapleleaf V	iburnu	m. 5'	
18 to 24 in	.65	.55	.50
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Viburnum	Eden	Edch	Each
americanum. American Cranberry	ybush.	10'	
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	.85
6 to 8 ft	1.25	1.10	1.00
betulifolium. 12'			
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00		
bitchuiense. Yeddo Viburnum. 6	,		
3 to 4 ftB&B	3.50	3.00	
4 to 5 ftB&B	5.00	4.00	
burejaeticum. Manchurian Vibura	num.	15'	
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
burkwoodi. 4'			
18 to 24 in B&B	3.00	2.50	
2 to 3 ftB&B	4.00	3.50	
carlesi. Fragrant Viburnum. 4			
18 to 24 in	2.50	2.25	2.00
2 to 3 ft B&B	3.50	3.00	2.75
3 to 4 ft B&B	4.50	4.00	3.75
18 to 24 in., own roots. B&B	4.00	3.75	
2 to 3 ft., own roots B&B	5.00	4.50	
Standards			
18 in. stem B&B	3.50	3.00	
2 ft. stem B&B	4.00	3.75	
3 ft. stemB&B	5.00	4.50	
cassinoides. Withe Rod. 6'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	
6 to 8 ft	2.00	1.50	1.25
dentatum. Arrow Wood. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft.	1.25	1.10	1.00

			1-4 Each	5-24 Each	25 & up Each
Viburnum					
dilatatu	ım. 1	Linden Viburnum. 10'			
2 t	to 3	ft	.75	.65	.60
3 t	to 4	ft	1.00	.80	.70
4 t	to 5	ft	1.25	1.00	.90
5 t	to 6	ft	1.50	1.35	1.25
6 1	to 8	ft	1.75	1.60	1.50
5 1	to 6	ft. specB&B	10.00		-
6 t	to 8	ft. specB&B	15.00		
fragran	s. F	ragrant Viburnum. 1	0'		
2 t	to 3	ftB&B	4.50		
3 t	to 4	$ft.\dotsB\&B$	5.50		
hupehe	nse.	Hupeh Viburnum. 6	,		
2 1	to 3	ft	1.50	1.25	
laniana	. W	ayfaring Tree. 15'			
2 1	to 3	ft	.45	35	.30
3 1	to 4	ft	.60	.50	.45
4 1	to 5	ft	.75	.65	.60
5 1	to 6	ft	1.00	.80	.75
6 1	to 8	ft	1.25	1.00	.90
lantana	ı rug	osum. Wrinkleleaf Wo	ayfarin	g- $tree$	. 15'
3 1	to 4	ft	.75	.60	.50
4 1	to 5	ft	1.00	.75	.60
5 1	to 6	ft	1.25	1.00	.75
6 1	to 8	ft	1.50	1.25	1.00
lentago	. Na	nnyberry. 20'			
3 1	to 4	ft	.75	.60	.50
4 1	to 5	ft	.90	.75	.65
5 1	to 6	ft	1.25	1.00	.80
6 1	to 8	ft	1.75	1.50	1.35
8 1	to 10	ft	2.50	2.00	1.75
10	to 12	ft. specB&B	18.00		
molle.	Ken	tucky Viburnum, 10'			
2 1		ft	.45	.35	.30
_	to 4	ft	.60	.50	.45
	to 5	ft	.75	.65	.60
_	-	ft	1.00	.80	.75
_		ft	1.25	1.10	1.00
•					4.50

Tri barrera			1-4 Each	5-24 Each	25 & up Each
Viburnum nudum.	C'	ooth Withe Rod. 8'			
2 to		ooth Withe Rod. 8'	75	co	50
3 to			.75	.60	.50
3 to 4 to	_	ft	1.00	.75	.60
- **	-	ft	1.25	1.00	.75
5 to 6 to	-	ft	1.75	1.50	1.25
6 to	8	ft. spec B&B	12.50		
opulus.	-	th Bush Cranberry. 10			
2 to	3		.50	.45	.40
3 to	4		.60	.55	.50
4 to	_	ft	.75	.65	.60
5 to	6	ft	1.00	.85	.75
6 to	8	ft	1.25	1.10	1.00
8 to	10	ft	1.75	1.65	1.50
opulus n	anu	m. Dwarf Cranberry	Bush.	2'	
10 to	12	in	.75	.65	.60
12 to	15	in	.90	.80	.75
15 to	18	in	1.25	1.00	.90
opulus s	teril	le. Common Snowball.	10'		
2 to			.50	.45	.40
3 to	_	ft	.65	.50	.45
4 to	_	ft	.75	.65	.60
5 to	_	ft	1.00	.90	.00
	-		1.00	.00	
_		hocarpum.			
		wfruit Cranberrybush		0.00	4.50
2 to	_	ft	2.50	2.00	1.50
3 to	4	ft	3.00	2.50	
ovatifoli	ım.	Eggleaf Viburnum.	10'		
3 to	4	ft	1.50		
prunifoli	um.	Blackhaw. 12'			
2 to		ft	1.00	.85	.75
3 to	4	ft	1.25	1.10	1.00
4 to	5	ft	1.50	1.35	1.25
5 to	6	ft	2.50	2.00	1.75
6 to	8	ft	3.50	3.00	2.50
8 to	-	ft	5.00	4.50	4.00
			0.00	2.00	2.00
_		Downy Viburnum. 6'	ne	.60	.50
2 to	3	ft	.75		
3 to	4	ft	1.00	.75	.60
4 to	5	ft	1.25	1.00	.75
5 to	6	ft	1.50	1.25	

				1-4 Each	5-24 Each	25 & up Each
Viburnum					0.1	
-	-	_	um. Leatherleaf Vibu		8'	
18		24	in B&B	3.00	2.50	
2	to	3	ft B&B	3.50	3.00	
3	to	4		5.00	4.50	
4	to	5	ft	6.00	5.50	
5	to	6	ftB&B	7.50	6.50	
				10'		
2	to	3	ft	1.00	.85	.75
3	to	4	ft	1.25	1.10	1.00
4	to	5	ft	1.50	1.35	1.25
5	to	6	ft	2.50	2.00	1.75
6	to	8	ft	4.00	3.50	3.00
8	to	10	ft	5.00	4.50	4.00
sarger	ıti.	Sa	rgent Cranberrybush.	10'		
<b>2</b>	to	3	ft	.60	.50	
3	to	4	ft	.75	.60	
4	to	5	ft	1.00	.75	
5	to	6	ft	1.50	1.25	
6	to	8	ft	1.75	1.50	
siebole	di.	Sie	ebold Viburnum, 10'			
3	to	4	ft	.75	.65	.60
4	to	5	ft	1.00	.85	.75
5	to	6	ft	1.50	1.00	.90
6	to	8	ft	2.50	1.50	1.25
8	to	10		3.50	3.00	2.50
theife				0.00	0.00	2.00
			Tea Viburnum. 12'	4.0=	4.00	
2	to		ft	1.25	1.00	.75
3	to	4	ft	1.50	1.25	
tomen	tos	um.	Doublefile Viburnun	ı . S'		
2	to	3	ft	.55	.45	.40
3	to	4	ft	.65	.55	.50
4	to	5	ft	1.00	.85	.75
5	to	6	ft	1.25	1.00	.90
6	to	8	ft	1.50	1.35	1.25
tomen	tos	um	plicatum. Japanese S	Snowb	all. 8	.7
2	to	3	ft	.75	.65	
3	to	4	ft	1.00	.85	
4	to	5	$\mathbf{ft.}\dots\dots\dots\dots\dots$	1.50	1.25	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST

	1-4 Each	5-24 Each	25 & up Each
Viburnum			
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
venosum canbyi. Canby Viburnun	n. 8'		
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
wrighti. Wright Viburnum. 8'		* **	
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.25	1.75	
Vinca minor. (See Herbaceous Mater	ial).		
Vitex agnus castus. Chaste-tree. 4'			
2 to 3 ft	.55	.45	
3 to 4 ft	.65	.55	.50
agnus castus alba. White Chaste-t	ree.	4'	
2 to 3 ft	.75	.60	.55
3 to 4 ft	1.00	.75	
macrophylla. Hemp-tree. 4'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	
negundo incisa. Cutleaf Chaste	-tree.	4'	
3 to 4 ft	1.00	.75	
Vitis aestivalis. Summer Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
amurensis. Amur Grape. 40'			
3 year	.75	.60	1
	.10	.00	
coignetiae. Gloryvine. 40'	1.00	.85	.75
3 year	1.25	1.00	
4 year		1,00	,
cordifolia. Frost or Winter Grape			
2 year	,55	.45	
3 year	.65	.55	.50
labrusca. Fox Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
▼			

	1-4 Each	5-24 Each	25 & up Each
Vitis			
${f rotundifolia}.  Muscadine \ Grape.$	40'		
3 year	.75	.60	.50
4 year	.85	.70	.60
vulpina. Riverbank Grape. 40'			
2 year	.55	.45	.40
3 year	.65	.55	.50
4 year	.75	.65	.60
Weigela Abel Carriere. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
amabilis. Rose Weigela. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
candida. Snow Weigela. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
desboisi. Desbois Weigela. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
Eva Rathke. 5'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
floribunda. Crimson Weigela. 8	,		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.60
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
groenewegeni. Greenway Weiger	la. 8'		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
Gustav Mallot. 8'			
2 to 3 ft.	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75

Weigela	1-4 Each	5-24 : Each	25 & up Each
hortensis rubra. 8'	Lucii	Eden	Lucii
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
japonica. Japanese Weigela. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
rosea. Pink Weigela. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
rosea nana variegata. Dwarf Varie	-		
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.65	.60 a. 8'
sieboldi argenteomarginata. $Varieg$	.75	Weigele .60	<i>a</i> . 8
3 to 4 ft	.85	.70	.65
	.00	.70	.05
<b>styriaca.</b> 8'  3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
Vanhoutte. Van Houtte Weigela.	8'	.10	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
Wistaria frutescens. American Wistan			
2 year	.60	.50	.40
frutescens magnifica. Yelloweye V	.50	·1a. 25	.35
2 year	.65	.55	.50
·	.00	.00	.50
floribunda hybrids.	3.00		
2 year	3.00		
Murasaki Noda — purple			
Naga Noda — lavender			
Penn Valley — deep pur	ple		
Rosea — pink			
Royal Purple — purple			
Rubra — red			

104	HENRY NUMANNIE & 30	MA		
		1-4 Each	5-24 Each	25 & up Each
Wistaria		20011	Eddi	Eddii
multi	juga. Japanese Wistaria. S	30'		
2	year	.85	.75	.60
3	year	1.00	.85	.75
4	year	1.25	1.00	.90
sinens	sis. Chinese Purple Wistari	a 1.0	,	
	year	40	.65	.60
	year	1.25	1.00	.90
	year grafted flower-	1.20	1.00	.00
o	ing plants	2.50	2.00	
S	tandards. 4 ft. stem,	2.00	2.00	
	0 in. head	7.50		
	sis alba. Chinese White Wis		101	
			40'	.60
	year	.75 $1.25$	.65	.90
	year		1.00	.90
	year	1.50	1.25	
3	year grafted flower-	9.50	2.00	
C	ing plants	2.50	2.00	
5	tandards. 4 ft. stem,	0.00		
	30 in. head	9.00		
venus	ta. Silky Wistaria. 30'			
3	year	.75	.60	
Zanthorhi	za apiifolia. Yellowroot. 3'			
	to 15 in. clumps	.65	.55	.45
	to 18 in. clumps	.75	.60	.50
	to 24 in. clumps	1.00	.85	.75
-	lum americanum. Prickly A			
_	to 4 ft	.75	.60	.50
	to 5 ft	1.00	.75	.60
_	to 6 ft	1.25	1.00	.75
6	to 8 ft	1.50	1.25	.90
schini	ifolium. Peppertree Prickly	Ash	12'	
	to 3 ft.	1.50	12	
Zelkova s		0'		
_	to 5 ft	2.00	1.75	1.50
5	00 0 200	2.50	2.25	2.00
-	to 8 ft	3.50	3.00	2.50
8	to 10 ft.	5.00	4.00	
sinica. 50'				
4	to 5 ft.	2.00	1.75	1.50
5	to 6 ft	2.50	2.25	2.00

## Herbaceous and Alpine Material

All kinds marked with an asterisk (\*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

	5 <b>-24</b> each	25 up
*Acaena buchanani. Bluish gray, Aug., 1" \$	.25	\$ .20
*sanguisorbae. Bright green foliage, 2"	.25	.20
Acanthus mollis. Purple rose, July 4'	.20	
mollis latifolius. Rose, July, 2-3'	.20	
*Achillea ageratifolia aizoon. White, May,		
June, 8"	.20	.18
clavennae. White, July, 1'	.20	.18
filipendulina. Yellow, June, July, 3'	.18	.15
*millefolium Cerise Queen. Rose, July 2'	.18	.15
*nana. White, June, July, 6"	.20	.18
*nitida. White, June, July, 1'	.20	.18
*ptarmica The Pearl. White, July, 2'	.18	.15
*ptarmica Boule de Neige. White, June,		
July, 2'	.18	.15
*ptarmica Perry White. June, July, 2'	.18	.15
*tomentosa. Yellow, June, 1'	.18	.15
Aconitum autumnale. Blue, July, August, 4'	.30	.25
fischeri. Blue, September, 3'	.25	.20
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July,		
Aug., 5'	.30	.25
*Actinea herbacea. Yellow, May, 6"	.30	
*Actaea alba. White, May, June, 3-4'	.18	.15
rubra. Red, May, June, 3-4'	.18	.15
Adenophora chinensis. Blue, fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
*Adiantum pedatum. Maiden Hair Fern	.18	.15
*Aegopodium podograria variegatum. Varie-		
gated foliage, 1'	.18	.15

*Aethionema cordifolium. Rosy lilac, June, 6"	5-2 <b>4</b> each .25	25 up each .20
grandiflorum. Pink, June, 12"	.25	.20
*kotschyi. Rose, July, 4"	.25	.20
*persicum. Pink, June, July, 9"	.25	.20
*pulchellum. Pink, June, 8"	.25	.20
*schistosum. Rose, June, 4"	.25	.20
*Ajuga brockbanki. Purple, June, 6"	.20	.18
*genevensis. Bright blue, May, 6"	.20	.18
*genevensis rosea. Pink, May, 6"	.25	.20
*reptans. Blue, May, 6"	.18	.15
*reptans alba. White, May, 6"	.20	
*Allium carinatum. Rose, June, July, 2'	.20	.18
*karataviense. White, June, July, 8"	.25	.20
*narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple, June,		
July, 2'	.25	.20
stellatum. Rose, June, July, 18"	.20	.18
*thibetica. Lilac mauve, June, July, 8"	.18	.15
Althea rosea. Hollyhock.		
*Double. Separate colors, July, Aug., 5'	.18	.15
*Double. Chaters' strain, separate colors	.18	.15
Fringed Allegheny. July, Aug., 5'	.18	.15
Single. Mixed colors, July, Aug., 5'	.18	.15
Single. Separate colors, July, Aug., 5'	.18	.15
*Alyssum argenteum. Yellow, July, Aug., 6"	.18	.15
*amanum. Yellow, May, June, 4"	.25	
*creticum. Yellow, June, July, 1'	.20	.18
*moellendorfianum. Yellow, June, July,		
6"	.25	.20
*montanum. Yellow, June, July, 8"	.25	.20
*rostratum. Yellow, June, July, 12"	.18	.15
*saxatile compactum. Yellow, May, 1'	.18	.15
*saxatile sulphureum. Yellow, May, 1'	.25	.20
*serpyllifolium. Yellow, June, July, 4".	.20	.18
*spinosum. Pink and white, June, 3"	.30	.25
*Amsonia tabernaemontana. Blue, May,		
June, 3'	.20	.18
Anchusa barrelieri. Blue, May, 2'	.25	
*capensis. Blue, summer, 18"	.20	.18
italica Dropmorei. Blue, June, 4-5'	.18	.15
*myosotidiflora. Bright blue, May, 1'	.25	.20

*Androsace lanuginosa. Rose, June, 8"	each	each
*lanuginosa leichtlini. Rose, June, 8"	.35 $.40$	
*sarmentosa. Rose, June, 6"	.40	
Anemone hupehensis. Mauve, Aug., Sept., 1'	.25	.20
*japonica alba. White, fall, 3'		
	.20	.18
*japonica Alice. Rose pink, fall, 3':	.20	.18
japonica Louise Uhink. White, fall, 3'	.20	
japonica Marie Manchard. White, fall, 3'	.30	
japonica Prince Heinrich, Deep pink,		
fall, 3'	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink, fall, 2'	.20	.18
japonica rubra. Red, fall, 2'	.25	.20
japonica September Charm. Silvery	.20	.20
pink, fall, 2'	.25	
japonica September Sprite. Pink, fall, 2'	.25	.20
*japonica Whirlwind. Pure white, fall, 3'	.25	.20
*pennsylvanica. White, July, 1½'	.20	
*pulsatilla. Blue, April, 15"	.20	.18
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.25	.20
*Antennaria dioica. White, May, 6"	.18	.13
*Anthemis cinerea. White ,Aug. 1'	.20	.18
*montana. White, July, 10"	.25	.20
Moonlight. Pale yellow, summer, 2'	.30	.25
nobilis. White, summer, 1'	.18	.15
tinctoria. Yellow, July, Aug., 3'	.18	.18
tinctoria E. C. Buxton. White, yellow		
eye, July, Aug., 3'	.18	.15
tinctoria kelwayi. Yellow, July, Aug., 3'	.18	.13
tinctoria kelwayi. White, July, 3'	.20	.18
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'	.25	
*Aquilegia alpina. Blue, May, June, 1'	.20	.18
*coerulea. Blue, May, June, 1½'	.25	.20
coerulea hybrida. Various, June, 2'	.18	.15
*canadensis. Scarlet, May, June, 2'	.18	.15
*chrysantha. Yellow, June, July, 3'	.18	.15

	5-24 each	25 up each
Aquilegia	10	
chrysantha alba. White, June, July, 3'	.18	.15
Crimson Star. Crimson, May, June, 2'	.25	.22
*flabellata nana-alba. White, June, 10"	.20	.18
*hybrida. Mrs. Scott Elliott. Various,	10	1.5
June, 2'	.18	.15
longissima. Yellow, June, 2'	.40 $.25$	.35 .20
rosea. Long spurred pink, June, 2'	.20	.18
*siberica fl. pl. Blue and white, June, 18"	.25	.20
*skinneri. Red and yellow, May, 2'	.20	.18
*vulgaris. Purple, May, June, 2'	.18	.15
vulgaris nivea. White, May, 2'	.20	.18
*Arabis albida. White, May, 6"	.20	.18
*alpina. White, April, May, 6"	.18	.15
*alpina fl. pl. Dbl. White, April, May, 6"	.25	.20
*alpina Rosabella. Pink, April, May, 6"	.35 $.25$	20
*alpina rosea. Pink, April, May, 6" *aubretioides. Pink, May, 8"	.25	.20 .25
*cebennensis. White, May, 10"	.25	.20
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac, May, 8"	.20	.18
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.25	.20
*grandiflora. White, May, 4" *montana. White, June, 4"	.20	.18
*montana. White, June, 4"	.20	.18
*verna. White, June, July, 3"	.20	.18
Arisaema triphyllum. Purple, May 1'	.18	.15
*Armeria alpina. Pink, summer, 6"	.20	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June,		
6"	.20	.18
*laucheana. Crimson, May, June, 8"	.18	.15
*maritima. Pink, May, June, 6"	.18	.15
	.18	.15
*maritima alba. White, May, June, 6"		
*robusta. Crimson, May, June, 10"	.18	.15
Artemesia abrotanum. Fragrant foliage, 5'	.18	.15
absinthium. Wormwood, 4'	.18	.15
cana. Gray foliage, 30"	.35	9.0
dracunculus. White, August, 2'	.25	, .20

	5-24	25 up
Artemisia	each	each
frigida. Silver foliage, 18"	.25	.20
lactiflora. White, Aug., 4'	.20	.18
pontica. Gray foliage, 12"	.18	.15
purshiana. Gray foliage, 3'	.18	.15
Silver King. White foliage, 3'	.18	.15
stelleriana. White, summer, 2'	.18	.15
*Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.18	.15
Asclepias incarnata. Red, August, 4'	.18	.15
tuberosa. Orange, July, Aug., 2'	.18	.15
*Asperula cynanchica. Pink, summer, 10"	.25	
hexaphylla. White, June, 1'	.20	.18
*hirta. Pink, July, Aug., 6"	.25	
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea. Yellow, July, 3'	.20	.18
*Asplenium felix faemina. Lady Fern	.18	.15
*Aster alpinus. Blue, June, July, 8"	.18	.15
*alpinus albus. White, June, July, 8"	.20	.18
*alpinus Goliath. Bluish purple, May,		
June, 8"	.30	
*alpinus ruber. Rosy purple, July, 8"	.25	
amelloides. Purple, July, 18"	.20	0.0
amellus elegans. Purple, Aug., 18" amellus Rud. Goethe. Lavender blue,	.25	.20
fall, 2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.20	.18
Acme. Light lavender, Oct., 5'	.25	.20
Anita Ballard. Soft lavender, fall, 4'	.20	.18
Ballard's Crimson. Fall, 3'	.25	.20
Beauty of Colwall. Fine blue, Sept., 3'	.18	.15
Beechwood Challenger. Crimson, fall,		
18"	.30	.25
Blanchette. Mauve blush, fall, 4'	.18	.15
Blue Gem. Blue, Sept., 3'	.25	.20
Climax. Blue, Sept., Oct., 3'	.18	.15
diplostephioides. Blue, July, 2'	.25	.20
dracunculoides. Light blue, July, 2'	.30	.25
frikarti Wonder of Staefa. Lavender,	.40	.35
fall, 2'	.40	.50

	5-24 each	25 up each
Aster	20	0.5
Harrington's Pink. Fall, 3'	.30	.25
himalaicus. Lilac, Aug., 18"	.30	.25
hyb. luteus. Yellow, Sept., 3'	.30	.25
laevis. Lavender, Sept., 4'	.18	.15
Mad. Emil Thoury. Violet, Sept., 5'	.18	.15
Mad. Soyneuse. Light blue, Sept., Oct., 3'	.18	.15
Mauve Cushion. Mauve, Oct., 12"	.18	.15
Mauve Queen. Mauve, Sept. 3'	.20	.18
Mrs. Raynor. Crimson, Sept., 3'	.20	.18
Mt. Everest. White, fall, 3'	.25	.22
novae-angliae. Purple, Sept., Oct., 4'	.18	.15
novae-angliae roseus. Rose, Sept., 4'	.20	.18
Queen Mary. Blue, Sept., 3'	.25	.20
Red Rover. Red, fall, 3'	.25	
Robi. Parker. Lavender, Sept., Oct., 5'	.18	.15
Rue des Hatives. Rose mauve, fall, 3'	.18	.15
Skylands Queen. Light blue, fall, 3'	.25	
St. Egwyn. Soft pink, Sept., Oct., 3'	.18	.15
Sunset. Pink, Sept. 3'	.25	.20
tartaricus. Purple, Oct. and Nov., 6'	.18	.15
Wartberg Star. Lilac blue, spring, 1'	.25	.20
White Climax. White, fall, 4'	.18	.15
dwarf varieties.		
Countess of Dudley. Clear pink,		
Sept., 9"	.25	.20
Lady Henry Maddocks. Pink, Sept.,		
1'	.25	.20
Lavenda. Lavender blue, Sept., 6".	30	.25
Marjorie. Rose pink, Sept., 1'	.25	.20
Nancy. Flesh pink, Sept., 1'	.25	.20
Niobe. White, Sept., 6"	.25	.20
Ronald. Lilac pink, Sept., 1'	.25	.20
Snowsprite. White, Sept., 1'	.25	.20
Victor. Lavender blue, Sept., 8"	.25	.20
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2'	.30	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.25	
arendsi Juno. Purplish pink, July, 3'	.25	.20
arendsi Kreimhilde. Rose, June, July, 2'	.25	.20
arendsi Marguerite Van Rechteren. Red,		
tinged lilac, Aug., 4'	.30	.25

	6-24 each	25 up each
Astilbe		
arendsi Moerheimi. White, July, 3' arendsi Philadelphia. Lavender rose,	.30	.25
July, 2'	.30	
arendsi Rhineland. Crimson, shaded sal-		
mon, June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.25	.20
arendsi Salland. Red, July, 5'	.25	.20
biternata. Cream, June, 4'	.25	.20
rosea Queen Alexandra. Deep pink,		
July, 3'	.25	.20
rosea Queen of Holland. Rose pink,		
July, 3'	.25	.20
rubella Solferino. Violet pink, July, 3'	.30	.25
rubella Vesta. Lilac rose, July, 3'	.25	.20
Astrantia major. Silvery pink, May, 2'	.18	.15
*Aubrietia deltoidea. Purple, April, May, 4"	.20	.18
*deltoidea bougainvillei. Dark blue,	0.0	1.0
April, 5"	.20	.18
	.20	.18
*deltoidea Fire King. Red, May, 4"	.30	1.0
*deltoidea graeca. Violet, May, 4"	.20 .20	.18
*deltoidea purpurea. Purple, April, 5"	.20	.18 .18
*hybrida. Various, April, May, 6"	.25	.10
Baptisia australis. Indigo, June, 4'	.20	.18
tinctoria. Yellow, June, 3'	.20	.18
Belamcanda chinensis. Orange, summer, 3'	.18	.15
*Bellis perennis alba. White, April, May, 3"	.18	.15
*perennis rosea. Pink, April, May, 3"	.18	.15
*rotundifolia caerulescens. Blue, May,		
2"	.25	.20
*Bellium bellidioeides. Bluish, summer, 4"	.18	.15
Bocconia cordata. Creamy white, Aug., 6'	.20	.18
Boltonia asteroides. White, Sept., 5'	.18	.15
latisquama. Lavender, Aug., 5'	.18	.15
latisquama nana. Lavender, Aug., 2'	.25	.20
Boykinia rotundiflolia. White, June, 2'	.20	.18
Buphthalmum speciosum. Yellow, June, 3'	.18	.15
salicifolium. Yellow, summer, 2'	.20	.18
*Calamintha alpina. Purple, summer, 6"	.20	.18
*Calandrinia umbellata. Crimson, summer, 6"	.20	.18

California in rice Dink susuana 94	5-24 each	25 up each
*Callirhoe involucrata. Red, all summer, 6"	.25 .18	.15
*Caltha palustris. Yellow, April, May, 12"	.18	.15
Camassia leichtlini. Blue, May, 2'	.18	.15
quamash. Blue, May, 2'	.18	.15
*Campanula alliariaefolia. White, June, July,	,	
2'	.20	.18
*bononiensis. Blue, June, 2'	.20	.18
*carpatica. Blue, July, August, 9"	.20	.18
*carpatica alba. White, July, Aug., 9"	.20	.18
*collina. Blue, July, Aug., 1'	.25	
*cullinmore. Blue, summer, 9"	.35	.30
*elatinoides. Blue, summer, 6"	.20	
*fenestrellata. Pale blue, summer, 3"	.25	.20
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.18	.15
glomerata acaulis. Purple, June, 6"	.20	.18
glomerata superba. Violet, June, July, 2'	.20	.18
*grosseki. Blue, summer, 2'	.18	.15
*istriaca. Pale blue, June, July, 3"	.25	
*kolenatiana. Blue, July, 9"	.30	.25
lactiflora. Light blue, Aug., 4'	.20	.18
latifolia alba. White, July, 3'	.25	.20
latifolia macrantha. Purplish blue, July,		
3'	.20	.18
medium. Mixed, June, July, 3'	.18	.15
medium. Separate colors, June, July, 3'	.20	.18
medium calycanthema. Mixed, July, 3'.	.18	.15
medium calycanthema. Separate colors,		
July, 3'	.20	.18
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.20	.18
persicifolia alba. White, June, 2'	.25	.20
persicifolia alba. fl. pl. White, summer,		
2'	.40	
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.20	.18
pyramidalis alba. White, July, 4-5'	.20	.18
*raddeana. Purple, July, Aug., 1'	.25	10
*raineri. Dark blue, July, 6"	.20	.18
*raineri alba. White, July, 6"	.25	.20
*rhomboidalis. Blue. July, 1'	.20	.18

Campanula	each	each
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12"	.20	.18
*sarmatica. Pale blue, summer, 12"	.30	.25
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.20	.18
*turbinata alba. White, June, July, 6"	.20	.18
*trachelium. Blue, July, 2-3'	.18	.15
*Carex morrowi. White-edged foliage, 1'	.35	
Cassia marilandica. Yellow, July, 3-4'	.18	.15
Catananche caerulea. Blue, June, July, 18".	.20	.18
Caulophyllum thalictroides	.18	.15
Centaurea babylonica. Yellow, July, 5'	.18	.15
*dealbata. Red, July, 1½'	.18	.15
macrocephala. Yellow, July, 3-4'	.18	.15
*montana. Blue, June, July, 2'	.18	.15
ruthenica. Straw color, July, 4'	.18	
Centranthus angustifolius. Rose, summer,		
18"	.25	
ruber. Red, summer, 3'	.18	.15
ruber albus. White, all summer, 3'	.18	.15
Cephalaria alpina. Yellow, July, 5'	.18	.15
tatarica. Cream, summer, 6'	.18	.15
*Cerastium arvense compactum.		
White, July, 8"	.18	.15
*biebersteini. White, June, 6"	.20	.18
*tomentosum. White, June, 6"	.20	.18
*Ceratostigma plumbaginoides. Blue, fall, 6"	.25	.20
*Chieranthus allioni. Orange, July, 1'	.18	.15
*Golden Bedder. June, 1'	.25	
Chelone glabra. White, rose tinged, July, 2'	.20	.18
lyoni. Deep rose, August, 2'	.20	.18
Chrysanthemum anemone—flowered	.18	.15
Snow Queen—White.		
*arcticum. White, fall, 2'	.18	.15
*arcticum Astrid. Pink, fall, 18"	.25	.20
balsamita. Yellow, Aug., Sept., 2'	.25	.20
coreanum. Blush, fall, 3'	.20	.18
Cushion varieties. Fall, 1'	.20	.18
(white, yellow, pink, red, bronze)		
*erubescens. Pink, Aug., Sept., 18"	.25	

1/4	HENRY KOMANKIE & SON	
Ch	ysanthemum 5-24 25 up each each	
	hardy button varieties18 .15 Baby Marguerite—pink.	
	Bronze Button—bronze.	
	Irene—blush white. Lillian Doty—pink.	
	Mitzi—yellow.	
	Mrs. H. Harrison—pink.	
	Niza—delicate pink.	
	Ouray—rich bronze.	
	Pygmy Gold—golden yellow.	
	White Doty—white.	
	White Gull—White.	
	hardy large flowering, double, fall, 4'18 .15 Algonquin—yellow.	
	Angelo—pink.	
	Barbara Cumming—yellow, bronze shading.	
	Boston—orange.	
	Brune Poitevine—deep velvety reddish bronze.	
	Caliph—oxblood red.	
	Canariense—yellow.	
	Comoleta—yellow. Golden Queen—yellow.	
	Harvest Home—yellow.	
	Indian—coppery red.	
	L'Argentuillais—deep chestnut.	
	Lavender Lady—clear lavender.	
	Marie Antoinette—deep pink.	
	Mrs. F. H. Bergen—pale pink.	
	Mrs. H. Craig—yellow, overlaid orange crim- son.	
	Murillo—pink.	
	Oconto—white.	
	Ohio Gold—yellow.	
	Old Homestead—pink.	
	Pacific Supreme—pink.	
	R. Marion Hatton—canary yellow.	
	Snowclad—white. Vesuve—red.	
	Aladdin. Coppery bronze, Aug., 2'20 .18	
	Dazzler. Cardinal red, fall, 2'	
	Daybreak. Shell pink, fall, 2'	
	Eden. Bright rose, fall, 2'	
	Emma Marie. Lemon yellow, fall, 2' .18 .15	

Chrysanthemum	5-24 each	25 up each
Glory of Seven Oaks, Yellow,		
Sept., 2'	.20	.18
Granny Scovill, Coral bronze, fall,	.20	.10
2'	.20	.18
Jean Cumming. White, fall, 2'	.20	.18
Judith Anderson. Yellow, fall, 18"	.25	.20
Mrs. Willis J. Martin, Strawberry,	.20	.20
fall, 2'	.20	.18
Pale Moon. Yellow, fall, 2'	.25	.20
Peggy Ann Hoover. Lilac pink, fall,	0	0
2'	.20	.18
Tassiva. White, Sept. 18"	.20	.18
White Spoon. White, Oct., 18"	.25	.20
Yellow Normandie. Yellow, early		
fall, 2'	.20	.18
Yellow Spoon. Yellow, Oct., 18"	.25	.20
hardy large flowering. Single, fall, 4'	.20	.18
California—yellow.	.20	.10
Excelsior—golden yellow.		
Gypsy Girl—crimson, shading chest	nut.	
Lady Smith—bright pink.		
Mrs. Calvin Coolidge—cardinal red		
Mrs. W. E. Buckingham—salmon pi		
Korean hybrids. Oct. 2-2½'		.18
Aphrodite—pale pink.	.20	.10
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Clara Curtis—salmon pink.		
Daphne—daphne pink.		
Diana—rose pink, blended lilac ros	e.	
Indian Summer—double orange.		
Kristina—deep rose pink.		
Mars—amaranth red.		
Mercury—bronze red.		
Nancy Copeland—spectrum red.		
Profusion—rich, coppery old gold.		
Saladin-oriental red, shading to co	ral.	
Sappho—pure yellow.		
Saturn—orange and bronze.		
Siegfried—rich yellow.		
The Moor-port wine red.		
Viking—burnt orange.		

<b>6</b> 1	5-24 each	25 up each
Chrysanthemum maximum. White, all summer, 2'	.18	.15
maximum Alaska. White, July, Aug., 2'	.18	.15
maximum Chiffon. Dbl. White, summer,	.10	.13
18"	.30	
maximum Esther Reed. Dbl. white, sum-	.00	
mer, 18"	.45	
maximum Giant Single. White, summer,		
30"	.25	.20
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.20	.18
maximum White Swan. Dbl. White,		
summer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.25	.20
Cimicifuga racemosa. White, July, 5'	.18	.15
Clematis davidiana. Blue, Aug., 3'	.20	.18
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.25	.20
recta. White, July, 3'	.25	.20
recta mandschurica. White, July, 4'	.25	.20
Codonopsis clematidea. White, June, 3'	.25	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.35	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.40	
*Convallaria majalis. Clumps, white, May, $6"$	.25	.20
Coptis trifolia. White, summer, 6"	.20	.18
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.18	.15
lanceolata. Yellow, summer, 2'	.18	.15
*rosea. Rose, Aug., Sept., 1'	.18	.15
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yèllow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.18	.15
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.20	
*Cynanchum acuminatifolium.		
White, summer, 18"	.20	.18

	5-24	25 up
Cypripedium acaule. Rose-purple, May,	each	each
June, 1'	.45	
parviflorum. Yellow, May, June, 1'	.45	
spectabile. Rose, June, 2'	.45	
Delphinium belladonna.		
Sky blue, all summer, 4'	.20	.18
bellamosum. Dark blue, all summer, 4'	.20	.18
*chinense. Blue, July, 2'	.25	.20
*chinense album. White, July, 2'	.25	.20
elatum. Blue, July, 4'	.20	.18
formosum. Indigo, July, 4'	.25	.20
formosum coelestinum.		
Light blue, July, 3'	.20	.18
grandiflorum. Shades of blue, July, 3'	.20	.18
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue, July, 4'	.18	.15
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.30	.25
Pacific Hybrids. Various, summer, 4'	.40	
sibirica hybrids. Shades of blue, July, 3'	.18	.15
Dennstedtia punctilobula. Hay-scented Fern	.18	.15
Dianthus allwoodi. Pink, July, 1'	.20	.18
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.18	.15
*arvernensis. Pink, June, 4"	.20	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.18	.15
barbatus alba. White, June, July, 1'	.18	.15
barbatus atrococcineus. Crimson, June,		
1'	.18	.15
*barbatus Dwarf Giants. Various, June,		
8"	.20	.18
barbatus fl. pl. (Double Sweet William).	,	
mixed colors, June, July, 1'	.18	.15
barbatus Giant White. June, 1'	.18	.15
barbatus nigricans.		
Dark velvety red, June, 1'	.18	.15
barbatus Pink Beauty. Pink, June, 1'	.18	.15
barbatus Salamoni. Salmon, June, 1'	.18	.15
barbatus Sutton's Scarlet.		
Crimson, June, 1'	.18	.15

Dianthus	5-24	25 up each
*caesius. Rose pink, June, July, 9"	each	.15
*chinensis heddewigi.		
Mixed, June, July, 8"	.18	.15
*deltoides. Pink, June, 9"	.18	.15
*deltoides albus. White, June, 9"	.18	.15
*deltoides Brilliant. Red, June, 9"		.15
giganteus. Red, July, 2'	.20	.18
*grisebachi. Purple, June, 1'	.25	.20
hardy pinks.		
Single, mixed, all summer, 9"	.18	.15
knappi. Yellow, summer, 1'	.20	.18
*latifolius atrococcineus.		
Crimson, summer, 1'	.18	.15
*neglectus. Pink, May, June, 4"	.30	
*plumarius. Mixed, summer, 8"	.18	.15
*plumarius fl. pl. Mixed, summer, 8"	.18	.15
*plumarius semperflorens.		
Pink, June, 9"	.18	.15
*Abbotsford. Crimson, all summer, 9"	.25	.20
*Beatrix. Salmon pink, June, 18"	25	
*Bristol Jewel. White&crimson, June 18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.20	.18
*Elizabeth Peters. Pink, June, July, 9"	.25	
*Furst Bismark. Rose, summer, 1'	.25	.20
*Gladys Cranfield. Pink, summer, 1'	.25	
*Grenadin. Mixed, summer, 1'	.25	.20
*Grenadin. Red, summer, 1'	.25	.20
*Hardy Harvard. Red, summer, 1'	.35	
*Homer. Rosy red, June, July, 9"	.25	.20
*Her Majesty. Dbl. white, June, July, 9"	.25	.20
*Little Joe. Crimson, summer, 6"	.35	
*Pheasant's Eye. Pink, white eye, June, 1'	.20	.18
*Rose Cushion. Pink, June, 3"	.25	
*Silver Mine. White, summer, 1'	.35	
*Souv. de Sales. Dbl. pink, June, 9"	.20	.18
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June, July, 9"	.20	.18
*seguieri. Carmine, summer, 1'	.20	
*speciosa. Pink, July, 10"	.18	.15
*subacaulis. Purple, June, July, 4"	.30	.25
*Dicentra eximea. Rose, all summer, 1'	.30	.25
spectabilis. Rose, May, June, 2'	.35	.30

Dictamnus albus. White, June, 2'	-24 each .30	each .25
albus ruber. Red, June, 2'	.30	.25
caucasicus. Red, June, 3'	.30	.25
Digitalis ambigua. Yellow, June, July, 3'	.20	.18
gloxinaeflora. Mixed, June, July, 3'	.18	.15
Isabellina. Yellow, June, July, 3'	.18	.15
lanata. Creamy yellow, July, 3'	.20	.18
lutea. Yellow, June, July, 18"	.20	.18
purpurea. Mixed, June, July, 3'	.18	.15
purpurea maculata. Spotted, June, July,		
18" :	.18	.15
purpurea monstrosa. Various, June,		
July, 3'	.18	.15
purpurea, rose. June, July, 3'	.18	.15
purpurea, white. June, July, 3'	.18	.15
Shirley Hybrids, Mixed. June, July, 3'	.18	.15
*Dodecatheon meadia. Rose, May, 1'	.20	.18
*latilobum. White, May, June, 1'	.18	.15
Doronicum caucasicum. Yellow, April, May,		*
18"	.30	.25
clusi. Yellow, May, 12"	.30	
plantagineum excelsum. Yellow, April,		
May, 3'	.30	.25
<b>Dorycnium hirsutum.</b> Pink, summer, 2'	.30	.25
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, April, May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.25	.20
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.25	.20
Ruyschianum japonicum. Blue, summer,		
2'	.25	.20
Dryopteris spinulosum. Wood Fern	.18	.15
thelypteris. Shield Fern	.18	.15
Echinacea purpurea. Purple, July, Aug., 3'	.18	.15
Echinops humilis. Blue, July, 2'	.20	.18
ritro. Deep steel blue, July, 3'	.18	.15
sphaerocephalus. Pale blue, July, 5'	.18	.15
*Edraianthus dinaricus. Lilac, July, 3"	.25	

Elymus glaucus. Blue Lime Grass, 3'	5-24 each .20	25 up each .18
*Epigaea repens. Pink ,April, May, 4"	.45	
Epilobium angustifolium. Rose, Aug., 4'	.20	.18
*Epimedium niveum. White, May, June 1'	.30	
macranthum lilacina. Lilac, May, June,		
· 1'	.40	.35
sulphureum. Yellow, May, 1'	.35	.30
Eremurus himalaicus. White, June, 6'	1.50	
Erianthus ravennae. Plume Grass, 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.18	.15
*glabratus roseus. Pink. June, 1'	.20	.18
macranthus. Violet, June, 2'	.20	.18
*speciosus. Rich purple, June, July, 2'	.18	.15
*Erinus alpinus albus. White, May, 4"	.25	.20
*alpinus roseus. Rosy purple, May, 4"	.25	.20
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.25	.20
amethystinum. Blue, summer, 18"	.25	.20
bourgati. Blue, summer, 18"	.25	
*planum. Blue, July, Aug., 3'	.18	.15
*Erysimum kotschyanum. Orange, May,		
June, 5"	.20	.18
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.20	.18
Eulalia gracillima. Japan Rush, 4-6'	.18	.15
japonica variegata. 4-6'	.25	.20
zebrina. Zebra Grass, 4-6'	.25	.20
Eupatorium ageratoides. White, Aug., 3'	.18	.15
*coelestinum. Blue, Sept., Oct., 18"	.20	.13
purpureum. Purple, Aug., Sept., 5'	.18	.15
Euphorbia corollata. White, July, Aug., 2'	.18	.15
*cyparissias. Yellow, May, 10"	.18	.15
*epithymoides. Yellow, May, June, 1'	.25	
*myrsinites. Yellow, May, June, 6"	.25	.20
Festuca glauca. Fescue Grass, June, 10"	.18	.15
Foeniculum atrosanguineum, summer, 6'	.20	.18
*Fragaria indica. White, May, 6"	.18	.15
*Fuchsia magellanica. Red, summer, 3'	.30	
Funkia. (See Hosta).		

	5-24 <b>e</b> ach	25 up each
Gaillardia grandiflora. Yellow and Crimson,	eden	eden
all summer, 2'	.18	.15
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.25	.20
Mr. Sherbrook. Yellow, summer, 2'	.25	
*Galax aphylla. White, June, 10"	.25	.20
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July,	.20	.18
3'	.20	.18
Galium boreale. White, July, 1½'	.20	.18
*purpureum. Dark brown, Aug., 1'	.20	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
andrewsi. Blue, August, 2'	.20	.18
alba. White, Aug., 2'	.20	.18
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.20	
*grevilleanum. Mauve, June, July, 6"	.20	.18
*ibericum. Purple, May, June, 2'	.20	.18
*lancastriense. Mauve, May, June, 1'	.20	.18
*maculatum. Pink, May, June, 1'	.20	.18
*pratense album. White, July, Aug., 2'	.20	.18
*sanguineum. Red, June, July, 2'	.20	.18
*Geum atrosanguineum. Dark red, summer,		
1½'	.20	.18
*Lady Strathedon. Orange, summer, 15"	.20	.18
*montana. Yellow, July, 1'	.18	.15
*Mrs. Bradshaw. Double red, summer, 1'	.20	.18
*Orange Queen. Orange, summer, 15"	.25	.20
*sibericum. Scarlet, June, July ,1'	.25	
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.20	.18
*Globularia cordifolia. Pale blue, June, 4"	.25	.20
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.20	.18

Gypsophila acutifolia. Pink, July, 2-3'	5-24 each .18	25 up each .15
*cerastoides. White, summer, 4"	.25	.20
paniculata. White, July, Aug., 2-3'	.18	.15
	.10	.13
paniculata Bristol Fairy. Dbl. white, summer, 3'	.40	.35
paniculata fl. pl. Dbl. white, July, Aug.,		
3'	.35	.30
*repens. Bluish white, all summer, 6"	.18	.15
*repens bodgeri. Dbl. white, summer, 2'	.30	.25
*repens rosea. Pink, summer, 6"	.25	.20
Rosy Veil. Pink, summer, 2'	.40	.35
Helenium autumnale. Yellow, Aug., Sept., 5'	.20	.18
autumnale superbum. Yellow, Sept., 5'	.20	.18
bigelovi. Yellow, Sept., 4'	.25	.20
Chippersfield Orange. Copper and gold,		
Aug., 4'	.45	
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July ,3'	.20	.18
*pumilum. Yellow, Aug., 15"	.25	.20
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.20	.18
*Helianthemum citrinum. Yellow, summer, 6"	.20	.18
*croceum. Saffron, June, July, 9"	.20	.18
*cupreum. Copper, June, July, 6"	.20	.18
*Fire Ball. Red, July, Aug., 12"	.20	.18
*mutabile. Flesh, May, June, 12"	.20	.18
*perfoliatum roseum. Salmon, summer,		
6"	.20	.18
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.18	.15
maximiliana. Yellow, Sept., 6'	.18	.15
Miss Mellish. Yellow, Aug., Sept., 6'	.18	.15
mollis grandiflorus. Yellow, Aug., Sept.,		
4'	.18	.15
*multiflorus fl. pl. Yellow, summer, 4'	.25	.20
orgyalis. Bright yellow, Sept., 6-8'	.20	.18
rigidus. Yellow, Aug., 3'	.18	.15
Wolly Dod. Deep yellow, Sept., 7'	.18	.15
Heliopsis excelsa. Dbl. yellow, Aug., 3'	.20	.18
incomparabilis. Gold, summer, 30"	.30	.25
pitcheriana. Orange, July, Aug., 3'	.18	.15

*Helleborus niger. White, Feb., Mar., 1'	5-24 each .65	25 up each
*orientalis. Various, March, 12"	.50	
*Helxine soleiroli. Creeping herb, 1"	.20	.18
Hemerocallis Apricot. Apricot color, June, 2'	.20	.18
aurantiaca. Orange, June, July, 2½'	.20	.18
Dr. Regal. Orange yellow, May, 18"	.18	.15
dumortieri. Orange, June, 2'	.18	.15
flava. Lemon yellow, June, 3'	.18	.15
florham. Golden yellow, June, 3'	.25	.20
fulva. Bronze, Aug., 3'	.18	.15
Gold Dust. Indian yellow, June, 21/2'	.18	.15
gracilis. Yellow, June, 2'	.20	.18
Hyperion. Lemon, July, 4'	.60	
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso. Reddish orange, June, 2½'	.20	
luteola. Orange, June, 2'	.18	.15
May Queen. Orange, May, 4'	.25	
middendorffi. Orange, June, 3'	.18	.15
minor. Yellow, June, 2'	.18	.15
Orange Man. Deep orange, June, 2'	.18	.15
Sovereign. Rich orange, June, 11/2'	.18	.15
thunbergi. Lemon yellow, June, 2-3'	.18	.15
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, Aug.		
Gypsy. Deep orange, July.		
Harvest Moon. Orange, July.		
Lemona. Pale lemon yellow, Aug.		
Mrs. W. H. Wyman. Pale lemon, Au	_	
The Gem. Deep orange, June, July.	•	
*Hepatica triloba. Light blue, March, April, 4"	.18	.15
*Herniaria glabra. Green, summer, 4"	.18	
*Hesperis matronalis. Purple, June, July, 3'	.18	.15
*matronalis alba. White, June, July, 3'	.20	.18
Heuchera americana. Greenish white, 3'	.25	.20
*brizoides. Pink, June, July, 2'	.20	.18
*Fire King. Red, May, June, 15"	.35	
*Grenadier. Red, summer, 15"	.35	
*Pleu de Feu. Red, May, June, 2'	.25	.20
*Red Pimpernell. June 1'	.25	
*rosamundi. Coral, summer, 18"	.25	.20
*sanguinea. Coral red, June, 1'	.20	.18
*sanguinea alba. White, June, 1'	.30	.25

	5-24 each	25 up each
Heuchera		
*sanguinea hybrids. Various, summer, 18"	.20	.18
*villosa. White, summer, 12"	.25	.20
Hibiscus Mallow Marvels. Mixed, July, Au	g.	
5'	.18	.15
Mallow Marvels. Separate colors, Aug.,		
5′	.25	.20
Mallow Marvels. Giant Red, Aug., 5'	.20	.18
moscheutos. Rose, June, July, 5'	.18	.15
moscheutos crimson eye. White, red		
eye, Aug., 5'	.18	.15
*Hieracium aurantiacum. Orange, summer, 6"	.18	.15
*alpinum. Yellow, May, June, 9"	.20	.18
Hosta caerulea. Blue, July, 1½'	.18	.15
fortunei. Pale lilac, July, 2'	.18	.15
lancifolia. Blue, July, 2'	.20	.18
sieboldiana. Silvery foliage	.25	.20
sub-cordata grandiflora. White, Aug.,		
18"	.40	.35
undulata variegata. White foliage, 2'	.20	.18
*Houstonia purpurea. Purple, May, June, 1'	.20	
sérpyllifolia. Blue, April, 2"	.25	.20
Hyacinthus candicans. White, Aug., 3'	.20	.18
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.20	.18
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).		
*polyphyllum. Yellow, summer, 8"	.20	.18
*repens. Yellow, July, 4"	.30	.25
*rhodopaeum. Yellow, July, 4"	.25	20
*Hyssopus officinalis. Purple, Aug. 18"	.18	.15
*Iberis gibraltarica. Delicate lilac, May, 11/2'	.18	.15
*jordani. Rose, May, June, 6"	.30	.25
*saxatilis. White, summer, 8"	.20	.18
*sempervirens. White, May, June, 8"	.20	.18
*sempervirens Climax. White, May, 6"	.20	.18
*sempervirens Little Gem. White, April,		
6"	.25	.20
*sempervirens Snowflake. White, May, 9"	.30	.25
*tenoreana. Purplish white, June, 6"	.30	.25

*Incarvillea delavayi. Rosy purple, June,	each 5-24	each 25 up
July, 2'	.30	.25
*Inula ensifolia. Yellow, July, Aug., 8"	.20	.18
royleana. Yellow, July, Aug., 18"	.20	
*Iris cristata. Light blue, May, June, 6"	.20	.18
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, 6"	.25	.20
-fall blooming. Spring and fall, 1½-2'	.25	.20
Autumn King—Blue-purple		
Autumn Queen—snow white Olive White—cream		
Ultra — ultramarine-blue		
germanica. May, June 1½-2'		
Afterglow. Soft lavender shading		
yellow	.18	.15
Ambassadeur. Bronze, purple ma-	4.0	
roon falls	.18	.15
Aphrodite. Lilac pink	.18	.15
Archiveque. Purple Asia. Smoky blue	.15	15
Asia. Smoky blue	.18 .18	.15 .15
Bruno. Bronze, red purple falls	.18	.15
Cecil Minturn. Pink	.18	.15
Chasseur. Yellow, red veining	.20	.18
Cinnabar. Violet, maroon falls	.20	.18
Cluny. Lilac blue	.18	.15
Coppersmith. Coppery red	.18	.15
Darius. Yellow, lilac and white falls	.18	.15
Dorothea. Pearl gray	.18	.15
Dream. Light pink	.18	
Fairy. White, bordered blue	.18	.15
Flavescens. Yellow	.18	.15
Florentina. Pale blue	.18	.15
Florentina alba. White	.18	.15
Germaine Perthius. Violet purple	.20	.18
Gold Imperial. Golden yellow	.18	.15
Her Majesty. Lilac pink	.18	.15
Isolene. Lilac pink, old rose falls	.18	.15
Jubilee. Cream, dotted brown	.18	.15

	5-24 each	25 up each
Iris germanica.		
King of Iris. Yellow, brown falls.	.18	.15
King Edward. Red violet	.18	.15
Kochi. Rich deep claret purple	.18	.15
Labor. Electric blue	.18	
Leonidas. Lavender, mauve falls. Lent A. Williamson. Violet, rich	.20	.18
purple falls with yellow beard	.18	.15
Lohengrin. Lilac rose	.18	.15
Lord of June. Lavender blue, violet		
falls	.18	.15
Loreley. Light yellow, blue falls.	.18	.15
Mad. Henri Cayeau. Dark purple	.18	.15
Magnifica. Violet and reddish violet	.18	
Mary Barnet. Lavender blue	.18	.15
Midnight. Dark blue	.18	.15
Mme. Chobaut. Buff and wine, dot-		
ted	.18	
Moonlight. Silvery white	.18	.15
Monsignor. Violet purple, crimson		
falls	.18	.15
Mt. Royal. Pansy purple	.18	
Nuee d'Orage. Slate gray with		
bronze and purple falls	.18	.15
Opera. Violet red, purple falls	.25	.20
Pallida Dalmatica. Lavender	.25	.20
Pallida speciosa. Light blue	.18	.15
Pluie d'Or. Yellow	.18	
Pocahontas. White, edged blue	.20	.18
Prairie Gold. Yellow	.18	.15
Princess Victoria Louise. Sulphur	1.0	1 =
yellow, rich violet falls <b>Prospero.</b> Lavender and purple	.18	.15
	.18	.15
Queen Caterina. Lavender violet,	4.0	
orange beard	.18	.15
Rhea. Violet	.18	.15
Rhein Nixe. White, violet falls	.18	.15
Robt. W. Wallace. Violet purple	.18	.15
Shekinah. Pale yellow, shading to	0.0	4 -
buff	.20	.18
Sherwin-Wright. Golden yellow	.18	.15
Snow White. White	.18	

	5-24 each	25 up each
*Iris germanica	cacii	Cacii
Souv. de Mad. Gaudichau. Deep vel-		
vety purple	.18	.15
Taj Mahal. White		.15
Tamerlan. Light blue, darker falls		.15
Thais. Soft rosy mauve		.15
True Delight. Pure pink	.20	
Victorine. White, mottled blue	.18	.15
Wedgewood. Blue	.18	.15
intermedia hybrids. May, 18"	.18	.15
Gerda. Creamy yellow, darker falls		
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
<b>Walhalla.</b> Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'		.20
Awaji. Large white overlaid lavend		
Bandai-San. White standards and	falls,	bor-
dered lavender.		
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		1 11
Flarence Americal wounds	inea v	wnite.
Florence, Amaranth purple. Fukushima. Reddish purple, veined	white	
Gold Bound. White, yellow shading		•
Iso-no-namie. Double soft blue.	,5.	
<b>Kagaribi.</b> Double pink lavender.		
Kumonoobi. Clear purple, white halo	٦.	
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet p	ourple	
Purple & Gold. Violet purple, golde	n thr	oat.
Pyramid. Double violet purple, vein	ed wh	ite.
Seacrest. Foam white.		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety		
Uchiu. Crimson purple, white vein		
Warei-hotei. Lavender blue, light bl		
prismatica. Violet, May, June, 2'		.15
pseudacorus. Yellow, June, 3'	.18	.15

	5-24 each	25 up each
Iris		
*pumila alba. Dwarf, white, April, 9"	.18	.15
*pumila coerulea. Dwarf, blue, April, 9"	.18	.15
*pumila californica. Yellow, April, 9"	.20	.18
*pumila Curiosa. Yellow, April, May, 9"	.25	.20
*pumila Fairy. Pale blue, April, 6"	.20	.18
*pumila Louise. Dark blue, April, 6"	.20	.18
*pumila lutea. Pale yellow, April, 6"	.18	.15
*pumila Midget. Purplish red, April, 6"	.25	
*pumila Schneecuppe. White, April, 6"	.18	.15
*pumila Sambo. Violet, April 9"	.18	.15
siberica. Purplish blue, June, 3'	.18	.15
sibirica alba. White, June, 3'	.18	.15
sibirica Emperor. Clear blue, May, 2'	.20	.18
sibirica Snow Queen. White, May, 2'	.18	.15
spuria Dorothy Foster. Violet standards		
lighter falls, June, 2'	.50	.40
*Stewart. Dwarf, yellow, April, 9"	.20	.18
*tectorum. Blue, June, 1'	.25	.20
*tectorum alba. White, June, 10"	.30	
*verna. Blue, May, June, 6"	.20	.18
versicolor. Blue, June, 2'	.18	.15
Isatis tinctoria. Yellow, May, June, 6'	.18	.15
*Jasione humilis. Blue, July, Aug., 6"	.20	.18
*perennis. Blue, June, July, 6"	.20	.18
*Jeffersonia diphylla. White, May, 8"	.20	.18
*Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.25	.20
Towers of Gold. Yellow, Aug., Sept., 30"	.25	
*Lactuca perennis. Blue, June, 15"	.20	.18
Lathyrus latifolius. Pink to Red, July, 6'	.20	.18
*Lavandula officinalis. (Sweet Lavender).		
July, 2'	.18	.15
officinalis alba. White, July, 2'	.25	.20
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.25	.20
*Lewisia rediviva. Pink, June, July, 3"	.40	.35
Liatris pycnostachya. Purple, Aug., Sept., 4'	.18	.15
spicata. Purple, Aug., 3'	.18	.15
Ligularia clivorum. Yellow, Aug. ,Sept., 3'	.18	.15
Lilium batemanniae. Salmon red, July, 3'	.45	
canadense. Yellow to red, June, July, 3'	.20	.18
candidum. White, June, 3'	.50	.40
carolinianum. Orange, July, Aug., 3'	.50	

Lilium	5-24 each	25 up each
concolor. Scarlet, July, 1'	.35	.30
elegans. Shades yellow and red, July, 2'	.50	
elegans Alice Wilson. Lemon, June,		
July, 2'	.50	
elegans atrosanguineum. Dark crimson,		
June, July, 1'	.50	
elegans Orange Queen. Orange, June,		
July, 18"	.50	
hansoni. Orange, June, July, 4'	1.00	
henryi. Yellow, July, 2'	.45	
longiflorum giganteum. Waxy white, 2'	.60	
pardalinum. Scarlet and yellow, 2'	.25	.20
phillippinense formosanum. White,		
June, July, 2'	.45	
philadelphicum. Orange red, June, July,		
3'	.25	.20
regale. White, July, 4'	.30	.25
superbum. Orange, July, Aug., 5'	.20	.18
*tenuifolium. Scarlet, June, 18"	.25	.20
testaceum. Apricot, June, July, 5'	2.50	
tigrinum. Orange, spotted, Aug., 4'	.25	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.30	
umbellatum. Scarlet red, July, 2'	.30	.25
willmottiae. Orange, July, 4'	1.00	
*Limonium auriculaefolium. Blue, June,		
July, 6"	.20	.18
eximium. Lilac rose, Aug., 2'	.20	.18
*gmelini. Purplish blue, Aug., 18"	.20	.13
*latifolium. Blue, July, Aug., 2'	.18	.15
*Linaria aequitriloba. Pale mauve, June, 1"	.20	.18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6"	.20	
*cymbalaria. Lavender, summer, 4"	.18	.15
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3	.25	.20
*Linum austriacum. Blue, summer, 3'	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July, 1'	.18	.15
hirsutum. Lilac, summer, 2'	.18	
*narbonnense. Blue, June, July, 2'	.20	.18
*perenne. Blue, June, July, 1½'	.18	.15
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	
I IIII, Dalling, I		

*Lithospermum purpureo-caeruleum. Blue	5-24 each	25 up each
May, 10"	.35	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'siphilitica. Blue, Sept., 3'	.20 .15	.18
Lupinus polyphyllus. Blue, June, July, 3' polyphyllus albus. White, June, July, 3' polyphyllus roseus. Pink, June, July, 3'	.20 .20 .20	.18 .18
*Lychnis alpina. Rose color, June, 1' arkwrighti. Scarlet, summer, 15" chalcedonica. Scarlet, July, 3' coronaria. Crimson, July, 2' coronaria alba. White, July, 2' flos jovis. Pink, June, 18" *haageana. Scarlet, June, July, 1' *viscaria splendens fl. pl. Red, June, 1'	.18 .20 .18 .18 .18 .18 .18	.15 .18 .15 .15 .15 .15 .15
Lysimachia clethroides. White, July, Aug., 3' *nummularia. Yellow, June, July, 6" *nummularia aurea. Yellow leaves, 3" punctata. Yellow, June, 3' vulgaris. Yellow, July, Aug., 3'	.20 .18 .25 .25	.18 * .15 .20 .20
Lythrum alatum. Magenta, July, Aug., 3' salicaria roseum. Rose, July, 4' virgatum. Deep rose, July, Aug., 1½'	.18 .18 .20	.15 .15
Malva alcea. Rosy purple, July, Aug., 3' moschata. Rose, July, Aug., 2' moschata alba. White, July, Aug., 2'	.18 .18	.15 .15
Marrubium vulgare. White, summer, 3'  Matricaria Golden Ball. Yellow, summer, 1'  *parthenoides. White, May, 1'  Silver Ball. Dbl. white, summer, 1'	.25 .18 .18 .20	.15 .15
*Mazus reptans. Lilac, April, 4"  Melissa officinalis. White, Aug., 2"  Mentha anisatus. Anis-flavored. 15"  crispa. Curly mint. 12"	.25 .18 .25 .25	.20 .15
piperita. Peppermint. Purple, 2' *requieni. Mauve, July, Aug., 2" rotundifolia. Apple mint. 30"	.18 .20 .25	.15 .18
*Mertensia virginica. Purplish blue, March, April, 2'  *Micromeria rupestris. White, fall, 10" Mimulus luteus. Yellow summer 1'	.18 .20	.15 .18

	5-24 each	25 up each
Mitchella repens. White shaded pink, Mar.,	Cucii	cacii
4"	.25	.20
Monarda didyma. Red, July, Aug., 3'	.18	.15
didyma alba. White, summer, 3'	.20	.18
didyma Cambridge. Scarlet, July, Aug.,		
3′	.20	.18
didyma Salmonea. Salmon, July, Aug., 3'	.20	.18
didyma Sunset. Mahogany, July, Aug., 3'	.20	.18
didyma splendens. Scarlet, July, Aug., 3'	.18	.15
didyma violacea. Violet, July, Aug., 3'	.18	.15
fistulosa. Lilac, July, 3'	.18	.15
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.18	.15
*alpestris alba. White, May, June, 8"	.18	.15
*alpestris pink. May, June, 8"	.18	.15
*palustris. Blue, all summer, 6"	.18	.15
*palustris Pink Beauty. All summer, 6"	.20	.18
*Nepeta hederacea. Blue, May, 2"	.18	.15
macrantha. Lavender, summer, 2'	.20	.18
*mussini. Blue, June, July, 1'	.20	.18
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, sum-	0.5	
mer, 1'	.25	.20
*Nierembergia rivularis. Creamy white, sum		
mer, 4"	.20	.18
Oenothera fraseri. Yellow, summer, 1'	.18	.15
fruticosa major. Yellow, summer, 2'	.18	.15
fruticosa youngi. Lemon, June, July, 2'	.20	.18
lamarckiana. Yellow, July, Aug., 4'	.18	.15
missouriensis. Yellow, July, Aug., 6"	.25	.20
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 1½'	.20	.18
*taraxacifolia. Pink, summer, 6"	.30	
Onoclea sensibilis. Sensitive Fern	.18	.15
struthiopteris. Ostrich Fern	.18	.15
Onopordon bracteatum. Pink, July, 5'	.25	.20
*Opuntia fragilis. Yellow, June, 4"	.30	.25
*humifusa. Yellow, June, 10"	.30	.25
megacantha. Yellow, June, 3'	.30	.25
Origanum vulgare. Pink, summer, 2'	.25	
*Orobus vernus. Rose purple, May, 1'	.35	

*Osmunda cinnamonea. Cinnamon Fern	5-24 each .25	25 up each .20
regalis. Royal Fern	.25	.20
Pachysandra terminalis. White, May, 3"		
2 year from pots	.18	.15
Paeonia officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.50	
August Dessert. Velvety rose	.50	
Beauty of France. Pale rose	50	.40
Claire Dubois. Satiny pink	.60	
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.50	.40
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.35	.30
Felix Crousse. Brilliant red	.45	.40
Festiva maxima. Finest early white	.45	.40
Karl Rosenfield. Early red	.50	
Lady Alexandra Duff. Pale pink	.75	
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	
Marie Lemoine. Creamy white	.60	.50
Marquise of Lansdowne. Large, pink	.60	
Mons. Martin Cahuzac. Dark pur-		
ple garnet	1.00	
Mons. Jules Elie. Pink with dark-		
er guard petals	.60	.50
Mrs. Van Leeuwen. Light crimson	.50	
Roem von Boskoop. Deep rose	.35	.30
Solange. White petals, golden		
brown center	.75	
Souv. de Louis Bigot. Bengal rose	.75	
Therese. Violet rose	.75	
Triumph de Paris. Light pink, ye	1-	
low center	.40	.35
Virginie. Lilac rose	.45	.40
Walter Faxon. Pure pink	.75	
Wm. Mesman. White	.40	.35
single Japanese. Named varieties	1.00	
Alba Grandiflora. White		
Cleopatra. Red		
Eva. Bright lilac-crimson.		•
Jacqueline. Pure white.		

	5-24	25 up
Paeonia single Japanese	each	each
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to w	hite	
Shi-pen-kue. Nearest to blue in Ped		
suffruticosa. Tree Peony. (See Page 95)	mico.	
*Papaver alpinum. Various, summer, 6"	.20	.18
*nudicaule. All colors, summer, 8"	.18	.15
*orientale bracteatum. Red, June, 2'	.20	.18
orientale. Orange scarlet, June, 2'	.20	.18
Beauty of Livermore. Crimson, Jur	1e	
3′	.25	
Enfield Beauty. Salmon, June, 2'	.25	
Fairy. Pale pink, June, 2'	.30	.25
Lulu A. Neeley. Ox-blood red, June	≥,,	
<b>3'</b>	.35	
May Sadler. Salmon, June, 2'	.35	
Mrs. Perry. Salmon pink, June, 3'	.30	.25
Olympia. Scarlet, June, 3'	.25	.20
Perry's White. White, June, 3'	.25	
Princess Victoria Louise. Salmon,		
June, 2'	.25	.20
Wurtembergia. Rose-red, June, 2'	.30	.25
pilosum. Brick red, June, 3'	.25	.20
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.25	.20
*Pennisetum japonicum. Fountain Grass	.20	.18
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.20	.18
barbatus. Scarlet, July, 3'	.18	.15
barbatus coccineus. Scarlet, July, Aug.,4'	.20	.18
barbatus Pink Beauty. Pink, summer, 2'	.30	.25
digitalis. White, Aug., 3'	.20	.18
Garnet. Red, summer, 18"	.30	.25
glaber. Blue, summer, 2'	.25	
grandiflora. Blue, summer, 3'	.35	
hirsutus. Rosy purple, July, Aug., 2'	.20	.18
ovatus. Blue, July, Aug., 3'	.20	.18
*procerus. Blue, July, 1'	.20	
*pygmaeus. Purplish blue, summer, 6"	.25	.20
unilateralis. Blue, June, 2'	.20	.18
Phalaris arundinacea variegata. Ribbon Grass	.18	.15

*Phlox amoena. Pink, May, 4"	5-24 each .18	25 up each .15
*arendsi Louise. Lilac, all summer, 1'	.30	
*divaricata. Lavender, May, June, 1'	.18	.15
*divaricata laphami. Violet, June, 1'	.25	.20
glaberrima. Pink, June, 18"	.20	.18
maculata. Purplish red, May, June, 4'	.18	.15
*ovata. Red, May, June, 1'	.20	.10
paniculata. 2-3'	.20	
Africa. Carmine, red eye	.20	.18
Antonin Mercie. Lilac, white center	.20	.18
Athis. Salmon pink	.18	.15
B. Compte. Rich French purple	.20	.18
Baron von Dedem. Salmon red	.20	.18
Beacon. Cherry red	.20	.18
Border Queen. Dwarf pink	.25	
Capt. Koehl. Blood red	.30	
Caroline Vandenburg. Lavender blue		
Champs Elysees. Rich purple		
crimson	.18	.15
Commander. Crimson	.20	.18
Count Zeppelin. White, red eye	.25	
Daily Sketch. Salmon pink, car-		
mine eye	.30	.25
- Enchantress. Salmon pink, dark eye	.20	.18
Elizabeth Campbell. Salmon pink	.20	.18
Evelyn. Salmon rose	.25	.20
>Feuerbrand. Orange scarlet	.25	.20
Fiancee. White	.25	.20
George Stipp. Salmon, lighter eye.	.30	.25
Gustave Lind. Deep salmon	.30	
Johnson's Favorite. Salmon rose	.18	.15
Jules Sandeau. Large pink	.20	.18
Karl Foerster. Orange scarlet	.25	
Le Mahdi. Deep purple	.18	.15
Leo Shlageter. Bright scarlet	.30	.25
> Lilian. Fine light pink	.25	
Mad. Paul Dutrie. Soft pink	.20	.18
Maid Marian. Soft lavender	.20	.18
Mary Louise. Pure waxy white	.30	.25
Mia Ruys. White	.30	•
Mrs. Jenkins. Pure white	.20	.18
Mrs. Milly van Hoboken. Soft pink	.25	.20
Miss Lingard. White		.18
•		

	5-24 each	25 up each
Phlox paniculata	edeli	eden
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.30	.25
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.18	.15
Prof. Virchow. Orange scarlet	.20	.18
Rheinlander. Salmon pink, claret		
eye	.18	.15
Rokoko. Soft pink	.25	.20
R. P. Struthers. Carmine, claret eye	.18	.15
Salmon Glow. Salmon pink	.30	
Special French. Soft pink	.18	.15
Thor. Deep salmon pink	.20	.18
Widar. Light reddish violet, white		
eye	.20	.18
*pilosa. Lavender, May, 1'	.20	.18
*reptans. Lilac, May, 6-12"	.18	.15
*stellaria. Creeping, May, 4"	.18	.15
*subulata alba. White, April, May, 4"	.18	.15
*subulata atropurpurea. Purple, Apr., 4"	.25	.20
*subulata Blue Hills. Light blue, April,4"	.20	
*subulata Camla. Pink, May, 4"	.30	.25
*subulata Fairy. Blue, purple eye, April,		
4"	.18	.15
*subulata G. F. Wilson. Lilac, May, 6"	.20	.18
*subulata lilacina. Light blue, April,		
May, 4"	.18	.15
*subulata Little Dot. Lilac, April, 4"	.20	.18
*subulata nelsoni. White, May, 4"	.20	.18
*subulata Perfection. Rose, pink eye,		
April, 4"	.18	.15
*subulata rosea. Pink, May, 4"	.18	.15
*subulata The Bride. White, pink eye,		
May, 5"	.18	.15
*subulata Vivid. Pink, red eye, April, 4"	.20	.18
Phygelius capensis. Red, Aug., Sept., 3'	.25	
Physalis francheti. Red pods, Oct., 2'	.18	.15
Physostegia virginiana. Rose, Aug., 3'	.18	.15
virginiana alba. White, Aug., 3'	.18	.15
virginiana Vivid. Deep pink, Aug., 2'	.20	.18
Phyteuma orbiculare. Purple, June, July, 2'	.30	.25
*scheuchzeri. Violet, June, 1'	.20	.18
Platycoden grandiflorum. Blue, summer, 2'	.18	.15

	5-24 each	25 up each
Platycoden.		
grandiflorum album. White, summer, 2'	.18	.15
*mariesi. Deep blue, summer, 1'	.25	.20
*mariesi album. White, summer, 1'	.25	.20
Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.18	.15
*Polemonium caeruleum. Deep blue, June,		
July, 1½'	.18	.15
*caeruleum album. White, June, July,		
1½'	.15	
*confertum. Blue, June, July, 18"	.20	.18
*reptans. Blue, May, June, 6"	.20	.18
richardsoni. Sky blue, May, June, 6"	.20	.18
*Polygonum compactum. White, Aug., Sept.,		
1½'	.18	.15
cuspidatum. White, Aug., Sept., 5'	.18	.15
oxyphyllum. Creamy white, Sept., 3'	.20	.18
spaethi. Pink, Sept., 6'	.35	
Polystichum acrostichoides. Christmas Fern	.18	.15
*Potentilla atrosanguinea. Red, summer, 18"	.20	.18
*argentea. Yellow, summer, 18"	.25	.20
*crinita. Yellow, summer, 1'	.20	.18
*nepalensis. Showy red, May, June, 2'	18	.15
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.30	.25
*pyrenaica. Yellow, summer, 18"	.18	.15
*tridentata. White, summer, 1'	.20	.18
*Primula acaulis. Yellow, May, 9"	.20	.18
*auricula alpina. Various, May, 6"	.20	.18
*beesiana. Purple, May, 18"	.30	.25
*bulleyana. Apricot, June, 18"	.30	.25
*bulleyana hybrids. Various, May, 18"	.30	.25
*cashmiriana. Light lilac, May, 8"	.30	.25
*cortusoides. Deep rose, June, 10"	.25	.20
*denticulata. Purple, yellow eye, May, 6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	
florindae. Yellow, May, 4'	.35	.30
*japonica atrosanguinea. Red, May,		
June, 1'	.30	.25
*japonica pink. May, June, 1'	.30	.25
*moerheim hybrids. Various, May, 12"		.25

	5-24	25 up
*Primula	each	each
*polyanthus. White, or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.30	.25
*veris. Yellow, April, May, 9"	.20	.18
*veris Giant Munstead. Various, May, 1'	.25	.20
*veris Gold Laced. Various, May, 9"	.30	.25
*veris lilacina fl. pl. Lilac, May, 4"	.50	
*Pulmonaria angustifolia. Blue, April, May,8"	.20	.18
*saccharata. Pink, spring, 12"	.25	.20
*Prunella grandiflora. Violet, summer, 8"	.20	.18
*incisa rubra. Red, summer, 6"	.20	.18
*webbiana. Purple, summer, 6"	.20	.18
Pyrethrum Dainty. Dbl. cherry red, sum-		
mer, 1'	.35	
James Kelway. Sgl. red, June, 1'	.20	
Princess Margaret. Crested pink, June, 1'	.25	
Rose Glory. Dbl. rose, June ,1'	.25	
roseum. Various, May, June, 1'	.18	.15
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.25	.20
roseum single scarlet. Summer, 1'	.35	
uliginosum. White, Sept., 5'	.18	.15
Ranunculus acris fl. pl. Yellow, June, 3'	.20	.18
*repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.25	.20
Rudbeckia Autumn Glory. Yellow, Aug.,		
Sept., 6'	.18	.15
hirta. Yellow, Aug., Sept., 3'	.18	.15
laciniata. (Golden Glow). Yellow, Aug.,6'	.18	.15
nitida. Single yellow, Aug., Sept., 6'	.18	.15
Rayon d'Or. Yellow, Aug., 5'	.18	.15
speciosa. Yellow, July, Aug., 2'	.18	.15
subtomentosa. Lemon yellow, Aug.,		
Sept., 4'	.18	.15
*Ruta graveolens. Yellow, summer, 2½'	.18	.15
*Sagina subulata. White, July, Aug., 3"	.18	.15
Salvia argentea. Pinkish white, June, 3'	.18	.15
azurea. Blue, Aug., 4'	.20	.18
azurea grandiflora. Blue, Aug., 4'	.25	.20
farinacea. Blue, July, 2-3'	.18	.15
glutinosa. Yellow, June, July, 3'	.18	.15
officinalis. Blue, summer, 18"	.18	.15

	5-24 each	25 up each
Salvia		
pitcheri. (See azurea grandiflora).		
pratensis. Deep blue, June, 3'	.18	.15
pratensis rubicunda. Rose, June, July, 3'	.25	
viscosa. Pink, July, 3'	.20	.18
*Sanguinaria canadensis. White, April, 8"	.18	.15
*Santolina chamaecyparissus. Gray foliage, 1'	.20	.18
*Saponaria caespitosa. Rose, July, 3"	.25	.20
*ocymoides. Pink, summer, 9"	.18	.15
*ocymoides alba. White, summer, 9"	.20	.18
officinalis rosea pl. Pink, summer, 18".	.18	.15
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.20	.18
*cordifolia. Rose pink, May, June, 1'	.20	.18
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.20	.18
*decipiens. White, May, June, 4"	.25	.20
*granulata. White, May, June, 1'	.25	.20
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.25	
*lantoscana. White, May, June, 1'	.25	.20
*lingulata rosea. Pink, April, 1'	.25	.20
*lingulata leichtlini. Rose, April, 1'	.25	.20
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	
*McNabiana. White, May, June, 12"	.25	.20
*purpurea. Rosy purple, April, 1'	.20	.18
*sarmentosa. White, summer, 2'	30	.25
*umbrosa. Pink, May, June, 1'	.25	.20
Scabiosa caucasica. Lavender, all summer,		
1′	.20	
*caucasica alba. White, summer, 1'	.25	
caucasica House's Hybrids. Various,		,
summer, 1'	.25	
fischeri. Blue purple, summer, 2'	.20	
japonica. Lavender, Aug., Sept., 18"	.20	.18
*Schivereckia bornmulleri. White, summer, 4"	.25	.20
*Scutellaria alpina. Purple and white, sum-		
mer, 6"	.20	.18
*coelestina. Blue, summer, 1'	.25	.20

*Scutellaria	5-24 each	25 up each
*orientalis. Yellow, June, July, 8"	.25	.20
*Sedum acre Yellow, June, July, 4"	.18	.15
*aizoon. Yellow, July, Aug., 1'	.18	
*album. White, July, 4"	.18	.15
*altissimum. Yellow, July, Aug., 9"	.20	.18
*anglicum. Pink, July, Aug., 3"	.20	
*douglasi. Yellow, July, 2"	.18	.15
*ewersi. Pink, Aug., Sept., 6"	.18	.15
*glaucum Blue foliage, 2"	.20	.18
*kamtschaticum. Yellow, July, 6"	.18	.15
*maximowiczi. Yellow, July, Aug., 1'	.18	.15
*maximum. Pink, Sept., Oct., 18"	.18	15
*middendorffianum. Yellow, June, July,		
4"	.20	.18
*murale. Pink, July, 1'	.20	.18
*obtusatum. Yellow, July, Aug., 3"	.25	.20
*reflexum. Yellow, July, Aug., 8"	.18	.15
*sarmentosum. Yellow, July, 3"	.18	.15
*sexangulare. Yellow, June, July, 6"	.18	.15
*sieboldi. Pink, July, Aug., 1'	.20	.18
*spectabile. Pink, Aug., Sept., 1½'	.20	.18
spectabile Brilliant. Crimson, Sept., 11/2'	.20	.18
*spurium album. White, July, Aug., 6"	.18	.15
*spurium splendens. Rosy crimson, Aug.,		
6"	.18	.15
*stoloniferum. Pink, July, Aug., 6"	.18	.15
*stoloniferum coccineum. Crimson, Aug.,		
6"	.18	.15
*ternatum. White, May, June, 4"	.18	.15
*Sempervivum arachnoideum. Red, June, 4"	.20	.18
*arenarium. Yellow, July, 6"	.20	.18
*alberti. White, July, 8"	.25	.20
*atroviolaceum. Reddish purple, 8"	.25	
*brauni. Bronze, July, 6"	.18	
*doellianum. Red, June, July, 6"	.20	.18
*funcki. Brown, June, July, 6"	.20	.18
*fauconetti. Pink, June, 6"	.25	.20
*fimbriatum. Pink, July, 8"	.25	.20
*glaucum. Pink, July, Aug., 6"	.25	.20
*globiferum. Yellow, June, 12"	.18	.15
*tectorum violaceum. Violet red, June, 4"	.18	.15
*Shortia galacifolia. White, June, 8"	.30	.25

Cill D. O. C. Derrodole Teles	each	each
Sidalcea Rose Queen. Rose pink, July,	1.0	1.5
Aug., 4'	.18	.15
*Silene alpestris. White, May, June, 6"	.20	.18
*maritima. White, summer, 1'	.20	.18
*maritima rosea. Pink, summer, 1'	.25	.20
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.18	.15
*roemeri. White, July, Aug., 1'	.25	1.0
*saxifraga. White, summer, 6"	.20	.18
*schafta. Bright pink, July, 6"	.20	.18
Silphium perfoliatum. Yellow, July, 6'	.20	.18
*Sisyrinchium angustifolium. Blue, June,	0.0	10
July, 6"	.20	.18
Smilacina racemosa. White, April, 2-3'	.18	.15
Solidago canadensis. Yellow, fall, 4-5'	.18	.15
rigida. Yellow, fall, 3-4'	.18	.15
shorti. Yellow, fall, 4'	.20	.18
Spigelia marilandica. Red, June, July, 2'	.25	
*Spirea aruncus. White, June, July, 3-5'	.25	.20
camtschatica. White, July, 6'	.20	.18
chinensis. Silvery pink, June, July, 2'	.18	.15
eximea. Pink, June, July, 2'	.20	.18
filipendula. Single, White, June, July, 1'	.20	.18
filipendula fl. pl. White, summer, 15"	.25	
lobata. Pink, July, 4'	.20	.18
palmata. Rosy crimson, June, July, 2'	.18	.15
ulmaria fl. pl. White, June, 3-4'	.20	.18
venusta magnifica. Deep pink, July, 3'	.20	.18
Stachys lanata. Purple, June, July, 1½'	.18	.15
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.20	.18
*Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept., 1'	.18	.15
laevis alba. White, Aug., Sept., 1'	.18	.15
Tanacetum vulgare. Yellow, summer, 3'	.18	.15
Teucrium chamaedrys. Rose, Aug., 1'	.25	.20
orientale. Blue, Aug., 10"	.25	.20
Thalictrum adiantifolium. Yellow, June, 4'	.18	.15
aquilegifolium. White, June, 5'	.18	.15
aquilegifolium purpureum. Purple,		
June, 3'	.25	.20
baicalens. Yellow, June, 4'	.20	.18
dipterocarpum. Lilac, Aug., 3'	.30	.25

	5-24 each	25 up each
Thalictrum.		
glaucum. Golden-yellow, June, 4'	.30	.25
minus. Greenish yellow, June, July, 2'	.20	.18
Thermopsis caroliniana. Yellow, June, 6'	.20	.18
mollis. Yellow, June, July, 2-3'	.20	.18
Thymus odoratissimus. Lilac, summer, 6"	.20	.18
*nitidus. Rose, June, July, 3"	.25	.20
*serpyllum. White, June, 4"	.20	.18
*serpyllum citriodorus. Purple, June,		
July, 3-5"	.25	.20
*serpyllum coccineus. Scarlet, June, 4"	.25	.20
*serpyllum lanuginosus. Rosy purple,		
June, July, 5"	.20	.18
*serpyllum roseus. Rose, summer, 8"	.20	.18
vulgaris. Lilac, June, July, 8"	.20	.18
*Tiarella cordifolia. Creamy white, June, 8"	.18	.15
Tradescantia virginiana. Blue, all summer, 2'	.18	.15
*Trientalis borealis. White, fall, 6"	.20	.18
*Trillium erectum. Purple, May, 1'	.18	.15
*grandiflorum. White, May, 1'	.18	.15
Tritoma. (See Kniphofia).		
Trollius asiaticus. Rich orange, July, Aug.,		
2'	.30	.25
*europeus. Citron yellow, July, Aug., 1'	.25	.20
*europeus Fire Globe. Orange, summer, 1'	.35	
europeus Orange Globe. Orange, sum-		
mer, 18"	.30	.25
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, sum-		
mer, 18"	.35	
*Tunica saxifraga. Light pink, June, July, 6"	.20	.18
*saxifraga alba. White, summer, 6"	.20	
*saxifraga alba. fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.20	.18
Verbascum chaixi. White, summer, 3'	.25	.20
*Cotswold Gem. Amber, June, 4'	.30	.25
olympicum. Yellow, July, Aug., 5'	.18	.15
phoeniceum. Various, May, June, 3'	.18	.15
willmottiae. White, summer, 5'	.18	.15
*Verbena canadensis. Purple, Aug., 18"	.30	.25
hastata. Blue, Aug., Sept., 3'	.18	.15

Vernonia noveboracensis. Purple, Aug., Sept.	<b>5-24</b> each	25 up each
5'	.18	.15
*Veronica allioni. Violet, June, 2"	.25	.20
*alpestris. Pale blue, June, 18"	.18	.15
amethystina Royal Blue. June, July, 12"	.20	.18
*Blue Spires. Blue, summer, 18"	.20	.18
caucasica. White, July, 6"	.20	.18
*chamaedrys. Blue, May, June, 18"	.20	.18
*elegantissima. Blue, July, Aug., 2'	.18	.15
*erica. Pink, summer, 10"	.18	.15
*filiformis. Blue, May, 2"	.20	.18
*gentianoides. Pale blue, June, July, 1'	.25	.20
*incana. Pale blue, July, Aug., 1½'	.20	.18
*longifolia subsessilis. Blue, Aug., Sept.,2'	.20	.18
*orchidea. Blue, July, 18"	.20	.18
*pectinata rosea. Pink, May, June, 6"	.18	.15
*peduncularis. White, June, 6"	.20	.18
*pulchella. Blue, May, 1'	.18	.15
*repens. Pale blue, May, June, 2"	.20	.18
*rupestris. Blue, June, 6"	.20	.18
*rupestris alba. White, June, 4"	.25	.20
*rupestris nana. Dark blue, June, 2"	.25	.20
*rupestris pink. June, 4"	.25	.20
*saxatilis. Pale blue, July, 6"	.20	.18
*spicata. Blue, July, Aug., 2'	.20	.18
*spicata alba. White, Aug., 18"	.25	
*spicata nana. Blue, June, 6"	.25	
*spuria. Blue, June, 18"	.18	.15
*teucrium prostrata. Blue, June, 1'	.18	.15
*True Blue. June, July, 12"	.20	.18
virginica. Pale blue, Aug., 4'	.20	.18
*Vesicaria utriculata. Yellow, April, May, 8"	.25	.20
Vinca minor. Blue, all summer, 6"	.12	.11
minor alba. White, all summer, 6"	.25	.20
minor Bowles. Blue, summer, 6"	.25	.20
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.18	.15
*bosniaca. Rosy mauve, June, July, 4"	.20	.18
*cornuta Admiration. Purple, all sum-	.20	.10
mer, 6"	.18	.15
*cornuta alba, type. White, all summer, 6"	.18	.15
*cornuta Apricot. Apricot, summer, 6"	.25	.20
		0

Viola	5-24 each	25 up each
*cornuta Arkwright Beauty. Red, sum-		
mer, 6"	.25	
*cornuta atropurpurea type. Purple, 6"	.18	.15
*cornuta Blue Perfection. Blue, all sum-	.10	.10
mer, 6"	.18	.15
*cornuta florariensis. Pale blue, sum-	.10	.13
mer, 6"	.25	
cornuta G. Wermig. Violet, all summer,	.20	
6"	.18	.15
*cornuta Lord Nelson. Blue, summer, 6"	.20	.10
*cornuta Lutea Splendens. Yellow, all	.20	
summer, 6"	.18	.15
*cornuta Mauve Queen. Mauve, all sum-	.10	.10
mer, 6"	.18	.15
*cornuta Papilio. Violet, all summer, 6"	.18	.15
*cornuta Primrose Dame. Yellow, sum-	,,,	****
mer, 6"	.25	.20
*cornuta White Perfection. White, all		
summer, 6"	.18	.15
*Dbl. Russian. Blue, June, 4"	.30	.25
*gracilis. Deep violet, summer, 1'	.20	.18
*Jersey Gem. Rich violet, summer, 6"	.20	.18
*odorata. Blue, April, May, 6"	.18	.15
*odorata Gov. Herrick. Blue, May, 6"	.20	.18
*odorata Princess of Wales. Violet, May,		
6"	.20	.18
*odorata Rosina. Pink, May, 4"	.30	.25
*pedata. Violet, May, June, 6"	.20	.18
*primulifolia. Pale blue, summer, 6"	.25	.20
*Purple Glory. Purple, summer, 6"	.35	
*Rohrbach's Everblooming. Violet, 4"	.30	.25
*wellsiana. Various, all summer, 6"	.20	.18
*White Jersey Gem. Summer, 6"	.20	
Yucca filamentosa. White, June, July, 7'		
2 year	.25	.20
3 year	.30	.25
*glauca. White, June, July, 3'	.30	.25

### FRUIT GARDEN MATERIAL

# We are able to supply all the leading varieties

Apples, Crab Standard,	5 to 7 ft 5 to 7 ft	1-4 Each 1.35 1.35	5-24 Each 1.20 1.20	25 & up Each
Cherry, Sour,	5 to 7 ft	1.75	1.50	
Sweet,	5 to 7 ft	2.25	2.00	
Peaches,	5 to 7 ft	1.25	1.00	
Pears, Dwarf,	5 to 6 ft	1.85	1.75	
Standard,	5 to 7 ft	1.85	1.75	
Plums,	5 to 7 ft	1.85	1.75	
Quinces,	4 to 5 ft	1.85	1.75	
Asparagus			.15	.12
Blackberries			.15	.12
Currants		.50	.45	.40
Gooseberries		.50	.45	.40
-	ng	.50	.45	.40
			.18	.15
			.25	.22
Strawberries			.15	.12

# CONIFEROUS EVERGREENS

Abies balsamea A. concolor A. c. violacea A. firma A. fraseri A. homolepis A. nobilis glauca A. nordmanniana A. pectinata A. pectinata pyramidalis A. veitchi Cedrus deodara C. libani Chamaecyparis lawsoniana C. I. pendula C. I. Triomphe de Boskoop C. I. Triomphe de Bosko
C. nootkatensis
C. obtusa compacta
C. o. crippsi
C. o. gracilis
C. o. nana
C. pisifera
C. p. aurea
C. p. filifera aurea
C. p. filifera aurea
C. p. plumosa
C. p. plumosa aurea
C. P. plumosa lutescens C. p. plumosa aurea
C. p. plumosa aurea
C. P. plumosa sulphurea
C. p. squarrosa
Cryptomeria japonica lobbi Juniperus chinensis J. c. albovariegata J. c. columnaris J. c. globosa J. c. mas J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. c. smithi J. communis J. c. dayi J. c. depressa J. c. depressa aurea J. c. depressa plumosa J. c. hibernica J. c. kraccovica J. c. suecica J. c. suecica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. alpina J. h. glauca J. japonica J. j. aurea J. recurva J. rigida J. Sab na J. s. ramariscifolia J. s. von ehron J. scopulorum sphaerica J. squamata J. s. meyeri J. virginiana J. v. cannarti J. v. elegantissima

J. v. glauca J. v. globosa J. v. keteleeri J. v. kosteri J. v. pendula J. v. plumosa J. v. schotti J. v. tripartita J. v. venusta Libocedrus decurrens Picea alba P. a. gloriosa P. alcockiana P. canadensis P. engelmanni P. excelsa P. e. aurea P. e. clanbrasiliana P. e. maxwelli P. e. maxwelli
P. e. nana compacta
P. e. parviformis
P. e. nana pyramidalis
P. e. pendula
P. e. pygmaea P. e. remonti P. glauca conica P. mariana P. m. doumeti P. omorika P. orientalis P. polita P. pungens P. p. glauca P. p. kosteri P. p. moerheimi P. rubra Pinus banksiana P. cembra P. densiflora P. flexilis P. montana P. m. mughus P. nigra P. peuce P. ponderosa P. resinosa P. strobus P. sylvestris P. thunbergi Pseudotsuga douglasi Sciadopitys verticillata Taxus baccata T. b. erecta T. b. fastigiata T. b. repandens T. b. washingtoni T. canadensis T. cuspidata T. c. aurescens
T. c. brevifolia
T. c. brevifolia compacta T. c. capitata Thuja occidentalis T. o. aurea douglasi T. o. columbia T. o. compacta T. o. compacta Parson's T. o. elegantissima 7. o. ellwangeriana

T. o. ericoides T. o. globosa

## Coniferous Evergreens continued

T. o. hoveyi T. o. lutea

T. o. pumila

T. o. pyramidalis
T. o. douglasi pyramidalis
T. o. Little Gem
T. o. recurva nana

T. o. reevesi T. o. reidi T. o. riversi

T. o. rosenthali

T. o. spiralis T. o. umbraculifera

T. o. wareana T. o. woodwardi

T. o. conspicua
T. o. elegantissima T. o. nana aurea

T. o. vervaeneana

T. o. sieboldi T. plicata T. standishi

Tsuga canadensis T. caroliniana T. sieboldi

#### BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena A. a. hinodegiri A. ledifolia

Berberis julianae B. sargentiana

B. triacanthophora B. verruculosa Bruckenthalia spiculifolia

Buxus microphylla B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. searlei

Chamaedaphne calyculata Crataegus pyracantha Ialandi

C. p. coccinea p. yunnanensis Daphne cneorum Erica carnea E. darleyensis

E. vagans Euonymus patens

E. radicans

E. r. acutus

E. r. argenteo-marginatus E. r. carrieri

E. r. colorata E. r. kewensis

E. r. minima E. r. vegetus Ilex cornuta

1. crenata I. c. bullata I. c. latifolia 1. c. microphylla

I. glabra I. opaca

Kalmia latifolia Laurocerasus o, schipkaensis

Leucothoe catesbaei Lonicera nitida L. pileata Mahonia aguifolium Pachistima canbyi Pieris floribunda

P. japonica Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana Viburnum rhytidophyllum

# DECIDUOUS SHADE TREES

Acer campestre A. cappadocicum A. dasycarpum

A. d. pyramidale A. d. wieri

A. mandshuricum A. negundo

A. nigrum A. platanoides A. p. columnare A. p. schwedleri A. pseudoplatanus

A. rubrum A. saccharum Aesculus carnea

A. glabra
A. hippocastanum
A. h. baumanni A. octandra A. turbinata

Ailanthus glandulosa A. vilmoriniana

Alnus cordata

A. glutinosa A. g. laciniata A. hirsuta

A. incana A. japonica Betula alba B. a. fastigiata B. a. laciniata

B. maximowicziana

B. lenta B. lutea B. nigra

B. papyrifera B. p. cordifolia

B. populifolia Carpinus betulus C. caroliniana

C. cordata C. japonica C. yedoensis

### **Deciduous Shade Trees Continued**

Catalpa bianonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense

Davidia involucrata Eucommia ulmoides Fagus americana

F. sylvatica F. s. fastigiata F. s. heterophylla F. s. pendula F. s. purpurea

F. s. riversi

Fraxinus americana F. chinensis

F. excelsiorF. lanceolata F. mandshurica

F. nigra F. pennsylvanica F. quadrangulata

Ginkgo biloba G. b. fastigiata Gleditsia elegantissima G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Juglans cineria J. nigra

J. regia J. sieboldiana Larix europea L. laricina L. leptolepis

Liquidambar formosana L. styraciflua

Liriodendron chinense L. tulipifera L. t. pyramidale

Magnolia acuminata M. conspicua M. fraseri M. hypoleuca M. tripetala Morus alba tatarica

Ostrya virginica Paulownia tomentosa Phellodendron amurense

P. lavallei P. sachalinense

Platanus occidentalis P. orientalis Populus alba

P. a. nivea
P. berolinensis
P. bolleana
P. candicans

P. certinensis

P. maximowiczi
P. nigra italica
P. nigra betulifolia
P. simoni

P. suaveolens przewalski

P. tremuloides P. trichocarpa

Prunus serotina Pseudolarix kaempferi Ptelia trifoliata

Ouercus alba Q. bicolor Q. coccinea Q. lyrata

Q. macrocarpa

Q. palustris Q. phellos Q. prinus Q. robur Q. rubra

Q. stellata Q. texanaO. velutina

Robinia pseudoacacia

R. p. bessoniana R. p. descaisneana Salix babylonica S. b. crispa S. b. dolorosa S. b. salamoni

S. elegantissima S. fragilis S. mandshurica S. niobe

S. pentandra S. sieboldiana S. vitellina S. v. britzensis

S. v. pendula S. wentworthi Sassafras variifolium

Sorbus aria latifolia S. aucuparia S. a. fastigiata

S. quercifolia S. torminalis Taxodium distichum Tilia americana

T. cordata T. euchlora T. henryana T. heterophylla T. oliveri

T. platyphyllos T. p. pyramidalis T. tomentosa T. vulgaris

Ulmus americana U. a. moline U. a. vase-shaped U. campestris U. c. klemmeri U. c. latifolia

U. c. monumentalis U. c. purpurea

U. c. vegeta U. c. wheatleyi U. fulva U. glabra

U. g. camperdowni U. g. nana U. japonica

U. parvifolia U. pumila U. racemosa

Zelkova serrata Z. sinica

#### DECIDUOUS SMALL TREES

Acanthopanax ricinifolium A. r. maximowiczi Acer buergerianum A. ginnala A. glabrum

 A. griseum A. japonicum aureum

A. nikoense A. palmatum A. p. atropurpureum
A. p. filicifolium A. p. elegans A. pennsylvanicum A. platanoides globosum A. spicatum
A. tartaricum

Albizzia julibrissin rosea Alnus pendula Amygdalus davidiana

A. d. alba A. persica alboplena A. p. Clara Meyer

A. p. rosea plena A. p. rubroplena Aralia japonica A. spinosa Asimina triloba

Broussonetia papyrifera Cercis canadensis

Cladrastis lutea Cornus florida C. f. plena C. f. rubra C. f. welchi C. kousa C. k. chinensis C. mas C. offic officinalis Crataegus aprica C. arkansana C. arnoldiana C. carrieri

C. coccinea C. coccinioides C. cordata C. crusgall . crusgalli

C. cuneata C. hupehensis C. macracantha C. mollis

C. monogyna C. m. stricta C. nitida C. oxyac . oxyacantha

C. o. plena C. o. pauli C. o. punicea C. o. rosea plena

C. peregrina

C. persistens

C. pinnatifida major C. pruinosa C. prunifolia C. punctata C. succulenta C. tomentosa C. viridis

Diospyros virginiana Gordonia alatamaha Halesia tetraptera H. monticola

Idesia polycarpa Koelreuteria paniculata Laburnum alpinum

L. vulgare L. watereri

Maackia amurensis Magnolia glauca

M. kobus M. lennei M. salicifolia M. soulangeana M. s. nigra Malus angustifolia

M. arnoldiana M. adstringens M. baccata M. b. mandshurica M. brevipes

M. coronaria

M. c. Charlotte M. dolga M. Elisa Rathke M. florentina M. floribunda

M. f. atrosanguinea M. f. lemoinei M. fusca

M. glaucescens M. halliana M. h. parkmani

M. hopa M. ioensis M. i. bechteli M. micromalus M. niedzwetzkyana

M. Oekonemurat Echtermeyer M. purpurea

M. p. aldenhamensis M. p. eleyi M. prunifolia rinki M. robusta M. r. fastigiata M. r. persicifolia M. sargenti M. scheideckeri M. sieboldi M. spectabilis

M. s. alba plena M. sublobata M. theifera M. t. rosea

M. toringoides
M. tschonoski
M. yunnanensis veitchi
M. zumi
M. z. calocarpa Morus alba pendula Nyssa aquatica N. sylvatica

Oxydendrum arboreum Prunus americana

P. a. Newport
P. armeniaca sibirica P. avium plena P. cerasifera pissardi P. cistena P. hortulana

P. incisa P. lannesiana P. l. Amayadori P. l. Jonioi

### Deciduous Small Trees Continued

P. I. sirotae P. maacki P. moseri fl. pl. P. mume P. mume fl. pl. P. padus P. pennsylvanicum P. serrulata P. s. Amanogawa P. s. Gioiko P. s. Hata-zakura P. s. Horaisan P. s. Hosokawanioi P. s. Higantakura P. s. Hisakura P. s. Jas. H. Veitch

P. s. Kuramayami P. s. Kwansan P. s. Miyako P. s. sachalinensis P. s. Shirofugen P. s. Shogetsu P. s. Sumizome P. sieboldi syn. Naden P. spinosa P. subhirtella

P. s. ascendens P. s. autumnalis P. s. pendula

P. virginiana P. yedoensis P. y. taizanfukun Pterostyrax corymbosa Pyrus calleryana P. betulaefolia P. salicifolia P. serrulata Rhus cotinus R. javanica syn. osbecki Robinia fertilis R. globosa R. hispida R. holdti

R. pseudoacacia Marguerite Salix amygdaloides S. caprea S. matsudana S. m. tortuosa S. regalis Sophora japonica Sorbus americana S. commixta S. spuria

Styrax japonica S. obassia Syringa japonica S. pekinensis

### **DECIDUOUS SHRUBS**

Abelia chinensis A. grandiflora A. schumanni Acanthopanax pentaphyllum Aesculus parviflora Alnus rugosa A. viridis Amelanchier alnifolia A. asiatica A. canadensis A. laevis A. I. rosea A. oblongifolia A. rotundifolia syn. vulgaris A. sanguinea A. stolonifera Amorpha brachycarpa A. canescens A. fruticosa Amygdalus nana georgica Aronia arbutifolia A. atropurpurea A. melanocarpa A. m. elata Artemisia abrotanum Azalea calendulacea A. canescensA. kaempferi A. lutea A. mollis A. nudiflora A. poukhanensis A. viscosa A. yodogawa Baccharis halimifolia Benzoin aestivale

Berberis koreana

B. circumserrata

B. thunbergi B. t. atropurpurea B. t. minor B. t. pluriflora B. t. p. erecta Berchemia racemosa Bischoffia trifoliata Buddleia Charmina B. alternifolia B. davidi B. d. superba B. d. veitchi B. farquhari B. Ile de France B. intermedia B. lindleyana B. paniculata Callicarpa americana C. giraldiana C. japonica C. purpurea Calycanthus floridus C. occidentalis Caragana arborescens C. boisi C. frutex
C. lorbergi
C. sophoraefolia Caryopteris incana C. tangutica Ceanothus americanus Cephalanthus occidentalis Cercis chinensis Chionanthus virginica Clerodendron trichotomum Clethra alnifolia C. barbinervis

C. paniculata

Daphne mezereum

Colutea arborescens C. cilicica C. media Comptonia asplenifolia Cornus alba C. a. elegantissima C. a. sibirica C. a. spaethi C. alternifolia C. amomum syn. sericea C. baileyi C. paniculata C. paucinervis C. pubescens C. rugosa C. sanguinea C. s. viridissima C. stolonifera C. s. flaviramea Corylus americana C. avellana C. a. atropurpurea C. heterophylla setchuenensis C. rostrata Cotoneaster acutifolia C. a. villosula C. adpressa C. ambigua C. apiculata C. dammeri C. dielsiana C. divaricata C. foveolata C. francheti C. himalaicus C. himalaicus
C. horizontalis
C. h. perpusilla
C. hupehensis
C. integerrima
C. lucida
C. melanocarpa
C. microphylla
C. muttiflara C. multiflora
C. nitens
C. obscura
C. racemiflora soongarica C. rotundifolia C. rosea C. s. floccosa C. simonsi C. tenuipes C. wilsoni C. zabeli Cydonia cathayensis C. japonica C. j. alba C. j. alpina C. j. Columbia
C. j. Columbia
C. j. Falconet Charlet
C. j. pygmaea
C. j. rosea plena
C. j. umbilicata
C. j. Vermilion . kermesiana semi-plena . maulei Cytisus nigricans C. scoparius C. s. andrea

C. s. andreanus C. supinus

D. m. alba Deutzia aracilis D. lemoinei D. I. avalanche D. I. compacta D. myriantha Boule Rose D. ningpoense D. parviflora D. rosea D. rosea campanulata D. r. carminea D. r. eximea D. r. venusta D. scabra D. s. candidissima D. s. Pride of Rochester D. s. rosea plena D. s. watereri D. s. wellsi D. schneideriana laxiflora D. vilmorinae Diervilla sessilifolia D. trifida Dirca palustris Eleagnus angustifolia E. argentea E. longipes E. parvifolia E. umbellata Elsholtzia stauntoni Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus E. bungeanus E. europaeus E. e. fructu-coccineus E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia danieli E. hupehensis Exochorda grandiflora E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia
F. i. primulina
F. i. spectabilis F. ovata F. suspensa F. s. atrocaulis F. s. fortunei F. s. sieboldi F. viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa G. sagittalis G. tinctoria Hamamelis japonica H. j. rubra H. mollis H. vernalis

H. v. tomentella H. virginiana Helwingia japonica Hibiscus syriacus H. variegatus H. v. meehani Hippophae rhamnoides Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa H. a. Thos. Hogg H. paniculata H. p. grandiflora H. p. praecox H. quercifolia H. radiata Hypericum arnoldiana H. aureum H. bucklei H. densiflorum H. kalmianum H. lobocarpum H. moserianum H. patulum H. p. henryi H. prolificum Hex geniculata I. laevigata monticola I. serrata syn. sieboldi I. verticillata v. chrysocarpa Indigofera amblyantha kirilowi I. potanini Itea virginica Jamesia americana Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. formosa syn. penduliflorum L. f. albiflora Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. ibota L. i. nanum L. i. regelianum L. lodense L. ovalifolium L. o. varigatum L. vulgare L. v. foliosum L. v. leucocarpum Lonicera bella albida L. bella rosea L. billardi L. chrysantha

L. conjugialis

L. gracilipesL. Kesselringi

L. dioica L. fragrantissima L. kohneana L. korolkowi floribunda L. ledebouri L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. grandiflora L. t. lutea L. t. sibirica L. virginalis alba L. xylosteum Lycium chinense L. halimifolium Lyonia ligustrina Magnolia parviflora M. stellata M. s. rosea Myrica carolinensis M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronatus Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus Albatre P. Argentine P. Avalanche P. Banniere P. Bouquet Blanc P. coronarius P. c. aureus P. c. nanus P. c. multiflorus plenus P. Dame Blanche P. dianthiflorus plenus P. falconeri P. Favorite P. Gerbe de Neige P. Glacier P. gordonianus P. grandiflorus P. incanus P. lemoinei erectus P. lewisi P. Magdalene P. nepalensis P. nivalis P. Norma P. Ophelia P. Pavillon Blanc P. pyramidale

P. sericanthus P. Sybille

P. Voie Lactee P. zevheri

Photinia villosa

P. virginal

P. v. laevis Physocarpus intermedius parvifolius P. monogynus P. opulifolius P. o. luteus P. o. nanus Pieris mariana Potentilla fruticosa Prinsepia sinensis Prunus besseyi P. demissa P. dunbari P. glandulosa
P. g. albiplena
P. g. sinensis P. japonica P. maritima P. pumila P. tomentosa P. triloba P. t. plena Rhamnus caroliniana R. cathartica R. dahurica R. frangula R. f. asplenifolia R. koraiensis R. purshiana R. spathulaefolia R. utilis R. wilsoni Rhodotypos kerrioides Rhus canadensis R. copallina R. glabra R. trilobata R. typhina R. t. laciniata Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti R. kelseyi R. viscosa Rosa acicularis R. blanda R. b. willmottiae R. canina R. coriifolia froebeli R. davurica R. ecae R. foetida R. f. persiana R. fujisanensis R. helenae R. hugonis R. humilis R. laevigata R. lucida R. marreti R. maximowicziana jacki R. moyesi R. multiflora R. m. cathayensis R. nitida

R. palustris

R. pendulina R. rouletti R. rubiginosa R. r. hybrids R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera R. spinosissima altaica R. s. hispida R. s. hybrids R. watsoniana R. wichuraiana R. w. hybrids R. hybrid perpetuals R. hybrid tea R. climbing R. polyantha hybrids R. woodsi R. xanthina allard R. x. spontanea Rubus deliciosus R. dumetorum R. odoratus R. phoenicolasius Salix discolor S. doniana S. incana S. irrorata S. jessoensis S. lucida S. mutabilis S. myricoides rigida S. nigricans cotinifolia S. patula S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis S. c. acutiloba S. nigra S. n. aurea S. n. variegata S. pubens S. p. leucocarpa S. racemosus Shepherdia argentea S. canadensis Smilax rotundifolia Sophora vicifolia Sorbaria aitchisoni S. arborea glabrata S. lindleyana S. sorbifolia Spirea arguta S. billiardi S. bumalda S. b. Anthony Waterer S. b. walluffi S. chamaedryfolia ulmifolia S. dasyantha S. douglasi S. fortunei S. froebeli S. japonica S. j. ovalifolia S. j. ruberrima S. latifolia S. margaritae

S. nipponica rotundifolia

S. prunifolia pubescens S. reevesiana S. r. lanceata S. salicifolia S. superba S. syringiflora S. thunbergi S. tomentosa S. trichocarpa S. van houttei S. veitchi

S. wilsoni Staphylea bumalda

S. colchica S. pinnata S. trifolia

Stephanandra flexuosa Stewartia pentagyna S. p. grandlifora Symphoricarpos chenaulti

S. mollis occidentalis

S. o. heyeri S. racemosus S. vulgaris

Symplocos paniculata Syringa affinis giraldi

S. chinensis S. c. alba S. c. metensis S. c. saugeana

S. emodi S. henryi eximea

S. h. lutece S. josikea

S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica

S. p. alba S. villosa S. vulgaris

S. vulgaris alba S. v. hybrids S. yunnanensis Tamarix africana

T. gallica T. g. indica T. juniperina T. odessana

T. pentandra T. tetandra purpurea Ulex europeus

Vaccinium corymbosum

V. vacillans

Viburnum acerifolium

V. americanum V. bitchuiense V. betulifolium
V. burejaeticum
V. burkwoodi
V. carlesi

V. cassinoides V. dentatum
V. dilatatum
V. d. leucocarpum
V. fragrans

V. hupehense V. lantana V. l. rugosum V. lentago

V. molle V. nudum V. opulus V. o. nanum

V. o. sterile V. o. xanthocarpum V. ovatifolium

V. prunifolium V. pubescens V. rufidulum V. sargenti V. sieboldi

V. theiferum V. tomentosum V. t. plicatum V. veitchi

V. venosum canbyi V. wrighti

Vitex agnus castus V. a. c. alba V. macrophylla V. negundo incisa

Weigela Abel Carriere

Weigela Abel Carri W. amabilis W. candida W. desboisi W. Eva Rathke W. floribunda W. groenewegeni W. Gustav Mallot W. hortensis rubra W. japonica W. rosea W. rosea

W. rosea nana variegata W. sieboldi argenteomarginata W. styriaca W. Van Houtte

Zanthorhiza apiifolia

Zanthoxylum americanum

### VINES

Actinidia arguta Akebia lobata A. quinata Ampelopsis aconitifolia A. henryana A. heterophylla

A. h. elegans A. quinquefolia

A. q. engelmanni A. q. murorum A. q. saintpauli

A. tricuspidata veitchi A. t. Iowi

Aristolochia sipho A. tomentosa Bignonia grandiflora B. g. Mad. Gallen

#### Vines Continued

B. radicans

B. speciosa

Celastrus orbiculatus C. scandens

Clematis apiifolia

Clematis apiifolia
C. chrysocoma sericea
C. crispa
C. fargesi
C. flammula
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni

C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. veitchi
C. viorna
C. virginiana
C. virdiba

C vitalba viticella Decumaria barbara

Hedera helix H. h. Albany H. h. baltica H. h. conglomerata

H. h. gracilis Hydrangea petiolaris

Lonicera alseusmoides L. browni plantierensis

L. caprifolium L. fuchsoides

L. heckrotti L. henryi

L. hirsuta L. japonica L. j. halleana

L. j. reticulata aurea L. periclymenum belgica

L. prolifera syn. sullavanti L. sempervirens

L. tellmanniana L. thibetica L. verna

Periploca graeca Polygonum auberti Pueraria thunbergiana Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor V. m. alba V. m. rubra plena Vitis aestivalis V. amurensis V. coignetae V. cordifolia

V. labrusca V. rotundifolia V. vulpina Wistaria frutescens

W. f. magnifica W. multijuga W. sinensis W. s. alba W. venusta

#### LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

## PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

### WOODY PLANTS FOR AUGUST AND SEPTEMBER FLOWERING

Baccharis halimifolia Bignonia grandiflora Buddleia in variety Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

# Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia
Ampelopsis tricuspidata veitchi
Aronia arbutifolia
Aronia atropurpurea
Benzoin aestivale
\*Betula popyrifera
\*Betula populifolia
\*Betula lenta
\*Betula lutea
Cornus in variety
\*Crataegus in variety
Euonymus in variety

\*Hypericum prolificum \*Juniperus virginiana \*Juniperus communis \*Ligustrum in variety Lonicera in variety

Morus alba
\*Myrica carolinensis

Nyssa sylvatica \*Pinus in variety

Photinia villosa Prunus besseyi Prunus padus

Prunus pennsylvanicum Prunus serotina

\*Rhamnus in variety

\*Rhus copallina \*Rhus glabra \*Rhus typhina

Ribes in variety Sambucus in variety

\*Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety Vitis in variety

\*Weigela hybrida in variety

# Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum Euonymus radicans minima Hypericum henryi Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis glauca Juniperus suecica nana Juniperus sabina tamariscifolia Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

# Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota Ligustrum vulgare Rhus canadensis Ribes alpinum Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus radicans and varieties
Fagus americana
Hedera helix
Kalmia latifolia
Amelanchier in variety

Benzoin aestivale Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerifolium Zanthorhiza apiifolia

# **Woody Plants for Bank Planting**

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Eunonymus radicans acutus
\*Lonicera halleana
\*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

\*Rhus typhina

Robinia pseudacacia \*Rosa setigera \*Rosa wichuraiana \*Rubus odoratus Salix caprea Salix discolor Salix incana \*Symphoricarpus vulgaris Vinca minor Vitis vulpina

#### Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Marrubium vulgare

Melissa officinalis Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis

#### SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (\*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24"														. :	\$	.60
2- 3'																.90
3- 4'															1	.25
4- 5'					,										1	.50
5- 6'															1	.75
																imeter f Ball
6- 8' 1"	Shrubs Trees	{						\$		2		5	0			16"
8-10' 11/4"	Shrubs Trees	{								3		5	0			18"
11/2"	Trees				,					4		5	0			20"
13/4"	"									6		0	0			22"
2"	"									7		0	0			24"
21/2"	"								1	1	.1	0	0			30"
3"	"								1	8		0	0			36"
31/2"	11								2	27		5	Ó			42"
411	11			į.					3	7		5	Ö			48"
41/2"	"								5	5		0	0			54"
5/1	"					•			7	5	i	'n	ñ			60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.



